

CHECKLIST OF WISCONSIN MOTHS

(**Superfamilies Mimallonoidea, Drepanoidea, Lasiocampoidea, Bombycoidea, Geometroidea, and Noctuoidea**)

Leslie A. Ferge,¹ George J. Balogh² and Kyle E. Johnson³

ABSTRACT

A total of 1284 species representing the thirteen families comprising the present checklist have been documented in Wisconsin, including 293 species of Geometridae, 252 species of Erebidae and 584 species of Noctuidae. Distributions are summarized using the six major natural divisions of Wisconsin; adult flight periods and statuses within the state are also reported. Examples of Wisconsin's diverse native habitat types in each of the natural divisions have been systematically inventoried, and species associated with specialized habitats such as peatland, prairie, barrens and dunes are listed.

INTRODUCTION

This list is an updated version of the Wisconsin moth checklist by Ferge & Balogh (2000). A considerable amount of new information from has been accumulated in the 18 years since that initial publication. Over sixty species have been added, bringing the total to 1284 in the thirteen families comprising this checklist. These families are estimated to comprise approximately one-half of the state's total moth fauna.

Historical records of Wisconsin moths are relatively meager. Checklists including Wisconsin moths were compiled by Hoy (1883), Rauterberg (1900), Fernekes (1906) and Muttkowski (1907). Hoy's list was restricted to Racine County, the others to Milwaukee County. Records from these publications are of historical interest, but unfortunately few verifiable voucher specimens exist. Unverifiable identifications and minimal label data associated with older museum specimens limit the usefulness of this information. Covell (1970) compiled records of 222 Geometridae species, based on his examination of specimens representing at least 30 counties. The oldest labeled museum specimens located were collected in 1881, but significant numbers of specimens did not accumulate until the 1930's when William E. Sieker and Harold M. Bower sampled a limited number of sites. In the late 1950's collecting using ultraviolet "blacklights" substantially added to our knowledge base. By the late 1970's portable lightweight battery-powered ultraviolet lights facilitated investigation of a wide variety of habitats, providing a wealth of new information.

Curtis (1959) indicates that floristic elements of the eastern deciduous forest region, the boreal forest region and the prairie region meet and intermingle in the state. The great diversity of habitats found in Wisconsin is a reflection of the state's geographic position, glacial deposits and topography. Hole and Germain (1994) have delineated six major natural divisions of Wisconsin, based on characteristics of geology, soils and vegetation. These are described below and their location indicated on the accompanying map (figure 1), with vegetation descriptions supplemented by observations from over 600 field sites visited by the authors.

(1) Lake Superior Lowland: A level to undulating glaciated clay plain formerly dominated by forests of white spruce, balsam fir, white pine, aspen, birch, white cedar, maple, and hemlock. Historical logging has largely resulted in second growth forests trending to aspen-birch. Common wetland types include alder thickets, sedge meadows, black ash swamps, and white cedar swamps. Peatlands and limited dunes occur along the Lake Superior shore and on some of the Apostle Islands.

(2) Northern Highland: A rolling glaciated plain dominated by forests of maple, aspen, birch, white pine, red pine, balsam fir, hemlock, basswood, and white spruce. Dry, sandy soils support jack pine and Hill's oak woodland and a few extensive barrens areas. The region contains an abundance of lakes and wetlands including peatlands, sedge meadows, alder and willow thickets, mixed conifer swamps, and black ash swamps.

¹Research Associate, Milwaukee Public Museum, 7119 Hubbard Avenue, Middleton, WI 53562-3231 lesferge@gmail.com

²6275 Liteolier Street, Portage, MI 49024-2394 bug50x@att.net


³University of Wisconsin, Dept. of Entomology, 1630 Linden Dr., Madison, WI 53706-1598 kejohnson4@wisc.edu

(3) Lake Michigan Shoreland: A level to rolling glaciated region dominated by forests of maple, basswood, ash, elm, oak, aspen, birch, hemlock, white pine, and beech. Hardwood swamps, white cedar swamps, sedge meadows, and willow thickets are common. Several extensive dune areas occur along the Lake Michigan shore. Peatlands occur sporadically, and the Door Peninsula supports limited areas of spruce-fir forest and alvar.

(4) Central Plains: A mostly level sand plain on a former glacial lake bottom, with the original open jack pine barrens and oak savanna largely succeeded to woodlands and forests of Hill's oak, white oak, jack pine, white pine, red pine, paper birch, aspen, red maple, and cherry. Wetlands are extensive and include sedge meadows, shrub thickets, and peatlands. This is a rich transitional area, with a mixture of western prairie and northern forest elements. The extent of this division indicated here is modified from Hole and Germain (1994) to include eastern Eau Claire County, as well as the disjunct sand plain centered in Burnett County. This better delineates moth distribution, as the habitats and moth fauna are very similar in each area.

(5) Southeastern Ridges and Lowlands: A glaciated region of ridges, lowlands and moraines, now largely utilized for farmland. Forests and woodlands are composed largely of maple, basswood, oak, ash, elm, cherry, walnut, and hickory. Wetlands include extensive sedge meadows, emergent marshes, willow thickets, tamarack fens, and hardwood swamps. Formerly large areas of mesic and wet prairie have largely fallen to the plow, with few examples remaining. Small areas of oak savannah and sand prairie survive as well.

(6) Southwestern Upland: A hilly, unglaciated region also known as the Driftless Area, dissected by river valleys. A once extensive area of prairie and oak savanna is now farmland, with prairie remnants found mostly on steep, rocky sites and on sand plains along the Wisconsin River. Woodlands and forests are composed mainly of oak, hickory, walnut, elm, basswood, maple, cherry, and hackberry. Extensive floodplain forests of silver maple, cottonwood, and river birch occur along the lower Wisconsin and Mississippi River Valleys, along with other wetlands including sedge meadows and buttonbush swamps. Tamarack fens occur as isolated remnants, as do pine and hemlock relicts on sandstone bluffs and in cool ravines.



MATERIALS AND METHODS

This list is based on adult moth specimens collected or examined by the authors. In a few cases, photographs provide the sole documentation. A small number of unverified or questionable records from the literature are briefly discussed at the end of the list. In addition to specimens retained by the authors, specimens were examined in collections at the Milwaukee Public Museum, the University of Wisconsin-Madison, the University of Wisconsin-Oshkosh, the University of Wisconsin-Stevens Point, the Field Museum of Natural History, Chicago, the University of Minnesota-Saint Paul, the Natural History Museum of Los Angeles County, the American Museum of Natural History, New York, and the United States National Museum of Natural History, Washington, D.C. Numerous records were also obtained from private collections. Specimen label data is being compiled and stored electronically using a Microsoft Access database.

Specimens collected by the authors were taken primarily at light, relying on 15-watt blacklights or 175-watt mercury vapor lights illuminating a sheet, or small battery-operated 15-watt funnel-type blacklight traps. The traps were indispensable for surveying remote or inhospitable areas; their portability allowed access to almost any site, resulting in many records that could not have been obtained otherwise. Moths were also found during diurnal searches, netted at flowers, and attracted with fermenting fruit/sugar baits. A small number of records were obtained by rearing larvae.

Examples of the majority of Wisconsin's major native habitat types in each of the natural divisions have been systematically inventoried. Most of Wisconsin's moth species have one or two adult flights per year, and many are highly seasonal in occurrence, with adults present only 2-3 weeks of the year. A good diversity of moth species inhabiting a given locality can be accounted for by sampling at two-week intervals from April-May through October. Due to the inhibitory effect of bright moonlight on nocturnal light sampling, it is preferable to conduct inventories over a minimum of two consecutive years, scheduling site visits once a month, coinciding as nearly as practical with the new moon. During the second year, the monthly sampling is scheduled to fill in between the previous dates, which again coincides favorably with the lunar cycle.

RESULTS

A total of 1284 species representing the thirteen families comprising the present checklist has been documented in Wisconsin, including 293 species of Geometridae, 252 species of Erebidae and 584 species of Noctuidae. The nomenclature and arrangement of species follows Pohl, Patterson & Pelham (2016), which incorporates the extensive revision and updates of the Noctuoidea by Lafontaine & Schmidt (2010), (2011), (2013) and (2015). Additional updates were provided by Pohl, Anweiler, Schmidt and Kondla (2010), Pogue (2013), Dubatolov (2015), Lavitt and Wagner (2016) and Rönkä, Mappes, Kaila, and Wahlberg (2016). The numbers from the Hodges (1983) checklist are cross-referenced and appear in parentheses. Checklist numbers in bold type indicate a recent nomenclatural change or an unresolved taxonomic issue. These are explained on pages 30-32.

The range of each species is summarized by indicating its occurrence within Wisconsin's six natural divisions, as shown in figure 1. Hole and Germain (1994) indicate that boundaries between natural divisions are necessarily approximations. Plant community, geologic and soil boundaries are not sharp, but form a gradient from one type to another. There are some instances where moth ranges extend slightly into bordering counties of adjacent divisions, creating the impression that a species is more widespread than it actually is. However, the ranges of the most species appear to correlate well with the divisions. The often lengthy flight periods indicated for some species are due to multiple broods, early or late seasons, and delayed flights in the far north or in close proximity to the Great Lakes.

Superfamily MIMALLONOIDEA

MIMALLONIDAE

- 830001 (7659) *Lacosoma chiridota* Grote, 1864. Unknown, Grant Co., 30 June 1992, Dane Co., 23 June 1995
830004 (7662) *Cicinnus melsheimeri* (Harris, 1841). Resident, Divisions 4, 6, late May-late June

Superfamily DREPANOIDEA

DREPANIDAE: Thyatirinae

- 850003 (6235) *HabroSYne scripta* (Gosse, 1840). Resident, Divisions 1, 2, 3, June-early July
850004 (6236) *HabroSYne gloriosa* (Guenée, 1852). Resident, Divisions 4, 5, 6, mid June-mid August
850005 (6237) *Pseudothyatira cymatophoroides* (Guenée, 1852). Resident, Statewide, mid June-July
850008 (6240) *Euthyatira pudens* (Guenée, 1852). Resident, Statewide, mid April-mid May

DREPANIDAE: Drepaninae

- 850019 (6251) *Drepana arcuata* Walker, 1855. Resident, Statewide, mid May-mid August
850020 (6252) *Drepana bilineata* (Packard, 1864). Resident, Statewide, May-July
850021 (6253) *Eudeilinea herminiata* (Guenée, 1857). Resident, Divisions 3, 4, 5, 6, late May-July
850023 (6255) *Oreta rosea* (Walker, 1855). Resident, Statewide, June-August

Superfamily LASIOCAMPOIDEA

LASIOCAMPIDAE: Lasiocampinae

- 870001 (7685) *Heteropacha rileyana* Harvey, 1874. Resident, Grant, Ozaukee, Richland Cos., mid May-mid August
870003 (7687) *Phyllodesma americana* (Harris, 1841). Resident, Statewide, late April-late July

LASIOCAMPIDAE: Macromphaliinae

- 870014 (7698) *Malacosoma disstria* Hübner, 1820. Resident, Statewide, late June-late July
870017 (7701) *Malacosoma americana* (Fabricius, 1793). Resident, Statewide, mid June- mid July
870018 (7702) *Malacosoma californica* (Packard, 1864). Unknown (single specimen), Douglas Co., 18 June 1988
870021 (7670) *Tolype velleda* (Stoll, 1791). Resident, Statewide, late August-late September
870024 (7673) *Tolype laricis* (Fitch, 1856). Resident, Divisions 1, 2, 3, 4, late August-late September

Superfamily BOMBYCOIDEA

APATELODIDAE

- 890001 (7663) *Apatelodes torrefacta* (J. E. Smith, 1797). Resident, Divisions 4, 5, 6, early June-early July
890004 (7665) *Olceclostera angelica* (Grote, 1864). Resident, Divisions 5, 6, mid June-mid July

SATURNIIDAE: Ceratocampinae

- 890012 (7704) *Eacles imperialis* (Drury, 1773). Resident, Divisions 5, 6, July
890014 (7716) *Anisota stigma* (Fabricius, 1775). Resident, Division 4, mid June-mid July
890017 (7723) *Anisota virginiensis* (Drury, 1773). Resident, Divisions 2, 4, 5, late May-mid June
890018 (7719) *Anisota senatoria* (J. E. Smith, 1797). Resident, Divisions 2, 4, 5, mid June-late July
890022 (7715) *Dryocampa rubicunda* (Fabricius, 1793). Resident, Statewide, late May-June
890023 (7712) *Sphingicampa bisecta* (Lintner, 1879). Historic. Type locality is Racine, Wisconsin
890024 (7709) *Sphingicampa bicolor* (Harris, 1841). Resident, Crawford, Grant, Green, Richland, Rock Cos., May, July

SATURNIIDAE: Hemileucinae

- 890040 (7730) *Hemileuca maia* (Drury, 1773) Great Lakes complex. Resident, Divisions 4, 5, late September-early October
890042 (7731) *Hemileuca nevadensis* Stretch, 1872. Resident, Douglas, Burnett, Polk Cos., Late September
890055 (7746) *Automeris io* (Fabricius, 1775). Resident, Statewide, late May-June

SATURNIIDAE: Saturniinae

- 890070 (7757) *Antheraea polyphemus* (Cramer, 1776). Resident, Statewide, mid May-June
890072 (7758) *Actias luna* (Linnaeus, 1758). Resident, Statewide, mid May-June
890079 (7764) *Callosamia promethea* (Drury, 1773). Resident, Statewide, June
890082 (7767) *Hyalophora cecropia* (Linnaeus, 1758). Resident, Statewide, late May-June
890083 (7768) *Hyalophora columbia* (S. I. Smith, 1865). Resident, Divisions 2, 3, late May-early June

SPHINGIDAE: Sphinginae

- 890086 (7771) *Agrius cingulata* (Fabricius, 1775). Occasional stray, Divisions 5, 6, September-October
890090 (7775) *Manduca sexta* (Linnaeus, 1763). Periodic migrant, Divisions, 4, 5, 6, July-September
890091 (7776) *Manduca quinquemaculata* (Haworth, 1803). Periodic migrant, Statewide, July-September
890100 (7784) *Dolba hyloeus* (Drury, 1773). Resident, Divisions 2, 4, early July-mid August
890102 (7786) *Ceratomia amyntor* (Geyer, 1835). Resident, Statewide, June-July
890103 (7787) *Ceratomia undulosa* (Walker, 1856). Resident, Statewide, June-mid July
890105 (7789) *Ceratomia catalpae* (Boisduval, 1875). Resident, Divisions 5, 6, June, August
890106 (7790) *Ceratomia hageni* Grote, 1874. Stray, Grant, Green, Rock Cos., early June, August
890111 (7802) *Sphinx chersis* (Hübner, 1823). Resident, Statewide, mid June-mid August
890112 (7803) *Sphinx vashti* Strecker, 1878. Stray, Divisions 3, 5, mid June-early August
890116 (7807) *Sphinx canadensis* Boisduval, 1875. Resident, Divisions 1, 2, 3, 6, late May-early August
890118 (7809) *Sphinx kalmiae* J. E. Smith, 1797. Resident, Statewide, June-July
890119 (7810) *Sphinx gordius* Cramer, 1780. Resident, Divisions 4, 5, 6, late May-early July
890121 (7810.1) *Sphinx poecila* Stephens, 1828. Resident, Divisions 1, 2, 3, 4, late May-July
890122 (7811) *Sphinx luscitiosa* Clemens, 1859. Resident, Divisions 2, 3, late May-early July
890123 (7812) *Sphinx drupiferarum* J. E. Smith, 1797. Resident, Statewide, June-mid July
890128 (7796) *Lintneria eremita* (Hübner, [1823]). Resident, Statewide, July
890136 (7817) *Lapara bombycoides* Walker, 1856. Resident, Divisions 1, 2, 3, 4, 6, late May-late July

SPHINGIDAE: Smerinthinae

- 890140 (7821) *Smerinthus jamaicensis* (Drury, 1773). Resident, Statewide, late May-mid August
890141 (7822) *Smerinthus cerisyi* Kirby, 1837. Resident, Statewide, mid May-June
890144 (7824) *Paonias excaecata* (J. E. Smith, 1797). Resident, Statewide, June-July
890145 (7825) *Paonias myops* (J. E. Smith, 1797). Resident, Statewide, late May-early August
890147 (7827) *Amorpha juglandis* (J. E. Smith, 1797). Resident, Statewide, mid-May-July
890148 (7828) *Pachysphinx modesta* (Harris, 1839). Resident, Statewide, late May-July

SPHINGIDAE: Dilophonotinae

- 890152 (7832) *Erinnyis alopa* (Drury, 1770). Stray, Portage Co., 5 September 1957
890154 (7834) *Erinnyis ello* (Linnaeus, 1758). Stray, Dane, Forest, Sauk Cos., July-mid September
890156 (7837) *Erinnyis obscura* (Fabricius, 1775). Stray, Outagamie Co., 2 September 1971
890170 (7849) *Aellopos titan* (Cramer, 1777). Stray, Divisions 2, 3, 5, late June-early October
890177 (7853) *Hemaris thysbe* (Fabricius, 1775). Resident, Statewide, early June-mid August
890178 (7854) *Hemaris gracilis* (Grote & Robinson, 1865). Resident, Divisions 2, 4, late May-late June
890179 (7855) *Hemaris diffinis* (Boisduval, 1836). Resident, Statewide, May-early August
890179.1 (7855.1) *Hemaris aethra* (Strecker, 1875). Resident, Divisions 2, 4, late May-late June

SPHINGIDAE: Macroglossinae

- 890182 (7859) *Eumorpha pandorus* (Hübner, 1821). Resident, Divisions 3, 4, 5, 6, mid June-early September
890184 (7861) *Eumorpha achemon* (Drury, 1773). Periodic breeding migrant, Divisions 3, 5, 6, late May-Sept.
890187 (7865) *Eumorpha fasciatus* (Sulzer, 1776). Stray, Dane Co., 18 August 1995
890188 (7866) *Eumorpha labruscae* (Linnaeus, 1758). Stray, Door Co., 2 Oct. 2007, Milwaukee Co., 15 Oct. 1938
890192 (7870) *Sphecodina abbottii* (Swainson, 1821). Resident, Divisions 2, 3, 4, 5, 6, early May-mid June
890193 (7871) *Deidamia inscriptum* (Harris, 1839). Resident, Divisions 3, 4, 5, 6, late April-early June
890194 (7873) *Amphion floridensis* B. P. Clark, 1920. Resident, Statewide, June
890206 (7884) *Darapsa versicolor* (Harris, 1839). Unknown, Richland Co., 3 August 2011, Sauk Co., 23 July 1955
890207 (7885) *Darapsa myron* (Cramer, 1780). Resident, Statewide, June-July
890208 (7886) *Darapsa choerilis* (Cramer, 1779). Resident, Statewide, mid May-July
890211 (7890) *Xylophanes tersa* (Linnaeus, 1771). Stray, Divisions 4, 5, 6, early July-early September
890215 (7892) *Hyles euphorbiae* (Linnaeus, 1758). Introduced, Eau Claire, Monroe, Trempealeau Cos., June-early July
890216 (7893) *Hyles gallii* (Rottemburg, 1775). Periodic breeding migrant, Divisions 2, 3, 6, mid June-mid July
890217 (7894) *Hyles lineata* (Fabricius, 1775). Periodic breeding migrant, Statewide, mid-May-September

Superfamily GEOMETROIDEA

URANIIDAE

- 910002 (7650) *Callezzia amorata* Packard, 1864. Resident, Divisions 2, 3, July-mid August
910006 (7653) *Calledapteryx dryopterata* Grote, 1868. Resident, Divisions 3, 5, 6, July-mid August

GEOMETRIDAE: Larentiinae: Hydriomenini

- 910015 (7182) *Dysstroma citrata* (Linnaeus, 1761). Resident, Divisions 1, 2, 3, August
910021 (7187) *Dysstroma truncata* (Hufnagel, 1767). Resident, Door, Vilas Cos., early July
910022 (7188) *Dysstroma walkerata* (Pearsall, 1909). Resident, Divisions 2, 3, June
910024 (7189) *Dysstroma hersiliata* (Guenée, [1858]). Resident, Statewide, mid June-mid July
910031 (7196) *Eulithis diversilineata* (Hübner, [1813]). Resident, Divisions 4, 5, 6, July-mid September
910032 (7197) *Eulithis gracililineata* (Guenée, [1858]). Resident, Divisions 4, 5, 6, mid July-mid September
910034 (7199) *Eulithis propulsata* (Walker, 1862). Resident, Divisions 1, 2, 3, mid July-early August
910037 (7201) *Eulithis testata* (Linnaeus, 1761). Resident, Statewide, late August-mid September
910039 (7203) *Eulithis molliculata* (Walker, 1862). Resident, Divisions 3, 4, 6, July-mid August
910041 (7205) *Eulithis flavibrunneata* (McDunnough, 1943). Resident, Divisions 1, 2, 3, 4, mid July-mid August
910042 (7206) *Eulithis explanata* (Walker, 1862). Resident, Statewide, July-early August
910044 (7208) *Eulithis serrataria* (Barnes & McDunnough, 1917). Resident, Divisions 1, 2, 3, late July-early August.
910046 (7210) *Antepirrhoe semiatrata* (Hulst, 1881). Historic, Forest, Oneida, Price Cos.
910049 (7213) *Ecliptopera silacea* ([Denis. & Schiffermüller], 1775). Historic, Forest, Oneida Cos.
910053 (7216) *Plemyria georgii* Hulst, 1896. Resident, Divisions 1, 2, 3, late July-late August
910054 (7217) *Thera juniperata* (Linnaeus, 1758). Unknown (one specimen), Brown Co., 9 October 1979
910055 (7218) *Thera contractata* (Packard, 1873). Resident, Divisions 1, 3, late July-late September
910067 (7229) *Hydriomena perfracta* Swett, 1910. Resident, Divisions 1, 2, 3, late May-late June
910073 (7235) *Hydriomena divisaria* (Walker, 1860). Resident, Division 2, mid May-mid June
910074 (7236) *Hydriomena renunciata* (Walker, 1862). Resident, Divisions 1, 2, 3, 4, late May-June
910075 (7237) *Hydriomena transfigurata* Swett, 1912. Resident, Divisions 2, 4, 5, 6, late April-May
910092 (7254) *Hydriomena ruberata* (Freyer, 1831). Resident, Divisions 2, 3, 4, mid May-early June
910123 (7285) *Trophosia haesitata* (Guenée, [1858]). Resident, Divisions 2, 3, April-May, September
910128 (7290) *Coryphista meadii* (Packard, 1874). Unknown, Divisions 3, 5, 6, mid July-late September
910129 (7291) *Rheumaptera undulata* (Linnaeus, 1758). Resident, Divisions 2, 3, 5, 6, late June-mid July
910130 (7292) *Rheumaptera prunivorata* (Ferguson, 1955). Resident, Statewide, late May-late July
910131 (7293) *Rheumaptera hastata* (Linnaeus, 1758). Resident, Statewide, June
910132 (7294) *Rheumaptera subhastata* (Nolcken, 1870). Resident, Division 2, June
910150 (7307) *Mesoleuca ruficillata* (Guenée, [1858]). Resident, Statewide, late May-early July
910155 (7312) *Spargania magnoliata* Guenée, [1858]. Resident, Divisions 2, 3, mid June-July
910156 (7313) *Spargania luctuata* (Denis [& Schiffermüller], 1775). Historic, Forest, Oneida Cos., 10 August 1923
910159 (7316) *Perizoma basaliata* (Walker, 1862). Resident, Divisions 2, 3, early July-mid August
910172 (7329) *Anticlea vasiliiata* Guenée, [1858]. Resident, Divisions 1, 2, 3, 4, mid April-late May
910173 (7330) *Anticlea multiferata* (Walker, 1863). Resident, Statewide, mid May-early June

GEOMETRIDAE: Larentiinae: Stamnodini

- 910176 (7333) *Stamnodes gibbicostata* (Walker, 1862). Resident, Divisions 2, 3, 4, 6, late August-September

GEOMETRIDAE: Larentiinae: Xanthorhoini

- 910211 (7368) *Xanthorhoe labradorensis* (Packard, 1867). Resident, Divisions 2, 3, 4, late May-early August
910212 (7369) *Xanthorhoe packardata* McDunnough, 1945. Resident, Divisions 2, 3, 5, late July-early August
910213 (7370) *Xanthorhoe abrasaria* (Herrich-Schäffer, [1855]). Resident, Divisions 1, 2, late June-early July
910214 (7371) *Xanthorhoe iduata* (Guenée, [1858]). Resident, Divisions 2, 4, late June-early July
910227 (7384) *Xanthorhoe decoloraria* (Esper, 1806). Resident, Divisions 1, 2, July
910231 (7388) *Xanthorhoe ferrugata* (Clerck, 1759). Resident, Statewide, mid May-mid August
910234 (7390) *Xanthorhoe lacustrata* (Guenée, [1858]). Resident, Statewide, May-mid August
910235 (7391) *Xanthorhoe dentilinea* Barnes & McDunnough, 1913. Unknown, Vilas Co., 14 August 1947
910238 (7394) *Epirrhoe alternata* (Müller, 1764). Resident, Divisions 2, 3, 4, 5, late May-July
910244 (7399) *Euphyia intermediata* (Guenée, [1858]). Resident, Statewide, mid May-mid September

- 910258 (7414) *Orthonama obstipata* (Fabricius, 1794). Annual migrant, Statewide, late April-November
 910259 (7415) *Orthonama evansi* (McDunnough, 1920). Resident, Divisions 4, 5, early June-mid August
 910260 (7416) *Costaconvexa centrostrigaria* (Wollaston, 1858). Annual migrant, Statewide, April-early November
 910261 (7417) *Disclisioprocta stellata* (Guenée, [1858]). Stray, Dane, Grant, Green Cos., late September
GEOMETRIDAE: Larentiinae: Asthenini
 910263 (7419) *Hydrelia lucata* (Guenée, [1858]). Resident, Divisions 2, 3, 6, late May-early July
 910264 (7420) *Hydrelia condensata* (Walker, 1862). Resident, Division 2, June
 910267 (7423) *Hydrelia albifera* (Walker, 1866). Resident, Statewide, June-mid July
 910272 (7428) *Venusia comptaria* (Walker, 1860). Resident, Divisions 2, 4, 5, 6, late April-mid May
 910274 (7430) *Trichodezia albovittata* (Guenée, [1858]). Resident, Statewide, late May-early August
GEOMETRIDAE: Larentiinae: Operophterini
 910278 (7433) *Epirrita autumnata* (Borkhausen, 1794). Resident, Statewide, late September-late October
 910282 (7437) *Operophtera bruceata* (Hulst, 1886). Resident, Statewide, mid October-mid November
GEOMETRIDAE: Larentiinae: Eudulini
 910286 (7440) *Eubaphe mendica* (Walker, 1854). Resident, Statewide, late May-August
GEOMETRIDAE: Larentiinae: Eupitheciini
 910292 (7445) *Horisme intestinata* (Guenée, [1858]). Resident, Statewide, late May-mid August
 910296 (7449) *Eupithecia palpata* Packard, 1873. Resident, Divisions 2, 3, 4, late May-late June
 910305 (7459) *Eupithecia columbiata* (Dyar, 1904). Resident, Divisions 2, 4, 6, late April-May
 910307 (7509.1) *Eupithecia matheri* Rindge, 1985. Resident, Divisions 2, 4, 5, 6, late April-mid September
 910313 (7551) *Eupithecia interruptofasciata* Packard, 1873. Resident, Divisions 2, 3, 4, 5, late August-September
 910324 (7474) *Eupithecia miserulata* Grote, 1863. Resident, Statewide, late May-late October
 910326 (7476) *Eupithecia misturata* (Hulst, 1896). Resident, Divisions 2, 3, late May-mid August
 910330 (7481) *Eupithecia coloradensis* (Hulst, 1896). Resident, Marathon Co., 24 June 2008; Oneida Co., 10 June 1962
 910332 (7483) *Eupithecia regina* Taylor, 1906. Resident, Burnett Co., 21 June 1996; Jackson Co., 4 June 1994
 910333 (7485) *Eupithecia borealis* (Hulst, 1898). Unknown, Vilas Co., 9 July 1948
 910335 (7487) *Eupithecia subfuscata* (Haworth, 1809). Resident, Divisions 1, 2, 3, late June-early July
 910338 (7491) *Eupithecia fletcherata* Taylor, 1907. Resident, Divisions 1, 4, 5, early May-mid August
 910339 (7555.2) *Eupithecia fredericki* Knudson, 1985. Unknown, Grant Co., 19 May 1999
 910340 (7492) *Eupithecia casloata* (Dyar, 1904). Resident, Bayfield Co., 24 June 1993
 910342 (7495) *Eupithecia affinata* Pearsall, 1908. Resident, Divisions 3, 5, 6, late August-early September
 910363 (7518) *Eupithecia intricata* (Zetterstedt, [1839]). Resident, Divisions 3, 4, late May-June
 910365c (7520) *Eupithecia satyrata dodata* Taylor, 1906. Resident, Manitowoc Co., 11 June 1993
 910366 (7522) *Eupithecia nimbicolor* (Hulst, 1896). Resident, Divisions 1, 2, late May-early June
 910367 (7523) *Eupithecia strattonata* Packard, 1873. Resident, Divisions 2, 4, late May-early June
 910368 (7524) *Eupithecia cimicifugata* Pearsall, 1908. Resident, Door Co., 5 June 1927; Ozaukee Co., 16 July 1996
 910369 (7526) *Eupithecia russeliata* Swett, 1908. Resident, Divisions 2, 4, late May-early July
 910370 (7527) *Eupithecia ammonata* McDunnough, 1929. Resident, Burnett, La Crosse Cos., late May-early June
 910371 (7530) *Eupithecia swettii* Grossbeck, 1907. Resident, Divisions 4, 5, 6, mid April-late May
 910380 (7538) *Eupithecia gelidata* Möschler, 1860. Resident, Jackson Co., 19 May 2001
 910382 (7540) *Eupithecia perfusca* (Hulst, 1898). Resident, Divisions 1, 2, 3, early June-late July
 910383 (7543) *Eupithecia annulata* (Hulst, 1896). Resident, Divisions 2, 3, mid April-mid May
 910388 (7548.2) *Eupithecia lariciata* (Freyer, 1841). Resident, Division 2, late May-early June
 910392 (7554.1) *Eupithecia assimilata* Doubleday, 1856. Resident, Divisions 2, 3, 5, 6, early June-mid August
 910403 (7565) *Eupithecia bowmani* Cassino & Swett, 1923. Resident, Marinette Co., 4 June 1995; Oneida Co., 1 June 1940
 910415 (7575) *Eupithecia mutata* Pearsall, 1908. Resident, Oneida Co., 1 July 2000; Waukesha Co., 19 July 1993
 910426 (7586.1) *Eupithecia absinthiata* (Clerck, 1759). Resident, Divisions 3, 4, 5, late August-early September
 910434 (7594) *Eupithecia anticaria* Walker, 1862. Resident, Divisions 2, 3, 4, early May-mid June
 910444 (7605) *Eupithecia ravocostaliata* Packard, 1876. Resident, Divisions 2, 3, 4, late April-mid May
 910466 (7625) *Pasiphila rectangulata* (Linnaeus, 1758). Introduced, Divisions 1, 2, 5, 6, mid June-early July
GEOMETRIDAE: Larentiinae: Lobophorini
 910476 (7635) *Acasis viridata* (Packard, 1873). Resident, Divisions 2, 3, 5, 6, late April-late August
 910478 (7637) *Cladara limitaria* (Walker, 1860). Resident, Statewide, early April-May
 910480 (7639) *Cladara atroliterata* (Walker, 1863). Resident, Statewide, early April-May

910481	(7640)	<i>Lobophora nivigerata</i> Walker, 1862. Resident, Statewide, early May-July
910486	(7645)	<i>Heterophleps refusaria</i> (Walker, 1861). Resident, Divisions 2, 5, 6, late May-early July
910488	(7647)	<i>Heterophleps triguttaria</i> Herrich-Schäffer, [1854]. Resident, Statewide, late May-July
910489	(7648)	<i>Dyspteris abortivaria</i> (Herrich-Schäffer, [1855]). Resident, Statewide, late May-early September
		GEOMETRIDAE: Sterrhinae: Sterrhini
910503	(7097)	<i>Lobocleta plemyraria</i> (Guenée, [1858]). Resident, Divisions 4, 5, 6, May-mid August
910508	(7102)	<i>Idaea bonifata</i> (Hulst, 1887). Stray, Milwaukee Co., 3 April 1913
910523	(7114)	<i>Idaea demissaria</i> (Hübner, [1831]). Resident, Divisions 3, 4, 5, 6, early July-mid August
910529	(7120)	<i>Idaea violacea</i> (Walker, 1861). Unknown, Eau Claire Co., 20 June 1987
910534	(7125)	<i>Idaea rotundopennata</i> (Packard, 1876). Resident, Division 2, late May-late June
910535	(7126)	<i>Idaea dimidiata</i> (Hufnagel, 1767). Introduced, Door Co., 1 August 2013, Sheboygan Co., 28 July 2014
		GEOMETRIDAE: Sterrhinae: Cosymbiini
910540	(7132)	<i>Pleuroprucha insulsaria</i> (Guenée, [1858]). Annual migrant, Statewide, early June-mid October
910544	(7136)	<i>Cyclophora packardi</i> (Prout, 1936). Resident, Divisions 4, 5, 6, early June-early September
910547	(7139)	<i>Cyclophora pendulinaria</i> (Guenée, [1858]). Resident, Divisions 1, 2, 3, 4, 5, late May-mid August
910548	(7140)	<i>Cyclophora nanaria</i> (Walker, 1861). Stray, Divisions 3, 4, 5, 6, September-mid October
		GEOMETRIDAE: Sterrhinae: Timandrini
910554	(7146)	<i>Haematopsis grataria</i> (Fabricius, 1798). Resident, Statewide, late May-late September
910555	(7147)	<i>Timandra amaturaria</i> Walker, 1866. Resident, Division 5, mid June-August
		GEOMETRIDAE: Sterrhinae: Scopulini
910565	(7157)	<i>Scopula cacuminaria</i> (Morrison, 1874). Resident, Statewide, late June-early August
910567	(7159)	<i>Scopula limboundata</i> (Haworth, 1809). Resident, Statewide, late June-early August
910570	(7162)	<i>Scopula ancellata</i> (Hulst, 1887). Resident, Divisions 2, 3, 4, June-July
910572	(7164)	<i>Scopula junctaria</i> (Walker, 1861). Resident, Divisions 1, 2, 3, 4, late June-early July
910574	(7165)	<i>Scopula quadrilineata</i> (Packard, 1876). Resident, Divisions 4, 5, early June
910575	(7166)	<i>Scopula frigidaria</i> (Möschler, 1860). Resident, Divisions 2, 3, early July
910578	(7169)	<i>Scopula inductata</i> (Guenée, [1858]). Resident, Statewide, early June-early September
910589	(7179)	<i>Leptostales rubromarginaria</i> (Packard, 1871). Unknown, Marinette Co., late May
		GEOMETRIDAE: Geometrinae: Nemoriini
910627	(7046)	<i>Nemoria bistriaria</i> Hübner, 1818. Unknown, Green, Rock Cos., early July-early August
910628	(7047)	<i>Nemoria rubrifrontaria</i> (Packard, 1873). Resident, Divisions 2, 4, late May-late June
910629	(7048)	<i>Nemoria mimosaria</i> (Guenée, [1858]). Resident, Statewide, late May-late June
910634	(7053)	<i>Dichorda iridaria</i> (Guenée, [1858]). Resident, Divisions 3, 6, late May-mid July
		GEOMETRIDAE: Geometrinae: Synchlorini
910639	(7058)	<i>Synchlora aerata</i> (Fabricius, 1798). Resident, Statewide, June-early September
		GEOMETRIDAE: Geometrinae: Hemitheini
910654	(7071)	<i>Chlorochlamys chloroleucaria</i> (Guenée, [1858]). Resident, Statewide, late May-late August
910667	(7084)	<i>Hethemia pistasciaria</i> (Guenée, [1858]). Divisions 1, 2, 3, 4, late May-mid June
910668	(7085)	<i>Mesothea incertata</i> (Walker, 1863). Resident, Divisions 1, 2, 3, 4, May
		GEOMETRIDAE: Archiearinae
910669	(6256)	<i>Archiearis infans</i> (Möschler 1862). Resident, Divisions 2, 3, 4, 6, late March-early May
910670	(6257)	<i>Leucobrephos brephoides</i> (Walker, 1857). Resident, Division 2, late March-mid April
		GEOMETRIDAE: Ennominae: Alsophilini
910672	(6258)	<i>Alsophila pometaria</i> (Harris, 1841). Resident, Statewide, late October-mid November
		GEOMETRIDAE: Ennominae: Cassymini
910676	(7010)	<i>Nematocampa resistaria</i> (Herrich-Schäffer, [1855]). Resident, Statewide, late June-August
910683	(6270)	<i>Protitame virginalis</i> (Hulst, 1900). Resident, Statewide, late May-late August
		GEOMETRIDAE: Ennominae: Macariini
910686	(6261)	<i>Heliomata cycladata</i> Grote & Robinson, 1866. Resident, Divisions 4, 5, 6, mid May-early July
910689	(6419)	<i>Isturgia dislocaria</i> (Packard, 1876). Resident, Divisions 5, 6, late May-mid June
910690	(6272)	<i>Eumacaria madopata</i> (Guenée, [1858]). Resident, Statewide, mid May-mid August
910691	(6271.1)	<i>Mellilla xanthometata</i> (Walker, 1862). Resident, Divisions 5, 6, June, early August
910693	(6321)	<i>Epelis truncataria</i> (Walker, 1862). Resident, Divisions 1, 2, 3, 4, early May-mid June

910697	(6332)	<i>Psamatodes abydata</i> (Guenee, 1857). Stray, Dane, Kewaunee, Milwaukee Cos., late September
910702	(6286)	<i>Macaria brunneata</i> (Thunberg, 1784). Resident, Divisions 1, 2, 3, 4, mid June-mid July
910705	(6283)	<i>Macaria sulfurea</i> (Packard, 1873). Resident, Divisions 1, 2, 3, late June-July
910706	(6284)	<i>Macaria amboflava</i> (Ferguson, 1953). Unknown, Vernon Co., 3 July 1995
910707	(6294)	<i>Macaria abruptata</i> (Walker, 1862). Resident, Divisions 4, 6, June-early July
910709	(6287)	<i>Macaria anataria</i> (Swett, 1913). Division 2, early July
910710	(6287.1)	<i>Macaria boreata</i> Ferguson, 2008. Unknown, Forest Co., 22 June 1995
910712	(6292)	<i>Macaria exhauspicata</i> (Walker, 1861). Resident, Divisions 2, 4, 6, late June-July
910715	(6299)	<i>Macaria coortaria</i> (Hulst, 1887). Resident, Statewide, late June-late July
910718	(6304)	<i>Macaria bitactata</i> (Walker, 1862). Resident, Division 2, early June-mid July
910720	(6303)	<i>Macaria subcessaria</i> (Walker, 1861). Resident, Statewide, late June-late July
910725	(6279)	<i>Macaria occiduaria</i> (Packard, 1874). Resident, Divisions 2, 4, early July
	(6280)	<i>Macaria andersoni</i> (Swett, 1916). Resident, Divisions 1, 2, July
910726	(6282)	<i>Macaria argillacearia</i> (Packard, 1874). Resident, Divisions 1, 2, 3, 4, late June-July
910727	(6278)	<i>Macaria evagaria</i> (Hulst, 1900). Resident, Statewide, June-early July
910730	(6274)	<i>Macaria ribearia</i> (Fitch, 1848). Resident, Statewide, late June-July
910733	(6290)	<i>Macaria loricaria</i> (Eversmann, 1837). Resident, Divisions 2, 3, 4, late June-early July
910735	(6273)	<i>Macaria pustularia</i> (Guenée, [1858]). Resident, Statewide, late June-mid August
910749	(6330)	<i>Macaria notata</i> (Linnaeus, 1758). Resident, Divisions 1, 2, 3, 4, late May-August
910750	(6326)	<i>Macaria aemulataria</i> (Walker, 1861). Resident, Statewide, mid May-August
910752	(6331)	<i>Macaria promiscuata</i> (Ferguson, 1974). Unknown, Dane Co., 18 June 1957
910756	(6342)	<i>Macaria bisignata</i> Walker, 1866. Resident, Statewide, mid May-mid August
910757	(6342.1)	<i>Macaria masquerata</i> Ferguson, 2008. Resident, Statewide, mid May-mid August
910761	(6339)	<i>Macaria transitaria</i> Walker, 1861. Resident, Divisions 2, 4, 5, 6, early June-mid August
910764	(6340)	<i>Macaria minorata</i> Packard, 1873. Resident, Statewide, June-mid August
910765	(6343)	<i>Macaria sexmaculata</i> Packard, 1867. Resident, Statewide, mid May-late August
910766	(6344)	<i>Macaria signaria</i> (Hübner, 1809). Resident, Divisions 1, 2, 3, late May- July
	(6349)	<i>Macaria marmorata</i> (Ferguson, 1972). Resident, Divisions 2, 4, mid June-July
	(6350)	<i>Macaria submarmorata</i> (Walker, 1861). Resident, Divisions 2, 3, 4, mid June-July
910767	(6347)	<i>Macaria pinistrobata</i> Ferguson, 1972. Resident, Divisions 1, 2, 3, 4, 5, late May-July
910768	(6348)	<i>Macaria fissinotata</i> (Walker, 1863). Resident, Divisions 1, 2, 3, late May-mid July
910769	(6351)	<i>Macaria oweni</i> (Swett, 1907). Resident Statewide, late May-early July
910772	(6353)	<i>Macaria multilineata</i> Packard, 1873. Resident, Divisions 4, 6, late May-August
910781	(6373)	<i>Digrammia denticulata</i> (Grote, 1883). Resident, Divisions 4, 5, 6, June-late August
910787	(6410)	<i>Digrammia pallidata</i> (Packard, 1873). Resident, Divisions 4, 6, mid May-June
910789	(6362)	<i>Digrammia continuata</i> (Walker, 1862). Resident, Statewide, late May-early August
910802	(6386)	<i>Digrammia ocellinata</i> (Guenée, [1858]). Resident, Divisions 3, 4, 5, 6, late May-August
910803	(6358)	<i>Digrammia ordinata</i> (Walker, 1862). Resident, Divisions 4, 6, late May-mid August
910805	(6357)	<i>Digrammia eremiata</i> (Guenée, [1858]). Resident, Divisions 4, 6, early May-late July
910806	(6357.1)	<i>Digrammia equivocata</i> Ferguson, 2008. Resident, Division 4, June
910814	(6397)	<i>Digrammia mellistrigata</i> (Grote, 1873). Resident, Divisions 1, 2, 3, 4, 5, mid May-late August
910816	(6399)	<i>Digrammia subminiata</i> (Packard, 1874). Resident, Divisions 4, 5, 6, late May-early September
910817	(6396)	<i>Digrammia neptaria</i> (Guenée, [1858]). Resident, Manitowoc Co., 12 June 1993
910822	(6405)	<i>Digrammia gnophosaria</i> (Guenee, 1858). Resident, Statewide, early May-mid September
910824	(6407)	<i>Rindgea nigricomma</i> (Warren, 1904). Stray, Dane Co., 3 October 1967
		GEOMETRIDAE: Ennominae: Boarmiini
910842	(6428)	<i>Orthofidonia tinctaria</i> (Walker, 1860). Resident, Division 2, May
910843	(6429)	<i>Orthofidonia exornata</i> (Walker, 1862). Resident, Division 2, late May
910844	(6430)	<i>Orthofidonia flavivenata</i> (Hulst, 1898). Resident, Division 2, mid May-early June
910845	(6431)	<i>Hesperumia sulphuraria</i> Packard, 1873. Resident, Divisions 4, 5, mid July
910850	(6436)	<i>Ematurga amitaria</i> (Guenée, [1858]). Resident, Divisions 2, 3, 4, late May-mid June
910853	(6439)	<i>Hypomecis umbrosaria</i> (Hübner, [1813]). Unknown, Divisions 2, 4, mid June
910858	(6443)	<i>Glenoides texanaria</i> (Hulst, 1888). Stray, Rock Co., 16 September 2012
910864	(6449)	<i>Glena cibrataria</i> (Guenée, [1858]). Resident, Divisions 2, 3, June

910874	(6459)	<i>Stenoporpia polygrammaria</i> (Packard, 1876). Unknown, Division 4, June
910898	(6486)	<i>Tornos scolopacinaria</i> (Guenée, [1858]). Stray, Division 5, early May-late July
910988	(6570)	<i>Aethalura intertexta</i> (Walker, 1860). Resident, Statewide, late April-mid June
911000	(6582)	<i>Iridopsis vellivolata</i> (Hulst, 1881). Resident, Statewide, May-mid June
911001	(6583)	<i>Iridopsis ephyraria</i> (Walker, 1860). Resident, Statewide, July-early August
911002	(6584)	<i>Iridopsis humaria</i> (Guenée, [1858]). Resident, Statewide, May-August
911007	(6588)	<i>Iridopsis larvaria</i> (Guenée, [1858]). Resident, Statewide, late May-early August
911009	(6590)	<i>Anavitrinella pampinaria</i> (Guenée, [1858]). Resident, Statewide, mid May-early August
911013	(6594)	<i>Cleora sublunaria</i> (Guenée, [1858]). Resident, Division 6, May
911014	(6595)	<i>Cleora projecta</i> (Walker, 1860). Resident, Divisions 2, 4, May
911016	(6597)	<i>Ectropis crepuscularia</i> (Denis & Schiffermüller, 1775). Resident, Statewide, mid April-mid July
911017	(6598)	<i>Protoboarmia porcelaria</i> (Guenée, [1858]). Resident, Statewide, late May-early August
911018	(6599)	<i>Epimecis hortaria</i> (Fabricius, 1794). Stray, Milwaukee Co., 7 July 1941, Door Co., 26 June 2002
911034	(6616)	<i>Melanchroia chephise</i> (Cramer, 1782). Stray (single specimen), Dane Co., 18 October 2016
GEOMETRIDAE: Ennominae: Melanolophiini		
911039	(6637)	<i>Eufidonia convergaria</i> (Walker, 1860). Resident, Divisions 1, 2, 3, 4, 5, late May-early July
911041	(6639)	<i>Eufidonia discospilata</i> (Walker, 1862). Resident, Divisions 1, 2, 3, 4, 5, late May-early July
911059	(6620)	<i>Melanolophia canadaria</i> (Guenee, 1858). Resident, Statewide, late April-mid July
911060	(6621)	<i>Melanolophia signataria</i> (Walker, 1860). Resident, Statewide, late April-June
GEOMETRIDAE: Ennominae: Bistonini		
911062	(6640)	<i>Biston betularia</i> (Linnaeus, 1758). Resident, Statewide, mid May-September
911072	(6651)	<i>Lycia ursaria</i> (Walker, 1860). Resident, Statewide, early April-late May
911075	(6654)	<i>Hypagyrtis unipunctata</i> (Haworth, 1809). Resident, Statewide, early June-late July
911077	(6656)	<i>Hypagyrtis piniata</i> (Packard, 1870). Resident, Divisions 1, 2, 3, 4, June-July
911079	(6658)	<i>Phigalia titea</i> (Cramer, 1780). Resident, Statewide, late March-early May
911081	(6660)	<i>Phigalia strigataria</i> (Minot, 1869). Resident, Statewide, late March-early May
911083	(6662)	<i>Paleacrita vernata</i> (Peck, 1795). Resident, Statewide, early March-early April
911084	(6663)	<i>Paleacrita merricata</i> Dyar, 1903. Resident, Divisions 2, 4, 6, late March-mid April
911086	(6665)	<i>Erannis tiliaria</i> (Harris, 1841). Resident, Statewide, late September-early November
GEOMETRIDAE: Ennominae: Baptini		
911088	(6666)	<i>Lomographa semiclarata</i> (Walker, 1866). Divisions 2, 3, 4, early May-June
911089	(6667)	<i>Lomographa vestaliata</i> (Guenée, [1858]). Resident, Statewide, late May-June
911090	(6668)	<i>Lomographa glomeraria</i> (Grote, 1881). Resident, Statewide, mid April-May
GEOMETRIDAE: Ennominae: Caberini		
911098	(6677)	<i>Cabera erythemaria</i> Guenée, [1858]. Resident, Statewide, late May-mid August
911099	(6678)	<i>Cabera variolaria</i> Guenée, [1858]. Resident, Statewide, June-mid August
911101	(6680)	<i>Cabera quadriasciaria</i> (Packard, 1873). Resident, Division 6, June
911115	(6693)	<i>Apodrepanulatrix liberaria</i> (Walker, 1860). Resident, Divisions 4, 6, late August-early September
911125	(6704)	<i>Erastria coloraria</i> (Fabricius, 1798). Resident, Divisions 4, 5, 6, May-July
GEOMETRIDAE: Ennominae: Angeronini		
911145	(6720)	<i>Lytrosis unitaria</i> (Herrich-Schaffer, 1854). Resident, Statewide, late June-early July
911149	(6724)	<i>Euchlaena serrata</i> (Drury, 1773). Resident, Statewide, late June-mid July
911151	(6726)	<i>Euchlaena obtusaria</i> (Hubner, 1813). Resident, Statewide, late June-mid August
911153	(6728)	<i>Euchlaena effecta</i> (Walker, 1860). Resident, Statewide, late June-mid July
911154	(6729)	<i>Euchlaena johnsonaria</i> (Fitch, 1870). Resident, Statewide, late June-mid August
911156	(6731)	<i>Euchlaena madusaria</i> (Walker, 1860). Resident, Divisions 2, 4, 6, June-mid August
911159	(6734)	<i>Euchlaena marginaria</i> (Minot, 1869). Resident, Divisions 1, 2, 4, 5, late May-early July
911162	(6737)	<i>Euchlaena tigrinaria</i> (Guenée, [1858]). Resident, Divisions 1, 2, 3, 4, mid June-early July
911163	(6738)	<i>Euchlaena milnei</i> McDunnough, 1945. Resident, Grant, Richland, Sauk Cos., late June-early July
911164	(6739)	<i>Euchlaena irraria</i> (Barnes & McDunnough, 1917). Resident, Divisions 1, 2, 3, 4, June-early July
911165	(6740)	<i>Xanthotype urticaria</i> Swett, 1918. Resident, Statewide, late June-early August
911168	(6743)	<i>Xanthotype sospeta</i> (Drury, 1773). Resident, Statewide, late June-mid August

GEOMETRIDAE: Ennominae: Azelinini

- 911179 (6748) *Pero ancetaria* (Hübner, 1806). Resident, Divisions 3, 4, 5, 6, mid May-early August
911182 (6753) *Pero honestaria* (Walker, 1860). Resident, Divisions 3, 4, 5, 6, mid May-early August
911183 (6755) *Pero morrisonaria* (Hy. Edwards, 1881). Resident, Statewide, late May-mid July
- GEOMETRIDAE: Ennominae: Nacophorini**
- 911191 (6763) *Phaeoura quernaria* (J. E. Smith, 1797). Resident, Statewide, mid May-mid August
- GEOMETRIDAE: Ennominae: Campaeini**
- 911226 (6796) *Campaea perlata* (Guenée, [1858]). Resident, Statewide, late May-Sepember
- GEOMETRIDAE: Ennominae: Ennomini**
- 911227 (6797) *Ennomos magnaria* Guenée, [1858]. Resident, Statewide, August-early November
911229 (6798) *Ennomos subsignaria* (Hübner, [1823]). Resident, Statewide, late June-early September
- GEOMETRIDAE: Ennominae: Epiranthini**
- 911230 (6799) *Spodolepis substriataria* Hulst, 1896. Resident, Divisions 1, 2, late April-late May
- GEOMETRIDAE: Ennominae: Lithinini**
- 911236 (6804) *Petrophora subaequaria* (Walker, 1860). Resident, Statewide, May-mid June
911238 (6806) *Tacparia atropunctata* (Packard, 1874). Resident, Divisions 1, 2, 3, mid May-mid June
911239 (6807) *Tacparia detersata* (Guenee, 1858). Resident, Statewide, mid May-June
911240 (6815) *Gueneria similaria* (Walker, 1860). Unknown, Florence Co., 8 Jul. 1958, Outagamie Co., 12 Jun. 1992
911241 (6811) *Homochlodes lactispargaria* (Walker, 1861). Unknown, Division 4, mid May
911242 (6812) *Homochlodes fritillaria* (Guenee, 1858). Resident, Statewide, late May-June
- GEOMETRIDAE: Ennominae: Anagogini**
- 911249 (6817) *Selenia alciphearia* Walker, 1860. Resident, Divisions 1, 2, mid May-late June
911250 (6818) *Selenia kentaria* (Grote & Robinson, 1867). Resident, Divisions 1, 2, 6, May-early June
911251 (6819) *Metanema inatomaria* Guenée, [1858]. Resident, Statewide, June-mid August
911252 (6820) *Metanema determinata* Walker, 1866. Resident, Divisions 1, 2, 3, 4, 5, late May-early August
911254 (6822) *Metarranthis duaria* (Guenee, [1858]). Resident, Statewide, late May-late June
911255 (6823) *Metarranthis angularia* Barnes & McDunnough, 1917. Resident, Divisions 2, 4, 5, 6, late May-June
911256 (6824) *Metarranthis amyrisaria* (Walker, 1860). Resident, Divisions 2, 4, 5, late May-mid July
911257 (6825) *Metarranthis indeclinata* (Walker, 1861). Resident, Divisions 2, 3, 4, 5, late May-late June
911258 (6826) *Metarranthis hypocrharia* (Herrich-Schäffer, [1854]). Resident, Statewide, late May-early July
911259 (6827) *Metarranthis refractaria* (Guenée, [1858]). Resident, Divisions 1, 2, 3, 4, 5, late May-late June
911260 (6821) *Metarranthis warnerae* (Harvey, 1874). Resident, Divisions 2, 3, 4, late May-late June
911268 (6835) *Cephalis armataria* (Herrich-Schäffer, [1855]). Resident, Statewide, mid June-mid July
911269 (6837) *Probola alienaria* (Herrich-Schäffer, [1855]). Resident, Statewide, mid May-late July
911270 (6838) *Probola amicaria* (Herrich-Schäffer, [1855]). Resident, Divisions 2, 3, 4, 6, late-May-early August
911272 (6840) *Plagodis serinaria* (Herrich-Schäffer, [1855]). Resident, Statewide, mid May-late June
911273 (6841) *Plagodis kuetzingi* (Grote, 1876). Resident, Statewide, late May-early July
911274 (6842) *Plagodis phlogosaria* (Guenée, [1858]). Resident, Statewide, late May-early July
911275 (6844.1) *Plagodis pulveraria* (Linnaeus, 1758). Resident, Statewide, mid May-early August
911276 (6843) *Plagodis fervidaria* (Herrich-Schäffer, [1855]). Resident, Statewide, mid May-early August
911277 (6844) *Plagodis alcoolaria* (Guenée, [1858]). Resident, Statewide, mid May-July
- GEOMETRIDAE: Ennominae: Ourapterygini**
- 911296 (6863) *Caripeta divisata* Walker, 1863. Resident, Divisions 1, 2, 3, mid June-late July
911297 (6864) *Caripeta piniata* (Packard, 1870). Resident, Divisions 1, 2, 3, 4, June-early July
911301 (6867) *Caripeta angustiorata* Walker, 1863. Resident, Divisions 1, 2, 3, 4, early July- early August
911323 (6884) *Besma endropiaria* (Grote & Robinson, 1867). Resident, Statewide, June
911324 (6885) *Besma quercivoraria* (Guenée, [1858]). Resident, Statewide, late May-mid August
911327 (6888) *Lambdina fiscellaria* (Guenée, [1858]). Resident, Statewide, late August-early October
911333 (6894) *Lambdina fervidaria* (Hübner, [1831]). Resident, Divisions 2, 4, late May-early July
911337 (6898) *Cingilia catenaria* (Drury, 1773). Resident, Statewide, early August-early October
911346 (6906) *Nepytia canosaria* (Walker, 1863). Resident, Statewide, late August-late September
911349 (6909) *Nepytia pellucidaria* (Packard, 1873). Resident, Divisions 1, 2, 3, September
911352 (6912) *Sicya macularia* (Harris, 1850). Resident, Statewide, late June-July

911384	(6941)	<i>Eusarca confusaria</i> Hubner, 1813. Resident, Statewide, late June-late August
911400	(6963)	<i>Tetracis crocallata</i> Guenée, 1858. Resident, Statewide, late May-June
911401	(6964)	<i>Tetracis cachexiata</i> (Guenée, [1858]). Resident, Statewide, late May-early July
911413	(6965)	<i>Eugonobapta nivosaria</i> (Guenée, [1858]). Resident, Statewide, early July-early August
911414	(6966)	<i>Eutrapela clemataria</i> (J. E. Smith, 1797). Resident, Statewide, late April-mid June
911423	(6974)	<i>Patene olyzonaria</i> (Walker, 1860). Occasional stray, Dane, Rock Cos., early August-October
911432	(6982)	<i>Prochoerodes lineola</i> (Goeze, 1781). Resident, Statewide, late June-early October
911437	(6987)	<i>Antepione thisoaria</i> (Guenée, [1858]). Resident, Divisions 4, 6, June-late July

Superfamily NOCTUOIDEA

NOTODONTIDAE: Pygaerinae

930003	(7895)	<i>Clostera albosigma</i> Fitch, 1856. Resident, Statewide, mid May-mid August
930004	(7896)	<i>Clostera inclusa</i> (Hübner, [1831]). Resident, Divisions 2, 4, 5, early May-July
930006	(7898)	<i>Clostera strigosa</i> (Grote, 1882). Resident, Statewide, early May-mid August
930008	(7900)	<i>Clostera brucei</i> (Hy. Edwards, 1885). Resident, Divisions 1, 2, 4, late May-July
930009	(7901)	<i>Clostera apicalis</i> (Walker, 1855). Resident, Statewide, late May-mid August

NOTODONTIDAE: Notodontinae

930010	(7917)	<i>Hyperaeschra georgica</i> Herrich-Schäffer, 1855). Resident, Statewide, late May-early August
930012	(7922)	<i>Pheosia rimosa</i> Packard, 1864. Resident, Statewide, late May-mid August
930013	(7924)	<i>Odontosia elegans</i> (Strecker, 1885). Resident, Statewide, late May-July
930015	(7926)	<i>Notodonta scitipennis</i> Walker, 1862. Resident, Divisions 2, 3, 4, 6, late May-early July
930017	(7928)	<i>Notodonta torva</i> (Hübner, 1803). Resident, Divisions 2, 3, 4, 6, late May-early August
930018	(7929)	<i>Nerice bidentata</i> Walker, 1855. Resident, Statewide, mid May-early August
930019	(7931)	<i>Gluphisia septentrionis</i> Walker, 1855. Resident, Statewide, late May-early August
930021	(7933)	<i>Gluphisia avimacula</i> Hudson, 1891. Resident, Statewide, late April-May
930022	(7934)	<i>Gluphisia lintneri</i> (Grote, 1877). Resident, Divisions 2, 3, 4, 6, April
930024	(7936)	<i>Furcula borealis</i> (Guerin-Meneville, 1832). Resident, Statewide, late-May-early August
930025	(7937)	<i>Furcula cinerea</i> (Walker, 1865). Resident, Statewide, late May-July
930027	(7939)	<i>Furcula occidentalis</i> (Lintner, 1878). Resident, Statewide, late May-early August
930029	(7941)	<i>Furcula modesta</i> (Hudson, 1891). Resident, Statewide, May-early August
930030	(7942)	<i>Cerura scitiscrimpta</i> Walker, 1865. Resident, Divisions 2, 3 late May-early July

NOTODONTIDAE: Phalerinae

930033	(7902)	<i>Datana ministra</i> (Drury, 1773). Resident, Statewide, mid June-late July
930034	(7903)	<i>Datana angusii</i> Grote & Robinson, 1866. Resident, Divisions 3, 4, 6, late June-late July
930035	(7904)	<i>Datana dixellii</i> Hy. Edwards, 1884. Historic, Milwaukee Co., 25 Jun 1936, Marathon Co., 26 June 1970
930037	(7906)	<i>Datana contracta</i> Walker, 1855. Resident, Divisions 5, 6, late June-late July
930038	(7907)	<i>Datana integerrima</i> Grote & Robinson, 1866. Resident, Divisions 5, 6, July
930039	(7908)	<i>Datana perspicua</i> Grote & Robinson, 1865. Resident, Divisions 4, 5, 6, July
930046	(7915)	<i>Nadata gibbosa</i> (J. E. Smith, 1797). Resident, Statewide, June-July
930048	(7919)	<i>Peridea basitriens</i> (Walker, 1855). Resident, Divisions 1, 2, 3, late May-early July
930049	(7920)	<i>Peridea angulosa</i> (J. E. Smith, 1797). Resident, Statewide, early June-early August
930050	(7921)	<i>Peridea ferruginea</i> (Packard, 1864). Resident, Statewide, early June-early August
930051	(7930)	<i>Ellida caniplaga</i> (Walker, 1856). Resident, Statewide, mid May-mid-July

NOTODONTIDAE: Heterocampinae

930067	(7975)	<i>Macrurocampa marthesia</i> (Cramer, [1780]). Resident, Divisions 4, 5, 6, mid-June-early August
930075	(7983)	<i>Heterocampa obliqua</i> Packard, 1864. Resident, Divisions 4, 5, 6, July
930077	(7985)	<i>Heterocampa subrotata</i> Harvey, 1874. Resident, Division 6, June-early July
930082	(7990)	<i>Heterocampa umbrata</i> Walker, 1855. Resident, Divisions 1, 2, 3, June-late July
930086	(7994)	<i>Heterocampa guttivitta</i> (Walker, 1855). Resident, Statewide, late May-June
930087	(7995)	<i>Heterocampa biundata</i> Walker, 1855. Resident, Statewide, late May-early August
930090	(7998)	<i>Lochmaeus manteo</i> Doubleday, 1841. Resident, Statewide, June-July
930091	(7999)	<i>Lochmaeus bilineata</i> (Packard, 1864). Resident, Statewide, late May-early August
930098	(8005)	<i>Schizura ipomoeae</i> Doubleday, 1841. Resident, Statewide, mid June-mid August

930099	(8006)	<i>Schizura badia</i> (Packard, 1864). Resident, Divisions 2, 3, 5, 6, late June-mid July
930100	(8007)	<i>Schizura unicornis</i> (J. E. Smith, 1797). Resident, Statewide, late May-early August
930102	(8009)	<i>Schizura apicalis</i> (Grote & Robinson, 1866). Resident, Divisions 2, 4, 6, late June-mid July
930103	(8010)	<i>Schizura concinna</i> (J. E. Smith, 1797). Resident, Divisions 1, 2, late June-early July
930104	(8011)	<i>Schizura leptinoides</i> (Grote, 1864). Resident, Statewide, late May-early August
930105	(8012)	<i>Oligocentria semirufescens</i> (Walker, 1855). Resident, Statewide, July
930110	(8017)	<i>Oligocentria lignicolor</i> (Walker, 1855). Resident, Statewide, late June-early August
930115	(8022)	<i>Hyparpax aurora</i> (J. E. Smith, 1797). Resident, Division 4, early June-early July
		NOTODONTIDAE: Nystaleinae
930127	(7951)	<i>Symmerista albifrons</i> (J. E. Smith, 1797). Resident, Door, Grant Cos., late July-early August
930128	(7952)	<i>Symmerista canicosta</i> Franclemont, 1946. Resident, Statewide, mid June-mid July
930129	(7953)	<i>Symmerista leucitys</i> Franclemont, 1946. Resident, Divisions 2, 3, 6, early June-mid July
930133	(7957)	<i>Dasylophia anguina</i> (J. E. Smith, 1797). Resident, Divisions 3, 4, 5, 6, mid June-mid August
930134	(7958)	<i>Dasylophia thyatiroides</i> (Walker, 1862). Resident, Door, Manitowoc Cos., late June-mid July
		EREBIDAE: Lymantriinae
930141	(8318)	<i>Lymantria dispar</i> (Linnaeus, 1758). Introduced, Statewide, late July-August
930145	(8293)	<i>Dasychira dorsipennata</i> (Barnes & McDunnough, 1919). Resident, Statewide, late June-July
930145	(8294)	<i>Dasychira vagans</i> (Barnes & McDunnough, 1913). Resident, Division 2, July
930148	(8296)	<i>Dasychira basiflava</i> (Packard, 1864). Resident, Statewide, late June-early August
930152	(8300)	<i>Dasychira cinnamomea</i> (Grote & Robinson, 1866). Resident, Statewide, mid July-late August
930154	(8302)	<i>Dasychira obliquata</i> (Grote & Robinson, 1866). Resident, Statewide, mid July-mid August
930156	(8304)	<i>Dasychira plagiata</i> (Walker, 1865). Resident, Statewide, early July-early August
930157	(8305)	<i>Dasychira pinicola</i> (Dyar, 1911). Resident, Divisions 2, 3, 4, early June-July
930160	(8308)	<i>Orgyia antiqua</i> (Linnaeus, 1758). Resident, Divisions 2, 3, late-July-August
930166	(8314)	<i>Orgyia definita</i> Packard, 1864. Resident, Statewide, late August-September
930168	(8316)	<i>Orgyia leucostigma</i> (J. E. Smith, 1797). Resident, Statewide, August-early October
		EREBIDAE: Arctiinae: Lithosiini
930201	(8087)	<i>Lycomorpha pholus</i> (Drury, 1773). Resident, Divisions 2, 3, 6, early July-early September
930204	(8089)	<i>Hypoprepia miniata</i> (Kirby, 1837). Resident, Statewide, June-August
930205	(8090)	<i>Hypoprepia fucosa</i> Hübner, [1831]. Resident, Statewide, July-August
930215	(8098)	<i>Clemensia albata</i> Packard, 1864. Resident, Statewide, late June-early October
930217	(8043)	<i>Manulea bicolor</i> (Grote, 1864). Resident, Divisions 1, 2, 3, early July-early August
930219	(8045.1)	<i>Crambidia pallida</i> Packard, 1864. Resident, Statewide, early July-August
930225	(8051)	<i>Crambidia casta</i> (Packard, 1869). Resident, Divisions 3, 4, 6, late August-early September
930226	(8052)	<i>Crambidia pura</i> Barnes & McDunnough, 1913. Resident, Divisions 4, 6, late June-early September
		EREBIDAE: Arctiinae: Arctiini
930240	(8199)	<i>Apantesis arge</i> (Drury, 1773). Resident, Divisions 3, 4, 5, 6, early May-early September
930242	(8194)	<i>Apantesis phyllira</i> (Drury, 1773). Resident, Divisions 3, 4, 6, late May-early September
930244	(8197)	<i>Apantesis virgo</i> (Linnaeus, 1758). Resident, Statewide, mid July-mid August
930245	(8176)	<i>Apantesis anna</i> (Grote, 1864). Resident, Divisions 4, 6, mid June
930246	(8196)	<i>Apantesis parthenice</i> (Kirby, 1837). Resident, Statewide, August-early September
930247	(8175)	<i>Apantesis virguncula</i> (Kirby, 1837). Resident, Statewide, mid June-early July
930248	(8175.1)	<i>Apantesis speciosa</i> (Moschler, 1864). Resident, Divisions 1, 2, 3, 4, mid July-early August
930253	(8188)	<i>Apantesis figurata</i> (Drury, 1773). Resident, Division 6, mid May-early June
	(8187)	<i>Apantesis celia</i> (Saunders, 1863). Resident, Divisions 2, 3, 4, mid May-mid June
930278	(8169)	<i>Apantesis phalerata</i> (Harris, 1841). Resident, Divisions 3, 4, 5, 6, mid June-early September
930280	(8171)	<i>Apantesis nais</i> (Drury, 1773). Resident, Statewide, mid May-late August
930281	(8171.1)	<i>Apantesis carlotta</i> Ferguson, 1985. Resident, Division 6, late may-late August
930288	(8162)	<i>Platarctia parthenos</i> (Harris, 1850). Resident, Divisions 1, 2, late may-June
930290	(8166)	<i>Arctia caja</i> (Linnaeus, 1758). Resident, Divisions 1, 2, late July-early August
930294	(8114)	<i>Virbia laeta</i> (Guérin-Méneville, 1844). Resident, Divisions 2, 4, late June-mid July
930297	(8118)	<i>Virbia opella</i> (Grote, 1863). Resident, Divisions 2, 4, 6, late June-early August
930299	(8121)	<i>Virbia aurantiaca</i> (Hübner, [1831]). Resident, Statewide, mid June-early September

930302	(8120)	<i>Virbia lamae</i> (Freeman, 1941). Resident, Divisions 2, 3, 4, late June-early August
930306	(8123)	<i>Virbia ferruginosa</i> (Walker, 1854). Resident, Statewide, late June-July
930307	(8124)	<i>Virbia immaculata</i> (Reakirt, 1864). Resident, Division 2, early July-mid August
930309	(8134)	<i>Spilosoma congrua</i> Walker, 1855. Resident, Statewide, late May-early August
930310	(8136)	<i>Spilosoma dubia</i> (Walker, 1855). Resident, Division 2, late May-mid June
930311	(8133)	<i>Spilosoma latipennis</i> Stretch, 1872. Resident, Statewide, June
930316	(8137)	<i>Spilosoma virginica</i> (Fabricius, 1798). Resident, Statewide, mid May-mid August
930317	(8131)	<i>Estigmene acrea</i> (Drury, 1773). Resident, Statewide, June-early August
930319	(8140)	<i>Hyphantria cunea</i> (Drury, 1773). Resident, Statewide, mid May-early July
930323	(8146)	<i>Hypercompe scribonia</i> (Stoll, [1790]). Resident, Divisions 4, 5, 6, June
930332	(8156)	<i>Phragmatobia fuliginosa</i> (Linnaeus, 1758). Resident, Statewide, mid June-mid September
930333	(8157)	<i>Phragmatobia lineata</i> Newman & Donahue, 1966. Resident, Divisions 5, 6, July
930334	(8158)	<i>Phragmatobia assimilans</i> Walker, 1855. Resident, Divisions 1, 2, 3, 4, mid May-early June
930335	(8129)	<i>Pyrrharctia isabella</i> (J. E. Smith, 1797). Resident, Statewide, early June-late July
930343	(8109)	<i>Haploa reversa</i> (Stretch, 1885). Resident, Statewide, late June-July
930344	(8110)	<i>Haploa contigua</i> (Walker, 1855). Resident, Divisions 2, 3, 4, 6, July
930345	(8111)	<i>Haploa lecontei</i> (Guérin-Méneville, 1832). Resident, Statewide, late June-mid July
930346	(8112)	<i>Haploa confusa</i> (Lyman, 1887). Resident, Divisions 1, 2, 3, 4, July
930348	(8106)	<i>Utetheisa ornatrix</i> (Linnaeus, 1758). Historic stray, Divisions 5, 6, late July-August
930360	(8203)	<i>Halysidota tessellaris</i> (J. E. Smith, 1797). Resident, Statewide, mid June-July
930370	(8211)	<i>Lophocampa caryae</i> Harris, 1841. Resident, Divisions 5, 6, late May-late June
930373	(8214)	<i>Lophocampa maculata</i> Harris, 1841. Resident, Divisions 1, 2, 3, 4, June
930402	(8229)	<i>Cycnia collaris</i> (Fitch, 1856). Resident, Divisions 4, 5, 6, June-August
930404	(8230)	<i>Cycnia tenera</i> Hübner, 1818. Resident, Statewide, late May-July
930405	(8231)	<i>Cycnia oregonensis</i> (Stretch, [1874]). Resident, Statewide, June-mid August
930412	(8238)	<i>Euchaetes egle</i> (Drury, 1773). Resident, Statewide, early June-mid July
930429	(8254)	<i>Pygarctia spraguei</i> (Grote, 1875). Resident, Division 4, late May-late June
930435	(8262)	<i>Ctenucha virginica</i> (Esper, 1794). Resident, Statewide, early June-early July
930440	(8267)	<i>Cisseps fulvicollis</i> (Hübner, [1818]). Resident, Statewide, late June-early October
EREBIDAE: Herminiiinae		
930469	(8322)	<i>Idia americalis</i> (Guenée, 1854). Resident, Statewide, late June-September
930470	(8324)	<i>Idia majoralis</i> (J. B. Smith, 1895). Resident, Divisions 3, 5, 6, July-early September
930471	(8323)	<i>Idia aemula</i> Hübner, 1814. Resident, Statewide, late June-early October
930472	(8323.1)	<i>Idia concisa</i> of authors, not (Walker, 1860). Resident, Statewide, July
930474	(8326)	<i>Idia rotundalis</i> (Walker, 1866). Resident, Statewide, July-mid August
930475	(8327)	<i>Idia forbesi</i> (French, 1894). Resident, Division 6, late June-mid July
930476	(8328)	<i>Idia julia</i> (Barnes & McDunnough, 1918). Resident, Divisions 3, 5, 6, mid-July-mid August
930477	(8329)	<i>Idia diminuendis</i> (Barnes & McDunnough, 1918). Resident, Divisions 2, 4, 6, mid July-early August
930478	(8330)	<i>Idia scobialis</i> (Grote, 1880). Unknown, Waukesha Co., 9 August 1992
930481	(8333)	<i>Idia denticulalis</i> (Harvey, 1875). Resident, Division 6, July
930482	(8334)	<i>Idia lubricalis</i> (Geyer, 1832). Resident, Statewide, mid July-mid September
930487	(8338)	<i>Phalaenophana pyramusalis</i> (Walker, 1859). Resident, Statewide, late May-early August
930489	(8340)	<i>Zanclognatha lituralis</i> (Hubner, 1818). Resident, Divisions 2, 3, 4, late June-early July
930490	(8341)	<i>Zanclognatha theralis</i> (Walker, 1859). Resident, Divisions 1, 2, late June-mid July
930492	(8345)	<i>Zanclognatha laevigata</i> (Grote, 1872). Resident, Statewide, July-early August
930495	(8348)	<i>Zanclognatha pedipilalis</i> (Guenée, 1854). Resident, Statewide, early June-early August
930496	(8349)	<i>Zanclognatha protumnusalis</i> (Walker, 1859). Resident, Divisions 2, 3, 5, 6, early June-July
930496.1	(8349.1)	<i>Zanclognatha dentata</i> Wagner & McCabe, 2011. Resident, Statewide, early July-early August
930497	(8350)	<i>Zanclognatha martha</i> Barnes, 1928. Resident, Divisions 1, 4, 6, mid June-mid July
930498	(8351)	<i>Zanclognatha cruralis</i> (Guenée, 1854). Resident, Statewide, mid June-early July
930499	(8352)	<i>Zanclognatha marcidilinea</i> (Walker, 1859). Resident, Statewide, mid July-early September
930500	(8353)	<i>Zanclognatha jacchusalis</i> (Walker, 1859). Resident, Statewide, early July-August
930502	(8355)	<i>Chytolita morbidalis</i> (Guenée, 1854). Resident, Statewide, June-early July
930505	(8361)	<i>Macrochilo louisiana</i> (Forbes, 1922). Resident, Statewide, July-early August

930506	(8359)	<i>Macrochilo bivittata</i> (Grote, 1877). Resident, Statewide, early July-mid August
930510	(8358)	<i>Macrochilo litophora</i> (Grote, 1873). Resident, Divisions 3, 4, 5, 6, mid July
930511	(8360)	<i>Macrochilo orciferalis</i> Walker, 1859. Resident, Statewide, July-early September
930512	(8362)	<i>Phalaenostola metonalis</i> (Walker, 1859). Resident, Statewide, late June-mid August
930513	(8363)	<i>Phalaenostola eumelusalis</i> (Walker, 1859). Resident, Divisions 4, 5, 6, late June-late July
930514	(8364)	<i>Phalaenostola larentiooides</i> Grote, 1873. Resident, Statewide, July-late August
930515	(8365)	<i>Phalaenostola hanhami</i> (J. B. Smith, 1899). Resident, Statewide, early July-mid August
930516	(8366)	<i>Tetanolita mynesalis</i> (Walker, 1859). Occasional migrant, Divisions 5, 6, mid August- mid October
930518	(8368)	<i>Tetanolita floridana</i> (J. B. Smith, 1895). Occasional migrant, Divisions 5, 6, September-mid October
930520	(8370)	<i>Bleptina caradrinalis</i> Guenée, 1854. Resident, Statewide, late June-early August
930530	(8379)	<i>Renia factiosalis</i> (Walker, 1859). Resident, Divisions 4, 5, 6, mid July-late August
930536	(8384.1)	<i>Renia flavipunctalis</i> (Geyer, 1832). Resident, Statewide, late June-early August
930539	(8387)	<i>Renia sobrialis</i> (Walker, 1859). Resident, Divisions 1, 3, 4, 6, early July-early August
930547	(8393)	<i>Lascoria ambigualis</i> Walker, 1866. Resident, Divisions 3, 4, 5, 6, late May-early August
930551	(8397)	<i>Palthis angulalis</i> (Hübner, 1796). Resident, Statewide, late May-early August
930552	(8398)	<i>Palthis asopialis</i> (Guenée, 1854). Unknown, Green Co., 23 Aug. 1996, Walworth Co., 23 Sept. 2007
		EREBIDAE: Pangraptinae
930559	(8490)	<i>Pangrapta decoralis</i> Hübner, 1818. Resident, Divisions 1, 2, 3, 4, early June-mid August
930560	(8491)	<i>Ledaea perditalis</i> (Walker, 1859). Resident, Divisions 5, 6, late June-mid August
		EREBIDAE: Hypeninae
930561	(8441)	<i>Hypena manalis</i> Walker, 1859. Resident, Divisions 4, 5, 6, late July-early September
930562	(8442)	<i>Hypena baltimorensis</i> (Guenée, 1854). Resident, Statewide, mid May-mid August
930564	(8443)	<i>Hypena bijugalis</i> [Walker, 1859]. Resident, Statewide, late May-mid August
930565	(8444)	<i>Hypena palparia</i> (Walker, 1861). Resident, Divisions 2, 4, 5, 6, June-mid July
930566	(8445)	<i>Hypena abalienalis</i> Walker, [1859]. Resident, Statewide, June-late August
930567	(8446)	<i>Hypena deceptalis</i> Walker, [1859]. Resident, Statewide, June-late August
930568	(8447)	<i>Hypena mafetectalis</i> Guenée, 1854. Resident, Divisions 5, 6, late May-early July
930570	(8448)	<i>Hypena sordidula</i> Grote, 1872. Resident, Division 6, June-early August
930573	(8450)	<i>Hypena atomaria</i> (J. B. Smith, 1903). Resident, Division 6, mid May-early August
930575	(8452)	<i>Hypena edictalis</i> Walker, [1859]. Resident, Statewide, late June-early August
930580	(8457)	<i>Hypena mininalis</i> Guenée, 1854. Stray, Outagamie, Waukesha Cos., mid September-October
930584	(8461)	<i>Hypena humuli</i> Harris, 1841. Resident, Statewide, mid April-early November
930588	(8465)	<i>Hypena scabra</i> (Fabricius, 1798). Annual migrant, Statewide, late May-December
930589	(8455)	<i>Hypena eductalis</i> Walker, [1859]. Resident, Statewide, July-August
930590	(8411)	<i>Colobochyla interpuncta</i> (Grote, 1872). Resident, Kenosha Co., early June
930591	(8412)	<i>Melanomma auricinctaria</i> Grote, 1875. Resident, Divisions 5, 6, late June-early August
		EREBIDAE: Rivulinae
930592	(8404)	<i>Rivula propinqualis</i> Guenée, 1854. Resident, Statewide, late June-early September
		EREBIDAE: Scoliopteryginae
930601	(8555)	<i>Scoliopteryx libatrix</i> (Linnaeus, 1758). Resident, Statewide, April-early November
930602	(8545)	<i>Anomis erosa</i> Hübner, 1821. Occasional migrant, Divisions 5, 6, late September-October
930608	(8551)	<i>Anomis illita</i> Guenée, 1852. Historic migrant, Dane, Grant, Milwaukee Cos., late September-mid October
930611	(8554)	<i>Alabama argillacea</i> (Hubner, 1823). Historic migrant, Divisions 2, 5, 6, late September-October
		EREBIDAE: Calpinae
930612	(8536)	<i>Calyptera canadensis</i> (Bethune, 1865). Resident, Statewide, late May-late August
930622	(8534)	<i>Plusiodonta compressipalpis</i> Guenée, 1852. Resident, Divisions 5, 6, late May-mid August
930624	(8543)	<i>Eudocima apta</i> (Walker, [1858]). Stray (one specimen), Ashland Co., 12 September 1993
		EREBIDAE: Scolecocampinae
930637	(8514)	<i>Scolecocampa liburna</i> (Geyer, 1837). Resident, Divisions 5, 6, July
		EREBIDAE: Hypenodinae
930661	(8420)	<i>Hypenodes caducus</i> (Dyar, 1907). Resident, Divisions 2, 3, 4, 5, 6, late June-August
930662	(8421)	<i>Hypenodes fractilinea</i> (J. B. Smith, 1908). Resident, Divisions 2, 4, 5, 6, late June-August
930663	(8422)	<i>Hypenodes palustris</i> Ferguson, 1954. Resident, Divisions 2, 3, 4, 5, late June-mid September

930664	(8423)	<i>Hypenodes sombrus</i> Ferguson, 1954. Resident, Divisions 2, 4, 5, early July-early September
930665	(8425)	<i>Hypenodes franclemonti</i> Ferguson, 1954. Division 2, late July-early August
930667	(8430)	<i>Parahypenodes quadralis</i> Barnes & McDunnough 1918. Resident, Divisions 1, 2, 6, late June-early August
930669	(8426)	<i>Dyspyralis illocata</i> Warren, 1891. Resident, Division 6, late June-early August
930670	(8427)	<i>Dyspyralis puncticosta</i> (J. B. Smith, 1908). Resident, Divisions 5, 6, late July-early August
930671	(8428)	<i>Dyspyralis nigella</i> (Strecker, 1900). Resident, Divisions 3, 6, late June-mid July
		EREBIDAE: Boletobiinae
930674	(8413)	<i>Mycterothora inexplicata</i> (Walker, [1863]). Resident, Divisions 2, 3, late July-early August
930679	(8499)	<i>Metalectra discalis</i> (Grote, 1876). Resident, Divisions 5, 6, late June-late August
930680	(8500)	<i>Metalectra quadrisignata</i> (Walker, [1858]). Resident, Statewide, late June-mid August
930682	(8502)	<i>Metalectra tantillus</i> (Grote, 1875). Resident, Jackson, Richland, Sauk Cos., late June-early August
930698	(9025)	<i>Oruza albocostaliata</i> (Packard, 1876). Resident, Burnett, Dane, Grant, Pierce Cos., July-early September
930715	(8479)	<i>Spargaloma sexpunctata</i> Grote, 1873. Resident, Statewide, late May-early September
930716	(8480)	<i>Phytometra ernestinana</i> (Blanchard, 1840). Resident, Divisions 4, 5, 6, early May-late August
930717	(8481)	<i>Phytometra rhodariaialis</i> (Walker, 1859). Unknown, Milwaukee, 11 June 1967, Waukesha Co., 25 July 1981
930727	(9035)	<i>Hyperstrotia nana</i> (Hübner, 1818). Resident, Dane, Oneida Cos., late June-early July
930729	(9037)	<i>Hyperstrotia pervertens</i> (Barnes & McDunnough, 1918). Resident, Ozaukee Co., 15 July 1983
930732	(9040)	<i>Hyperstrotia secta</i> (Grote, 1879). Resident, Division 4, 5, 6, late June-mid August
930734	(8493)	<i>Isogona tenuis</i> (Grote, 1872). Resident, Division 6, mid June-July
		EREBIDAE: Toxocampinae
930754	(8466)	<i>Tathorhynchus exsiccatus</i> (Leder, 1855). Occasional stray, Divisions 5, 6, late May-September
		EREBIDAE: Erebinae: Thermesiini
930758	(8647)	<i>Thysania zenobia</i> (Cramer, [1777]). Stray, Divisions 3, 5, early September-October
930759	(8649)	<i>Ascalapha odorata</i> (Linnaeus, 1758). Occasional migrant, Statewide, early July-late September
		EREBIDAE: Erebinae: Catocalini
930760	(8769)	<i>Spiloloma lunilinea</i> Grote, 1873. Resident, Grant, Richland Cos., June-mid August
930761	(8770)	<i>Catocala innubens</i> Guenée, 1852. Resident, Divisions 5, 6, early July-latre August
930762	(8771)	<i>Catocala piatrix</i> Grote, 1864. Resident, Divisions 5, 6, late July-mid September
930764	(8773)	<i>Catocala epione</i> (Drury, 1773). Resident, Divisions 5, 6, mid-July-mid August
930766	(8775)	<i>Catocala antinympha</i> (Hübner, [1823]). Resident, Divisions 1, 2, 3, 4, late July-late September
930767b	(8776)	<i>Catocala badia coelebs</i> Grote, 1874. Resident, Divisions 1, 2, 3, late July-August
930768	(8778)	<i>Catocala habilis</i> Grote, 1872. Resident, Divisions 5, 6, mid August-mid September
930770	(8783)	<i>Catocala angusi</i> Grote, 1876. Stray (single specimen), La Crosse Co., 10 August 1941
930771	(8779)	<i>Catocala serena</i> W. H. Edwards, 1864. Resident, Divisions 5, 6, late July-mid September
930772	(8781)	<i>Catocala judith</i> Strecker, 1874. Resident, Divisions 5, 6, mid July-mid August
930773	(8784)	<i>Catocala obscura</i> Strecker, 1873. Resident, Divisions 5, 6, early August-early September
930774	(8785)	<i>Catocala residua</i> Grote, 1874. Resident, Divisions 5, 6, late July-mid September
930777	(8788)	<i>Catocala reducta</i> Grote, 1872. Resident, Divisions 5, 6, mid August-mid September
930780	(8790)	<i>Catocala dejecta</i> Strecker, 1880. Unknown, Crawford, Rock Cos., mid July-early September
930781	(8791)	<i>Catocala insolabilis</i> Guenée, 1852. Recently established resident, Divisions 5, 6, mid July-mid August
930782	(8792)	<i>Catocala vidua</i> (J. E. Smith, 1797). Resident, Divisions 5, 6, late August-mid September
930783	(8794)	<i>Catocala lacrymosa</i> Guenée, 1852. Occasional stray, Divisions 3, 5, late July-mid August
930784	(8795)	<i>Catocala palaeogama</i> Guenée, 1852. Resident, Divisions 5, 6, late July-mid September
930787	(8796)	<i>Catocala nebulosa</i> W. H. Edwards, 1864. Resident, Division 6, August-early September
930788	(8797)	<i>Catocala subnata</i> Grote, 1864. Resident, Divisions 5, 6, Late July-early September
930789	(8793)	<i>Catocala maestosa</i> Hulst, 1884. Stray, Outagamie Co., 29 Aug. 1991, Milwaukee Co., 16 Sept. 2008
930790	(8798)	<i>Catocala neogama</i> (J. E. Smith, 1797). Resident, Divisions 5, 6, late July-September
930792	(8801)	<i>Catocala ilia</i> (Cramer, [1775]). Resident, Statewide, early July-mid September
930794	(8802)	<i>Catocala cerogama</i> Guenée, 1852. Resident, Statewide, mid July-early September
930795	(8803)	<i>Catocala relicta</i> Walker, [1858]. Resident, Statewide, late July-early October
930797	(8805)	<i>Catocala unijuga</i> Walker, [1858]. Resident, Statewide, late July-mid September
930798	(8806)	<i>Catocala parta</i> Guenée, 1852. Resident, Statewide, late July-mid September
930800	(8808)	<i>Catocala luciana</i> Strecker, 1874. Unknown, Divisions 5, 6, late August-mid September
930804	(8817)	<i>Catocala briseis</i> Edwards, 1864. Resident, Divisions 1, 2, 3, late July-mid September

930806	(8821)	<i>Catocala semirelicta</i> Grote, 1874. Resident, Divisions 1, 2, 3, early August-early September
930807	(8822)	<i>Catocala meskei</i> Grote, 1873. Resident, Divisions 3, 4, 5, 6, late July-late August
930809	(8829)	<i>Catocala junctura</i> Walker, [1858]. Unknown, Sauk, Waukesha Cos., mid July
930812	(8832)	<i>Catocala cara</i> Guenée, 1852. Resident, Divisions 3, 4, 5, 6, early August-mid September
930814	(8833)	<i>Catocala concumbens</i> Walker, [1858]. Resident, Statewide, late July-late September
930815	(8834)	<i>Catocala amatrix</i> (Hübner, [1813]). Resident, Divisions 3, 5, 6, early August-mid September
930826	(8840)	<i>Catocala illecta</i> Walker, [1858]. Resident, Division 6, late June-early July
930827	(8841)	<i>Catocala abbreviatella</i> Grote, 1872. Resident, Division 6, late June-mid July
930828	(8842)	<i>Catocala nuptialis</i> Walker, [1858]. Resident, Division 6, August
930829	(8843)	<i>Catocala whitneyi</i> Dodge, 1874. Resident, Divisions 4, 6, mid July-early August
930830	(8844)	<i>Catocala amestris</i> Strecker, 1874. Resident, Divisions 4, 6, mid July-early August
930832	(8846)	<i>Catocala sordida</i> Grote, 1877. Resident, Divisions 1, 2, 4, mid July-late August
930837	(8851)	<i>Catocala coccinata</i> Grote, 1872. Resident, Statewide, mid July-mid August
930841	(8857)	<i>Catocala ultronia</i> (Hübner, 1823). Resident, Statewide, mid July-early September
930844	(8863)	<i>Catocala mira</i> Grote, 1876. Resident, Divisions 5, 6, early July-early August
930845	(8864)	<i>Catocala grynea</i> (Cramer, [1779]). Resident, Statewide, late July-mid August
930846	(8858)	<i>Catocala crataegi</i> Saunders, 1876. Resident, Divisions 5, 6, mid July-early August
930847	(8865)	<i>Catocala praeclera praeclera</i> Grote & Robinson, 1866. Resident, Divisions 1, 2, 3, 4, late July-mid August
930847a	(8865a)	<i>Catocala praeclera manitoba</i> Beutenmüller, 1908. Unknown, Pierce Co., 16 July 1994
930851	(8867)	<i>Catocala blandula</i> Hulst, 1884. Resident, Statewide, early July-early August
930853	(8872)	<i>Catocala clintonii</i> Grote, 1864. Resident, Divisions 5, 6, late June-mid July
930855	(8873)	<i>Catocala similis</i> W. H. Edwards, 1864. Resident, Statewide, mid July-early August
930856	(8874)	<i>Catocala minutula</i> W. H. Edwards, 1864. Resident, Division 6, mid July
930857	(8876)	<i>Catocala micronympha</i> Guenée, 1852. Resident, Divisions 4, 5, 6, early July-early August
930858	(8877)	<i>Catocala connubialis</i> Guenée, 1852. Resident, Divisions 2, 4, 5, 6, mid July-late August
930859	(8878)	<i>Catocala amica</i> (Hübner, 1818). Resident, Statewide, mid July-late August
930860	(8878.1)	<i>Catocala lineella</i> Grote, 1872. Resident, Divisions 2, 3, 4, 5, 6, late July-late August
EREBIDAE: Erebinae: Melipotini		
930862	(8591)	<i>Phoberia atomaris</i> Hübner, 1818. Resident, Divisions 4, 5, 6, mid April-mid May
930863	(8591.1)	<i>Phoberia ingenua</i> (Walker, 1858). Resident, Divisions 4, 6, mid April-mid May
930864	(8592)	<i>Cissusa spadix</i> (Cramer, [1780]). Migrant, Divisions 3, 4, 5, 6, April-mid May
930869	(8598)	<i>Melipotis perpendicularis</i> (Guenée, 1852). Stray (single specimen), Door Co., 28 July 1995
930878	(8607)	<i>Melipotis jucunda</i> (Hübner, 1818). Stray (single specimen), Rock Co., 23 October 2012
930891	(8618)	<i>Drasteria graphica</i> Hübner, 1818. Resident, Divisions 1, 2, 3, 4, 6, mid May-mid June
930910	(8636)	<i>Drasteria adumbrata</i> (Behr, 1870). Resident, Portage Co., 9 June 1959; Marinette Co., 24 June 1995
930915	(8641)	<i>Drasteria grandirena</i> (Haworth, 1909). Resident, Door, Jackson, Marathon, Marinette Cos., June
EREBIDAE: Erebinae: Euclidiini		
930923	(8738)	<i>Caenurgina crassiuscula</i> (Haworth, 1809). Annual migrant, Statewide, late April-September
930924	(8739)	<i>Caenurgina erechtea</i> (Cramer, [1780]). Annual migrant, Statewide, late April-early November
930929	(8731)	<i>Euclidia cuspidea</i> (Hübner, 1818). Resident, Statewide, mid May-June
930934	(8751)	<i>Ptichodis bistrigata</i> Hübner, 1818. Unknown (single specimen), Grant Co., 15 May 1982
930938	(8733)	<i>Caenurgia chloropha</i> (Hübner, 1818). Occasional stray, Divisions 5, 6, late September-October
930940	(8747)	<i>Celiptera frustulum</i> Guenée, 1852. Resident, Division 6, late May-late August
930942	(8743)	<i>Mocis latipes</i> (Guenée, 1852). Occasional stray, Divisions 2, 3, 5, mid September-mid October
930944	(8745)	<i>Mocis texana</i> (Morrison, 1875). Occasional migrant, Divisions 4, 5, 6, late May-early October
EREBIDAE: Erebinae: Poaphilini		
930956	(8764)	<i>Argyrostromis anilis</i> (Drury, 1773). Resident, Statewide, late June-early July
930961	(8727)	<i>Parallelia bistriaris</i> Hübner, 1818. Resident, Statewide, late May-mid August
EREBIDAE: Erebinae: Omopterini		
930970	(8651)	<i>Lesmone detrahens</i> (Walker, 1858). Unknown, Dane, Grant, Kenosha, La Crosse Cos., late July-late August
931023	(8689)	<i>Zale lunata</i> (Drury, 1773). Annual migrant, Statewide, early July-mid November
931026	(8692)	<i>Zale galbanata</i> (Morrison, 1876). Resident, Statewide, early May-early August
931029	(8694)	<i>Zale aeruginosa</i> (Guenée, 1852). Resident, Divisions 1, 2, 3, 4, late May-early June
931030	(8695)	<i>Zale undularis</i> (Drury, 1773). Resident, Statewide, late May-June

931032	(8697)	<i>Zale minerea</i> (Guenée, 1852). Resident, Statewide, May-early June
931033	(8698)	<i>Zale phaeocapna</i> Franclemont, 1950. Resident, Divisions 2, 3, 6, May
931034	(8699)	<i>Zale obliqua</i> (Guenée, 1852). Resident, Divisions 2, 4, 6, May-early June
931037	(8702)	<i>Zale submediana</i> Strand, 1917. Resident, Divisions 2, 3, 4, early May-early June
931038	(8703)	<i>Zale duplicata</i> (Bethune, 1865). Resident, Divisions 1, 2, 3, 4, 6, late April-early June
931039	(8704)	<i>Zale helata</i> (J. B. Smith, 1908). Resident, Statewide, mid May-early June
931042	(8707)	<i>Zale metatoides</i> McDunnough, 1943. Resident, Divisions 1, 2, 4, 6, early May-early June
931048	(8713)	<i>Zale intenta</i> (Walker, [1858]). Resident, Statewide, May
931052	(8716)	<i>Zale unilineata</i> (Grote, 1876). Resident, Statewide, late April-May
931053	(8717)	<i>Zale horrida</i> Hübner, 1819. Resident, Statewide, late May-late June
931055	(8719)	<i>Euparthenos nubilis</i> (Hübner, 1823). Resident, Statewide, early June-early August
931060	(9818)	<i>Amolita fessa</i> Grote, 1874. Resident, Divisions t 3, 4, 5, 6, late June-mid July
EREBIDAE: Eulepidotinae		
931077	(8574)	<i>Anticarsia gemmatalis</i> Hübner, 1818. Occasional migrant, Statewide, October-early November
931089	(8587)	<i>Panopoda rufimargo</i> (Hübner, 1818). Resident, Divisions 2, 4, 5, 6, late June-late July
931090	(8588)	<i>Panopoda carneicosta</i> Guenée, 1852. Resident, Divisions 5, 6, July

EUTELIDAE: Euteliinae

931103	(8955)	<i>Marathyssa inficita</i> (Walker, 1865). Resident, Divisions 5, 6, early June-mid August
931104	(8956)	<i>Marathyssa basalis</i> Walker, 1865. Resident, Divisions 5, 6, May
931106	(8957)	<i>Paectes oculatrix</i> (Guenée, 1852). Resident, Divisions 3, 4, 5, 6, early June-early July

NOLIDAE: Nolinae

931121	(8983)	<i>Meganola minuscula</i> (Zeller, 1872). Resident, Divisions 4, 5, 6, mid May-early August
931122	(8983.1)	<i>Meganola phylla</i> (Dyar, 1898). Resident, Divisions 4, 5, 6, May, July
931123	(8983.2)	<i>Meganola spodia</i> Franclemont, 1985. Divisions 4, 5, late June-late July
931130	(8990)	<i>Nola cilicoides</i> (Grote, 1873). Resident, Statewide, early June-early August
931132	(8992)	<i>Nola triquetra</i> (Fitch, 1856). Resident, Divisions 3, 4, May
931135	(8995)	<i>Nola ovilla</i> Grote, 1875. Resident, Dane, Outagamie Cos., 27 May 1993

NOLIDAE: Chloephorinae

931141	(8974)	<i>Garella nilotica</i> (Rogenhofer, 1881). Resident, Divisions 5, 6, July-August
931142	(8975)	<i>Nycteola frigidana</i> (Walker, 1863). Resident, Division 2, late April-May
931144	(8977)	<i>Nycteola cinereana</i> Neumögen & Dyar, 1893. Resident, Division 3, late July
931145	(8978)	<i>Nycteola metaspilella</i> (Walker, 1866). Resident, Dane, Rock, Waukesha Cos., mid May-June, late August

NOLIDAE: Risobinae

931148	(8969)	<i>Baileya doubledayi</i> (Guenée, 1852). Resident, Statewide, mid May-early August
931149	(8970)	<i>Baileya ophthalmica</i> (Guenée, 1852). Resident, Statewide, late May-June
931150	(8971)	<i>Baileya dormitans</i> (Guenée, 1852). Resident, Statewide, mid May-early July
931152	(8972)	<i>Baileya levitans</i> (J. B. Smith, 1906). Resident, Divisions 5, 6, mid May-late July
931154	(8973)	<i>Baileya australis</i> (Grote, 1881). Resident, Division 6, late June-mid August

NOCTUIDAE: Plusiinae: Abrostolini

931161	(8880)	<i>Abrostola ovalis</i> Guenée, 1852. Resident, Divisions 4, 5, 6, late May-late July
931162	(8881)	<i>Abrostola urentis</i> Guenée, 1852. Resident, Statewide, late May-late August

NOCTUIDAE: Plusiinae: Argyrogrammatini

931166	(8885)	<i>Argyrogramma verruca</i> (Fabricius, 1794). Stray (single specimen), Milwaukee Co., 20 September 1912
931168	(8887)	<i>Trichoplusia ni</i> (Hübner, [1803]). Periodic migrant, Divisions 3, 4, 5, 6, mid July-September
931169	(8889)	<i>Ctenoplusia oxygramma</i> (Geyer, 1832). Periodic migrant, Divisions 3, 5, 6 late August-early October

NOCTUIDAE: Plusiinae: Plusiini

931170	(8890)	<i>Chrysodeixis includens</i> (Walker, [1858]). Periodic migrant, Divisions 3, 4, 5, 6, September
931176	(8895)	<i>Rachiplusia ou</i> (Guenée, 1852). Periodic migrant, Statewide, late August--mid October
931177	(8898)	<i>Allagrapha aerea</i> (Hübner, 1802-03). Resident, Statewide, mid June-mid-September
931178	(8896)	<i>Diachrysia aereoides</i> (Grote, 1864). Resident, Divisions 1, 2, 3, 4, July-early August
931179	(8897)	<i>Diachrysia balluca</i> Geyer, 1832. Resident, Statewide, July-mid August

931184	(8899)	<i>Pseudeva purpurigera</i> (Walker, 1858). Resident, Statewide, late June-late July
931186	(8904)	<i>Chrysanthympha formosa</i> (Grote, 1865). Resident, Divisions 1, 2, 3, 4, late June-July
931187	(8905)	<i>Eosphoropteryx thyatyroides</i> (Guenée, 1852). Resident, Statewide, July-late August
931188	(9021)	<i>Exyra fax</i> (Grote, 1873). Resident, Bayfield, Langlade, Ozaukee Cos., late June-early August
931191	(8908)	<i>Autographa precationis</i> (Guenée, 1852). Resident, Statewide, late May-early October
931193	(8914)	<i>Autographa californica</i> (Speyer, 1875). Stray, Divisions 2, 4, 5, late August
931194	(8912)	<i>Autographa mappa</i> (Grote & Robinson, 1868). Resident, Division 2, late June-early July
931200	(8911)	<i>Autographa bimaculata</i> (Stephens, 1830). Resident, Divisions 1, 2, 3, July
931204	(8923)	<i>Autographa ampla</i> (Walker, 1858). Resident, Divisions 1, 2, 3, July
931206	(8909)	<i>Autographa rubidus</i> Ottolengui, 1902. Resident, Division 2, June
931208	(8916)	<i>Autographa flagellum</i> (Walker, [1858]). Resident, Bayfield Co., 11 July 1994; Iron Co., 3 July 2000
931209	(8907)	<i>Megalographa biloba</i> (Stephens, 1830). Periodic migrant, Statewide, late April-mid September
931210	(8925)	<i>Syngrapha altera</i> (Ottolengui, 1902). Unknown, Bayfield Co., 8 July 1984
931212	(8926)	<i>Syngrapha octoscripta</i> (Grote, 1874). Resident, Divisions 1, 2, 3, early July-late August
931213	(8929)	<i>Syngrapha viridisigma</i> (Grote, 1874). Resident, Divisions 1, 2, 3, late July-August
931214	(8928)	<i>Syngrapha selecta</i> (Walker, [1858]). Resident, Divisions 1, 2, mid July-August
931215	(8927)	<i>Syngrapha epigaea</i> (Grote, 1875). Resident, Divisions 1, 2, 3, mid July-August
931224	(8940)	<i>Syngrapha abstrusa</i> Eichlin & Cunningham, 1978. Resident, Division 2, July
931225	(8939)	<i>Syngrapha alias</i> (Ottolengui, 1902). Resident, Division 2, July
931226	(8941)	<i>Syngrapha cryptica</i> Eichlin & Cunningham, 1978. Resident, Divisions 1, 2, July
931227	(8942)	<i>Syngrapha rectangula</i> (W. Kirby, 1837). Resident, Divisions 1, 2, 3, July-mid August
931230	(8946)	<i>Syngrapha microgamma</i> (Hübner, 1823). Resident, Divisions 1, 2, June
931231	(8945)	<i>Syngrapha montana</i> (Packard, 1869). Resident, Forest, Marathon Cos., early June
931234	(8924)	<i>Anagrapha falcifera</i> (W. Kirby, 1837). Resident, Statewide, late May-mid October
931235	(8953)	<i>Plusia venusta</i> Walker, 1865. Resident, Statewide, mid June-early September
931236	(8950)	<i>Plusia putnami</i> Grote, 1873. Resident, Divisions 2, 4, mid June-early July
931238	(8951.1)	<i>Plusia magnimacula</i> D. & L. Handfield, 2006. Resident, Divisions 1, 2, 3, 4, mid June-early September
931239	(8952)	<i>Plusia contexta</i> Grote, 1873. Resident, Divisions 3, 4, 5, 6, early June-mid September

NOCTUIDAE: Bagisarinae

931241	(9169)	<i>Bagisara rectifascia</i> (Grote, 1874). Resident, Division 4, late June-mid August
931247	(9175)	<i>Bagisara gulnare</i> (Strecker, 1880). Resident, Dane, Green, Rock Cos., mid-July-August
931253	(9070)	<i>Amyna stricta</i> (Walker, 1858). Occasional stray, Divisions 3, 4, 5, 6, late August-early October

NOCTUIDAE: Eustrotiinae

931284	(9044)	<i>Marimatha nigrofimbria</i> (Guenée, 1852). Stray, Divisions 3, 6, September
931289	(9046)	<i>Deltote bellicula</i> (Hübner, 1818). Resident, Statewide, late May-early August
931290	(9047)	<i>Protodeltote muscosula</i> (Guenée, 1852). Resident, Statewide, June-mid August
931291	(9048)	<i>Protodeltote albidula</i> (Guenée, 1852). Resident, Statewide, late June-mid August
931292	(9051)	<i>Lithacodia musta</i> (Grote & Robinson, 1868). Resident, Divisions 4, 5, 6, late June-early September
931295	(9049)	<i>Maliattha synochitis</i> (Grote & Robinson, 1868). Resident, Statewide, early June-early August
931296	(9050)	<i>Maliattha concinnimacula</i> (Guenée, 1852). Resident, Forest, Marinette, Oneida, Vilas Cos., early June
931297	(9059)	<i>Capis curvata</i> Grote, 1882. Resident, Statewide, mid June-early August

NOCTUIDAE: Acontiinae

931308	(9085)	<i>Ponometia semiflava</i> (Guenée, 1852). Unknown, Outagamie, Waushara Cos., late May-early July
931312	(9088)	<i>Ponometia virginalis</i> (Grote, 1881). Unknown (two specimens), Sauk Co., 3 August 1987
931313	(9089)	<i>Ponometia binocula</i> (Grote, 1875). Resident, Divisions 4, 5, 6, late May-mid August
931314	(9090)	<i>Ponometia candelaria</i> (Hübner, [1831]). Resident, Statewide, late May-mid August
931319	(9095)	<i>Ponometia erastrioides</i> (Guenée, 1852). Resident, Statewide, Statewide, June-mid August

931326	(9101)	<i>Ponometia tortricina</i> (Zeller, 1872). Resident, Monroe, Waukesha Cos., early June-late August
931343	(9136)	<i>Tarache aprica</i> (Hübner, [1808]). Unknown, Dane, Kenosha, Rock, Waushara Cos., August
931351	(9145)	<i>Tarache terminimacula</i> Grote, 1873. Unknown, Grant, Sauk Cos., late June-late July
931387	(9127)	<i>Spraguea leo</i> (Guenée, 1852). Resident, Crawford, Dane, Lafayette, Rock Cos., August

NOCTUIDAE: Pantheinae

931396	(9182)	<i>Panthea furcilla</i> (Packard, 1864). Resident, Statewide, late May-mid August
931398	(9177)	<i>Panthea acronyctoides</i> (Walker, 1861). Resident, Divisions 2, 3, 4, late May-mid August

931400	(9184)	<i>Colocasia flavidicornis</i> (J. B. Smith, 1884). Resident, Division 2, 3, 4, early May-mid June
931401	(9185)	<i>Colocasia propinquilinea</i> (Grote, 1873). Resident, Statewide, mid May-mid June
931406	(9189)	<i>Charadra deridens</i> (Guenée, 1852). Resident, Statewide, late May-mid August
		NOCTUIDAE: Raphiinae
931412	(9193)	<i>Raphia frater</i> Grote, 1864. Resident, Statewide, late May-mid August
		NOCTUIDAE: Balsinae
931417	(9662)	<i>Balsa malana</i> (Fitch, 1856). Resident, Divisions 3, 4, 5, 6, mid May-early August
931418	(9663)	<i>Balsa tristrigella</i> (Walker, 1866). Resident, Divisions 4, 5, 6, late May-late June
931419	(9664)	<i>Balsa labecula</i> (Grote, 1880). Resident, Statewide, mid May-June
		NOCTUIDAE: Acronictinae
931420	(9199)	<i>Acronicta rubricoma</i> Guenée, 1852. Resident, Division 6, late May- July
931421	(9200)	<i>Acronicta americana</i> (Harris, 1841). Resident, Statewide, June-July
931424	(9203)	<i>Acronicta dactylina</i> Grote, 1874. Resident, Statewide, mid June-July
931425	(9205)	<i>Acronicta lepusculina</i> Guenée, 1852. Resident, Statewide, late May-mid July
931427	(9206)	<i>Acronicta vulpina</i> (Grote, 1883). Resident, Divisions 1, 2, 3, 4, late May-late July
931428	(9207)	<i>Acronicta innotata</i> Guenée, 1852. Resident, Statewide, late May-mid August
931429	(9208)	<i>Acronicta betulae</i> Riley, 1884. Resident, Division 6, late May-early August
931430	(9209)	<i>Acronicta radcliffei</i> (Harvey, 1875). Resident, Divisions 2, 6, mid May-June
931432	(9211)	<i>Acronicta tritona</i> (Hübner, 1818). Resident, Divisions 1, 2, 4, late May-early August
931433	(9212)	<i>Acronicta grisea</i> Walker, 1856. Resident, Divisions 1, 2, 3, 4, late May-early August
931434	(9214)	<i>Acronicta falcula</i> (Grote, 1877). Resident, Divisions 4, 6, late May-mid August
931436	(9219)	<i>Acronicta connecta</i> Grote, 1873. Resident, Divisions 4, 5, 6, July-mid August
931438	(9221)	<i>Acronicta funeralis</i> Grote & Robinson, 1866. Resident, Statewide, Jlate May-July
931441	(9224)	<i>Acronicta quadrata</i> Grote, 1874. Resident, Division 2, late May-late June
931442	(9225)	<i>Acronicta vinnula</i> (Grote, 1864). Resident, Divisions 3, 4, 5, 6, late May-late July
931442.1	(9281)	<i>Acronicta fallax</i> (Herrich-Schäffer, 1854). Resident, Statewide, late May-mid August
931443	(9226)	<i>Acronicta superans</i> Guenée, 1852. Resident, Statewide, late May-mid July
931444	(9227)	<i>Acronicta laetifica</i> J. B. Smith, 1897. Resident, Statewide, late May-early July
931445	(9229)	<i>Acronicta hasta</i> Guenée, 1852. Resident, Statewide, late May-early August
931452	(9235)	<i>Acronicta spinigera</i> Guenée, 1852. Resident, Statewide, late May-late August
931453	(9236)	<i>Acronicta morula</i> Grote & Robinson, 1868. Resident, Statewide, late May-July
931454	(9237)	<i>Acronicta interrupta</i> Guenée, 1852. Resident, Divisions 2, 4, 6, mid May-mid August
931455	(9238)	<i>Acronicta lobeliae</i> Guenée, 1852. Resident, Statewide, mid May-early August
931458	(9241)	<i>Acronicta fragilis</i> (Guenée, 1852). Resident, Divisions 1, 2, 3, 4, late May-June
931463	(9243)	<i>Acronicta ovata</i> Grote, 1873. Resident, Divisions 4, 5, 6, late June-late July
931464	(9242)	<i>Acronicta exilis</i> Grote, 1874. Resident, Divisions 4, 5, 6, June-early August
931465	(9244)	<i>Acronicta modica</i> Walker, 1856. Resident, Divisions 4, 5, 6, early June-early July
931466	(9245)	<i>Acronicta haesitata</i> (Grote, 1882). Resident, Statewide, late May-early July
931467	(9249)	<i>Acronicta increta</i> Morrison, 1874. Resident, Statewide, late May-early July
931469	(9247)	<i>Acronicta tristis</i> J. B. Smith, 1911. Resident, Statewide, June-early August
931470	(9251)	<i>Acronicta retardata</i> (Walker, 1861). Resident, Statewide, late May-early August
931471	(9254)	<i>Acronicta afflita</i> Grote, 1864. Resident, Statewide, late May-mid August
931474	(9257)	<i>Acronicta impleta</i> Walker, 1856. Resident, Statewide, late May-early July
931475	(9258)	<i>Acronicta sperata</i> Grote, 1873. Resident, Divisions 2, 4, late May-late June
931476	(9259)	<i>Acronicta noctivaga</i> Grote, 1864. Resident, Divisions 1, 2, 3, 4, late May-late June
931477	(9261)	<i>Acronicta impressa</i> Walker, 1856. Resident, Statewide, early May-early August
931478	(9264)	<i>Acronicta longa</i> Guenée, 1852. Resident, Divisions 2, 4, late May-late June
931480	(9266)	<i>Acronicta lithospila</i> Grote, 1874. Resident, Divisions 4, 6, early June-mid August
931485	(9272)	<i>Acronicta oblinita</i> (J. E. Smith, 1797). Resident, Statewide, early May-early August
931488	(9274)	<i>Acronicta lanceolaria</i> (Grote, 1875). Resident, Burnett, Douglas Cos., late May-early June
931492	(9277)	<i>Acronicta dolli</i> (Barnes & McDunnough, 1918). Resident, Adams, Burnett, Jackson Cos., mid May
931493	(9280)	<i>Simyra insularis</i> (Herrich-Schäffer, 1868). Resident, Statewide, mid May-mid September
931498	(9286)	<i>Harrisimemna trisignata</i> (Walker, 1856). Resident, Statewide, mid June-early August

931500	(9061)	<i>Cerma cora</i> Hübner, 1818. Resident, Divisions 2, 4, 5, 6, mid May-early June
931501	(9062)	<i>Cerma cerintha</i> (Treitschke, 1826). Resident, Divisions 3, 4, 5, 6, early June-early July
NOCTUIDAE: Cuculliinae		
931504	(10200)	<i>Cucullia asteroides</i> Guenée, 1852. Resident, Statewide, mid July-early August
931507	(10199)	<i>Cucullia omissa</i> Dod, 1916. Resident, Marathon Co., 15 July 1988; Vilas Co., 22 July 1993
931508	(10197)	<i>Cucullia florea</i> Guenée, 1852. Resident, Divisions 2, 3, mid June-mid July
931509	(10198)	<i>Cucullia postera</i> Guenée, 1852. Resident, Division 2, July
931513	(10202)	<i>Cucullia convexipennis</i> Grote & Robinson, 1868. Resident, Divisions 1, 2, 4, 6, July-early August
931514	(10194)	<i>Cucullia intermedia</i> Speyer, 1870. Resident, Divisions 2, 3, late May-early July
931516	(10190)	<i>Cucullia speyeri</i> Lintner, 1874. Resident, Divisions 2, 6, late June-mid July
NOCTUIDAE: Amphipyrinae: Amphipyriini		
931544	(9638)	<i>Amphipyra pyramidoides</i> Guenée, 1852. Resident, Statewide, early August-late October
931545	(9639)	<i>Amphipyra tragopoginis</i> (Clerck, 1759). Resident, Statewide, mid July-early September
931546	(9640)	<i>Amphipyra glabella</i> (Morrison, 1874). Resident, Statewide, July
NOCTUIDAE: Amphipyrinae: Psaphidini		
931548	(10019)	<i>Psaphida resumens</i> Walker, 1865. Resident, Divisions 4, 5, 6, late March-late April
931549	(10020)	<i>Psaphida thaxterianus</i> (Grote, 1874). Resident, Divisions 4, 6, late March-early April
931550	(10014)	<i>Psaphida rolandi</i> (Grote, 1874). Resident, Statewide, late March-late April
931551	(10013)	<i>Psaphida grandis</i> (J. B. Smith, 1898). Resident, Divisions 4, 5, 6, late March-late April
931552	(10012)	<i>Psaphida electilis</i> (Morrison, 1875). Resident, Divisions 5, 6, April
931553	(10016)	<i>Psaphida styracis</i> (Guenée, 1852). Resident, Divisions 4, 6, late March-mid April
931557	(10021)	<i>Copivaleria grotei</i> (Morrison, 1874). Resident, Statewide, early April-early May
931558	(10011)	<i>Brachionycha borealis</i> (J. B. Smith, 1899). Resident, Divisions 2, 4, 6, early April-early May
931561	(10005)	<i>Feralia jocosa</i> (Guenée, 1852). Resident, Divisions 1, 2, April
931563	(10007)	<i>Feralia major</i> J. B. Smith, 1890. Resident, Divisions 2, 4, early April-early May
931564	(10008)	<i>Feralia comstocki</i> Grote, 1874. Resident, Statewide, late April-early June
NOCTUIDAE: Amphipyrinae: Stiriini		
931651	(9748)	<i>Plagiomimicus spumosum</i> (Grote, 1874). Historic (single specimen), Dane Co., 12 August 1962
931661	(9754)	<i>Plagiomimicus pityochromus</i> Grote, 1873. Resident, Divisions 5, 6, August
931681	(9766)	<i>Cirrhophanus triangulifer</i> Grote, 1872. Historic (single specimen), Dane Co., 12 August 1965
931724	(9725)	<i>Azenia obtusa</i> (Herrich-Schäffer, 1854). Resident, Division 6, July
NOCTUIDAE: Oncocneminae		
931765	(10033)	<i>Catabena lineolata</i> Walker, 1865. Resident, Divisions 4, 5, 6, late May-mid August
931771	(10177)	<i>Calophasia lunula</i> (Hufnagel, 1766). Introduced, Divisions 3, 6, August
931797	(10154)	<i>Sympistis perscripta</i> (Guenée, 1852). Resident, Adams, Jackson Cos., late May-early June
931800	(10099)	<i>Sympistis saundersiana</i> (Grote, 1876). Resident, Monroe Co., 23 August 1996
931810	(10108)	<i>Sympistis viriditincta</i> (J. B. Smith, 1894). Resident, Division 4, late August-early September
931821	(10059)	<i>Sympistis badistriga</i> (Grote, 1872). Resident, Divisions 3, 4, 5, 6, late June-early July
931823	(10066.1)	<i>Sympistis dinalda</i> (Smith, 1908). Resident, Divisions 2, 3, 4, late June-early July
931875	(10135)	<i>Sympistis riparia</i> (Morrison, 1875). Resident, Divisions 1, 3, 4, 6, late June-late July
931906 (10067)	Sympistis chionanthi (J. E. Smith, 1797). Resident, Division 6, late August-mid September	
931906.1(10067.1)	Sympistis forbesi Zacharczenko & Wagner, 2014. Resident, Buffalo Co., 12 August 2015	
931909	(10123)	<i>Sympistis piffardi</i> (Walker, 1862). Resident, Douglas Co., 11 August 1993
931911	(10055)	<i>Sympistis dentata</i> (Grote, 1875). Resident, Divisions 1, 2, 4, early July-August
NOCTUIDAE: Agaristinae		
931964	(9299)	<i>Eudryas unio</i> (Hübner, [1831]). Resident, Divisions 5, 6, mid June-mid August
931966	(9301)	<i>Eudryas grata</i> (Fabricius, 1793). Resident, Divisions 5, 6, mid June-mid July
931975	(9309)	<i>Psychomorpha epimenis</i> (Drury, 1782). Resident, Divisions 5, 6, mid April-early May
931979	(9314)	<i>Alypia octomaculata</i> (Fabricius, 1775). Resident, Divisions 5, 6, late May-June
931981	(9318)	<i>Alypia langtoni</i> Couper, 1865. Resident, Langlade, Vilas Cos., mid June-early July
NOCTUIDAE: Condicinae: Condicini		
931986	(9689)	<i>Perigea xanthioides</i> Guenée, 1852. Resident, Division 6, early June
931989	(9690)	<i>Condica videns</i> (Guenée, 1852). Resident, Divisions 4, 5, 6, late May-early September

931995	(9696)	<i>Condica vecors</i> (Guenée, 1852). Resident, Statewide, early May-August
931998	(9699)	<i>Condica sutor</i> (Guenée, 1852). Stray, Bayfield, Douglas, Manitowoc, Outagamie, Richland Cos., October
932018	(9720)	<i>Ogdoconta cinereola</i> (Guenée, 1852). Resident, Divisions 5, 6, mid June-early September
932024	(9056)	<i>Homophoberia cristata</i> Morrison, 1875. Unknown, Rock Co., 29 June 1986, 11 August 2002
932025	(9057)	<i>Homophoberia apicosa</i> (Haworth, 1809). Resident, Statewide, late June-early September
		NOCTUIDAE: Condicinae: Leuconyctini
932026	(9065)	<i>Leuconycta diphteroides</i> (Guenée, 1852). Resident, Statewide, June-July
932027	(9066)	<i>Leuconycta lepidula</i> (Grote, 1874). Resident, Statewide, mid May-June
932030	(9661)	<i>Crambodes talidiformis</i> Guenée, 1852. Resident, Divisions 4, 5, 6, late May-late August
932031	(9644)	<i>Micrathetis triplex</i> (Walker, 1857). Stray (single specimen), Rock Co., 23 October 2012
		NOCTUIDAE: Heliothinae
932038	(11062)	<i>Eutricopis nexilis</i> Morrison, 1875. Resident, Price Co., late May
932040	(11063)	<i>Pyrrhia cilisca</i> (Guenée, 1852). Resident, Divisions 4, 5, 6, mid June-August
932041	(11064)	<i>Pyrrhia exprimens</i> (Walker, 1857). Resident, Divisions 1, 2, 4, mid June-early July
932042	(11065)	<i>Pyrrhia aurantiago</i> (Guenée, 1852). Resident, Divisions 4, 6, mid July-early August
932045	(11068)	<i>Helicoverpa zea</i> (Boddie, 1850). Annual migrant. Statewide, mid August-October
932046	(11072)	<i>Heliothis phloxiphaga</i> Grote & Robinson, 1867. Resident, Statewide, mid May-mid August
932047	(11072.1)	<i>Heliothis acesias</i> Felder & Rogenhofer, 1875. Resident, Divisions 3, 4, 5, 6, June-mid September
932053	(11081)	<i>Heliothis borealis</i> (Hampson, 1903). Resident, Divisions 2, 4, mid May
932054	(11071)	<i>Chloridea virescens</i> (Fabricius, 1777). Stray, Divisions 3, 6, mid September-late October
932055	(11070)	<i>Chloridea subflexa</i> (Guenée, 1852). Stray, Divisions 4, 5, 6, mid June-mid August
932056	(11073.1)	<i>Heliocheilus lupatus</i> (Grote, 1875). Stray (single specimen), Buffalo Co., 5 September 2015
932058	(11074)	<i>Heliocheilus paradoxus</i> Grote, 1865. Historic, Grant, Waushara Cos., late June-mid August
932061	(11082)	<i>Schinia nuchalis</i> (Grote, 1878). Historic, Milwaukee Co., no date
932069	(11095)	<i>Schinia indiana</i> (J. B. Smith, 1908). Resident, Division 4, late May-early June
932073	(11132)	<i>Schinia jaguarina</i> (Guenée, 1852). Unknown, Crawford, Trempealeau Cos., June-mid July
932077	(11174)	<i>Schinia lucens</i> (Morrison, 1875). Resident, Divisions 4, 5, 6, late June-mid July
932078	(11175)	<i>Schinia meadi</i> (Grote, 1873). Unknown (single specimen), Langlade Co., 3 July 1961
932082	(11164)	<i>Schinia florida</i> (Guenée, 1852). Resident, Statewide, late July-late August
932091	(11135)	<i>Schinia rivulosa</i> (Guenée, 1852). Resident, Divisions 3, 4, 5, 6, August
932092	(11147)	<i>Schinia gracilenta</i> Hübner, 1818. Unknown (single specimen), Buffalo Co. 25 August 2012
932093	(11141)	<i>Schinia thoreaui</i> (Grote & Robinson, 1870). Resident, Divisions 4, 5, 6, late July-late August
932095	(11148.1)	<i>Schinia grandimedia</i> Hardwick, 1996. Resident, Divisions 5, 6, August
932096	(11149)	<i>Schinia trifascia</i> Hübner, 1818. Resident, Divisions 3, 4, 5, 6, August
932114	(11110)	<i>Schinia septentrionalis</i> (Walker, 1858). Resident, Green, Kenosha Cos., late August-early September
932119	(11118)	<i>Schinia obscurata</i> Strecker, 1898. Resident, Divisions 3, 4, 5, 6, mid June-late July
932120	(11117)	<i>Schinia lynx</i> (Guenée, 1852). Resident, Divisions 4, 5, 6, mid July-early September
932126	(11131)	<i>Schinia mortua</i> (Grote, 1865). Resident, Crawford Co., late August
932134	(11128)	<i>Schinia arcigera</i> (Guenée, 1852). Resident, Statewide, mid August-mid September
932145	(11173)	<i>Schinia sanguinea</i> (Geyer, 1832). Resident, La Crosse Co., 6 August 2007
932150	(11105)	<i>Schinia sp. near bina</i> (Guenée, 1852). Resident, Bayfield, Oneida, Portage, Vilas Cos., mid June
932156	(11177)	<i>Schinia nundina</i> (Drury, 1773). Resident, Divisions 3, 5, 6, August
932158	(11179)	<i>Schinia tertia</i> (Grote, 1874). Periodic stray, Statewide, August-mid September
932171	(11199)	<i>Schinia chrysellus</i> (Grote, 1874). Stray, Dane Co., 2 August 2014, Portage Co., 13 September 1993
		NOCTUIDAE: Eriopinae
932192	(9631)	<i>Callopistria mollissima</i> (Guenée, 1852). Resident, Statewide, early June-mid August
932194	(9633)	<i>Callopistria cordata</i> (Ljungh, 1825). Resident, Divisions 1, 2, 3, 4, mid June-mid August
		NOCTUIDAE: Noctuinae: Pseudeustrotiini
932205	(9053)	<i>Pseudeustrotia carneola</i> (Guenée, 1852). Resident, Statewide, late May-mid September
932207	(9284)	<i>Anterastria teratophora</i> (Herrich-Schäffer, [1854]). Resident, Statewide, early May-mid August
		NOCTUIDAE: Noctuinae: Phosphilini
932208	(9618)	<i>Phosphila turbulenta</i> Hübner, 1818. Resident, Rock Co., mid May-late August
932209	(9619)	<i>Phosphila miselioides</i> (Guenée, 1852). Resident, Divisions 5, 6, late May-August

NOCTUIDAE: Noctuinae: Prodeniini

- 932215 (9665) *Spodoptera exigua* (Hübner, [1808]). Sporadic migrant, Divisions 2, 4, 5, 6, July-September
932216 (9666) *Spodoptera frugiperda* (J. E. Smith, 1797). Annual migrant, Statewide, mid August-mid October
932219 (9669) *Spodoptera ornithogalli* (Guenée, 1852). Annual migrant, Divisions 3, 4, 5, 6, mid August-October
932221 (9671) *Spodoptera dolichos* (Fabricius, 1794). Stray, Outagamie Co. 17 October 2016
932223 (9672) *Spodoptera eridania* (Stoll, 1782). Stray, Outagamie Co. 16 October 2016

NOCTUIDAE: Noctuinae: Elaphriini

- 932228 (9678) *Elaphria versicolor* (Grote, 1875). Resident, Statewide, late May-early September
932230 (9679) *Elaphria chalcedonia* (Hübner, [1808]). Sporadic migrant, Divisions 5, 6, early August-mid October
932232 (9680) *Elaphria georgii* (Moore & Rawson, 1939). Resident, Statewide, late May-mid June
932234 (9681.1) *Elaphria alapallida* Pogue & Sullivan, 2003. Resident, Statewide, mid May-July
932238 (9684) *Elaphria grata* Hübner, 1818. Resident, Divisions 3, 5, 6, mid May-early October
932249 (9688) *Galgula partita* Guenée, 1852. Resident, Statewide, late April-early October
932249.5 (9556) *Chytonix palliatricula* (Guenée, 1852). Resident, Statewide, June-mid August
932249.6 (9557) *Chytonix sensilis* Grote, 1881. Resident, Divisions 2, 4, mid July-mid August

NOCTUIDAE: Noctuinae: Caradrinini

- 932257 (9654) *Caradrina meralis* (Morrison, 1975). Resident, Statewide, late August-early September
932260 (9656) *Caradrina montana* (Bremer, 1861). Resident, Divisions 1, 5, 6, mid June-July
932261 (9657) *Caradrina multifera* (Walker, 1857). Resident, Divisions 1, 2, 3, late August
932266 (9647) *Proxenus miranda* (Grote, 1873). Resident, Statewide, late May-mid September
932268 (9649) *Proxenus mendosa* McDunnough, 1927. Resident, Divisions 1, 4, mid July-mid August
932269 (9650) *Athetis tarda* (Guenée, 1852). Unknown, Grant Co., 21 May 1983; Rock Co., 6 September 2013

NOCTUIDAE: Noctuinae: Dypterygiini

- 932272 (9560) *Dypterygia rozmani* Berio, 1974. Resident, Statewide, late June-mid August
932280 (9626) *Trachea delicata* (Grote, 1874). Resident, Divisions 4, 5, 6, late May-mid August
932281 (9637.1) *Magusa divaricata* (Grote, 1874). Periodic migrant, Statewide, early August-late October

NOCTUIDAE: Noctuinae: Actinotiini

- 932283 (9582) *Nedra ramosula* (Guenée, 1852). Resident, Statewide, early May-August
932287 (9522) *Iodopepla u-album* (Guenée, 1852). Resident, Divisions 4, 5, late May-late July

NOCTUIDAE: Noctuinae: Phlogophorini

- 932290 (9545) *Euplexia benesimilis* McDunnough, 1922. Resident, Statewide, late May-mid August
932291 (9546) *Phlogophora iris* Guenée, 1852. Resident, Statewide, June-early July
932292 (9547) *Phlogophora periculosa* Guenée, 1852. Resident, Divisions 1, 2, 3, 4, August
932293 (9548) *Conservula anodontata* (Guenée, 1852). Resident, Divisions 1, 2, 3, 4, July

NOCTUIDAE: Noctuinae: Apameini

- 932294 (9326) *Apamea verbascoides* (Guenée, 1852). Resident, Statewide, July-early August
932296 (9328) *Apamea nigrior* (J. B. Smith, 1891). Resident, Statewide, late June-early July
932297 (9332) *Apamea vulgaris* (Grote & Robinson, 1866). Resident, Grant, Richland Cos, early June
932299 (9331) *Apamea cristata* (Grote, 1878). Resident, Forest Co., 8 July 1993
932300 (9329) *Apamea cariosa* (Guenée, 1852). Resident, Divisions 4, 5, 6, early July-mid August
932302 (9343) *Apamea apamiformis* (Guenée, 1852). Resident, Divisions 2, 3, 5, July
932303 (9341) *Apamea vultuosa* (Grote, 1875). Resident, Statewide, mid June-early July
932304 (9344) *Apamea plutonia* (Grote, 1883). Resident, Divisions 2, 3, 4, 6, early June-mid July
932307 (9351) *Apamea alia* (Guenée, 1852). Resident, Divisions 2, 3, 4, 6, mid June-early July
932308 (9362.2) *Apamea unanimis* (Hübner, [1813]). Introduced, Statewide, June
932310 (9362) *Apamea indocilis* (Walker, 1856). Resident, Divisions 1, 2, July
932311 (9360) *Apamea impulsa* (Guenée, 1852). Resident, Divisions 2, 3, late June-early July
932314 (9364) *Apamea sordens* (Hufnagel, 1766). Resident, Statewide, June
932316 (9353) *Apamea inordinata* (Morrison, 1875). Resident, Division 3, early June-mid July
932319 (9333) *Apamea lignicolora* (Guenée, 1852). Resident, Statewide, mid June-mid August
932322 (9373) *Apamea helva* (Grote, 1875). Resident, Statewide, late July-mid September
932329 (9359) *Apamea commoda* (Walker, 1857). Resident, Division 2, late June-early July
932333 (9348) *Apamea amputatrix* (Fitch, 1857). Resident, Divisions 1, 2, 3, late June-late July

932339	(9378)	<i>Apamea burgessi</i> (Morrison, 1874). Resident, Division 6, early September
932340	(9380)	<i>Apamea relicina</i> (Morrison, 1875). Resident, Divisions 4, 6, late August-late September
932343	(9365)	<i>Apamea scoparia</i> Mikkola, Muselin & Lafontaine, 2000. Resident, Divisions 1, 2 mid June-mid July
932344	(9367)	<i>Apamea dubitans</i> (Walker, 1856). Resident, Statewide, mid July-late August
932345	(9367.1)	<i>Apamea cogitata</i> (J. B. Smith, 1891). Resident, Forest Co., 8 July 1993; Iron Co., 30 June 2005
932347	(9369)	<i>Apamea inficita</i> (Walker, 1857). Resident, Ashland Co., August
932348	(9372)	<i>Apamea lutososa</i> (Andrews, 1877). Resident, Divisions 4, 5, 6, late June-early July
932350	(9382)	<i>Apamea devastator</i> (Brace, 1819). Resident, Statewide, mid July-early September
932355	(9374)	<i>Apamea niveivenosa</i> (Grote, 1879). Unknown, Divisions 1, 2, 4, 5, late July-early August
932358	(9454)	<i>Loscoptia velata</i> (Walker, 1865). Resident, Statewide, late June-mid August
932362	(9361)	<i>Melanapamea mixta</i> (Grote, 1881). Resident, Division 2, late July-early August
932363	(9385.1)	<i>Lateroligia ophiogramma</i> (Esper, 1793). Introduced, Statewide, July
932368	(9391)	<i>Resapamea passer</i> (Guenée, 1852). Resident, Divisions 1, 2, 5, late June-early September
932369	(9393)	<i>Resapamea stipata</i> (Morrison, 1875). Resident, Divisions 4, 5, 6, August-early September
932370	(9406)	<i>Mesapamea fractilinea</i> (Grote, 1874). Resident, Statewide, late July-late August
932372	(9396)	<i>Eremobina claudens</i> (Walker, 1857). Resident, Divisions 2, 3, late July-mid August
932374	(9398)	<i>Eremobina leucoscelis</i> (Grote, 1874). Resident, Divisions 1, 2, 3, 4, 5, late July-late August
932377	(9402)	<i>Oligia chlorostigma</i> (Harvey, 1876). Resident, Division 6, late June-early July
932378	(9404)	<i>Oligia modica</i> (Guenée, 1852). Resident, Statewide, August
932382	(9415)	<i>Oligia bridghami</i> (Grote & Robinson, 1866). Resident, Divisions 1, 2, 3, 4, late July-mid August
932384	(9416)	<i>Oligia minuscula</i> (Morrison, 1875). Resident, Divisions 1, 2, 4, early August-mid September
932385	(9418)	<i>Oligia obtusa</i> (J. B. Smith, 1902). Resident, Ashland, Douglas Cos., late August-early September
932390	(9408)	<i>Neoligia exulta</i> (J. B. Smith, 1903). Resident, Statewide, late July
932391	(9410)	<i>Neoligia crytora</i> (Franclemont, 1950). Resident, Florence, Price, Vilas Cos., late June-early July
932392	(9412)	<i>Neoligia subjuncta</i> (Smith, 1898). Resident, Divisions 2, 3, 4, 5, late June-early August
932413	(9427)	<i>Meropleon diversicolor</i> (Morrison, 1874). Resident, Statewide, late August-late September
932414	(9428)	<i>Meropleon ambifusca</i> (Newman, 1948). Resident, Divisions 4, 5, 6, late August-mid September
932415	(9429)	<i>Lemmeria digitalis</i> (Grote, 1882). Resident, Statewide, late September-early October
932416	(9433)	<i>Xylomoia chagnoni</i> Barnes & McDunnough, 1917. Resident, Statewide, late June-late July
932419	(9435)	<i>Photedes inops</i> (Grote, 1881). Resident, Divisions 3, 4, 5, 6, late August-mid September
932421	(9434)	<i>Photedes includens</i> (Walker, [1858]). Resident, Divisions 5, 6, late June-late July
932422	(9436)	<i>Photedes panatela</i> (J. B. Smith, 1904). Resident, Statewide, late June-mid July
932424	(9441)	<i>Photedes enervata</i> (Guenée, 1852). Resident, Adams, Jefferson, Kenosha, Marquette Cos., early August
932425	(9443)	<i>Photedes defecta</i> (Grote, 1874). Resident, Divisions 1, 2, 3, 4, 5, early July-mid August
932426	(9437)	<i>Hypocoena inquinata</i> (Guenée, 1852). Resident, Statewide, late July-mid August
932428	(9439)	<i>Hypocoena basistriga</i> (McDunnough, 1933). Resident, Division 2, late August-early September
932437	(9447.2)	<i>Rhizedra lutosa</i> (Hübner, [1803]). Introduced, Kenosha Co., 10 Sept. 2010; Outagamie Co., 9 October 2016
932438	(9449)	<i>Capsula oblonga</i> (Grote, 1882). Resident, Statewide, early August-mid September
932439	(9450)	<i>Capsula subflava</i> (Grote, 1882). Resident, Statewide, late July-early August
932441	(9451)	<i>Capsula laeta</i> (Morrison, 1875). Resident, Divisions 3, 4, 5, 6, early August-early September
932442	(9452)	<i>Macronoctua onusta</i> Grote, 1874. Resident, Divisions 2, 3, 4, 5, early September-early October
932443	(9453)	<i>Helotropha reniformis</i> (Grote, 1874). Resident, Statewide, mid July-mid September
932444	(9520)	<i>Achatodes zeae</i> (Harris, 1841). Resident, Statewide, early July-early August
932446	(9456)	<i>Amphipoea interoceanica</i> (J. B. Smith, 1899). Resident, Statewide, late July- August
932447	(9457)	<i>Amphipoea americana</i> (Speyer, 1875). Resident, Statewide, mid July-early September
932457	(9513)	<i>Hydraecia immanis</i> Guenée, 1852. Resident, Divisions 4, 5, 6, late August-early October
932458	(9514)	<i>Hydraecia micacea</i> (Esper, 1789). Introduced, Statewide, early August-early September
932460	(9516)	<i>Hydraecia stramentosa</i> Guenée, 1852. Resident, Statewide, late August- September
932465	(9509)	<i>Papaipema unimoda</i> (J. B. Smith, 1894). Resident, Statewide, late August-early October
932466	(9464)	<i>Papaipema cerina</i> (Grote, 1874). Resident, Divisions 4, 5, 6, late August-early October
932467	(9493)	<i>Papaipema appassionata</i> (Harvey, 1876). Resident, Divisions 1, 2, 3, 4, 5, late August-early September
932468	(9495)	<i>Papaipema furcata</i> (J. B. Smith, 1899). Resident, Statewide, September
932471	(9506)	<i>Papaipema sciata</i> Bird, 1908. Resident, Divisions 4, 5, 6, late September-early October
932472	(9492)	<i>Papaipema marginidens</i> (Guenée, 1852). Resident, Division 6, mid September-early October

932473	(9490)	<i>Papaipema nepheleptena</i> (Dyar, 1908). Resident, Divisions 3, 4, 5, 6, September
932475	(9482)	<i>Papaipema speciosissima</i> (Grote & Robinson, 1868). Resident, Divisions 3, 4, September
932476	(9483)	<i>Papaipema inquaesita</i> (Grote & Robinson, 1868). Resident, Statewide, late August-early October
932477	(9491)	<i>Papaipema circumlucens</i> (J. B. Smith, 1899). Resident, Division 6, early August-September
932480	(9488)	<i>Papaipema insulidens</i> (Bird, 1902). Resident, Statewide, late August-mid September
932483	(9472)	<i>Papaipema harrisii</i> (Grote, 1881). Resident, Divisions 3, 4, 5, 6, late August-mid September
932487	(9479)	<i>Papaipema lysimachiae</i> Bird, 1914. Resident, Statewide, late August-mid September
932488	(9478)	<i>Papaipema leucostigma</i> (Harris, 1841). Resident, Statewide, late August-late September
932489	(9480)	<i>Papaipema pterisii</i> Bird, 1907. Resident, Divisions 1, 2, 3, 4, late August-September
932492	(9471)	<i>Papaipema arctivorens</i> Hampson, 1910. Resident, Statewide, early August-early September
932493	(9484)	<i>Papaipema rutila</i> (Guenée, 1852). Resident, Crawford, Grant Cos., late September
932494	(9485)	<i>Papaipema baptisiae</i> (Bird, 1902). Resident, Statewide, late August-mid September
932497	(9466)	<i>Papaipema cataphracta</i> (Grote, 1864). Resident, Statewide, early September-early October
932500	(9473)	<i>Papaipema impecuniosa</i> (Grote, 1881). Resident, Divisions 3, 4, 5, 6, late September-mid October
932501	(9496)	<i>Papaipema nebris</i> (Guenée, 1852). Resident, Divisions 4, 5, 6, late August-September
932502	(9501)	<i>Papaipema eupatorii</i> (Lyman, 1905). Resident, Divisions 3, 4, 5, 6, mid September-early October
932505	(9503)	<i>Papaipema rigida</i> (Grote, 1877). Resident, Divisions 4, 5, 6, September-early October
932506	(9502)	<i>Papaipema nelita</i> (Strecker, 1898). Resident, Divisions 4, 5, 6, late August-early September
932507	(9504)	<i>Papaipema aweme</i> (Lyman, 1908). Resident, Bayfield Co., late August
932508	(9508)	<i>Papaipema beeriana</i> Bird, 1923. Resident, Division 5, early September-early October
932509	(9500)	<i>Papaipema maritima</i> Bird, 1909. Resident, Divisions 3, 4, 5, 6, early September-early October
932510	(9497)	<i>Papaipema necopina</i> (Grote, 1876). Resident, Divisions 4, 5, 6, late August-September
932511	(9498)	<i>Papaipema silphii</i> Bird, 1915. Resident, Division 5, early September-early October
932512	(9430)	<i>Selicanis cinereola</i> J. B. Smith, 1900. Resident, Jackson, La Crosse, Monroe Cos., September-early October

NOCTUIDAE: Noctuinae: Arzamini

932514	(9523.1)	<i>Bellura vulnifica</i> (Grote, 1873. Resident, Divisions 1, 2, 3, 4, early June-mid August
932515	(9524)	<i>Bellura brehmei</i> (Barnes & McDunnough, 1916). Resident, Divisions 1, 2, 3, 4, late June-early July
932517	(9525)	<i>Bellura obliqua</i> (Walker, 1865). Resident, Statewide, late May-early July
932518	(9526)	<i>Bellura densa</i> (Walker, 1865). Resident, Divisions 2, 4, 5, 6, late June-early September

NOCTUIDAE: Noctuinae: Xylenini

932519	(9873)	<i>Xylena nupera</i> (Lintner, 1874). Resident, Statewide, September-late April
932520	(9874)	<i>Xylena curvimacula</i> (Morrison, 1874). Resident, Statewide, September-early May
932521	(9875)	<i>Xylena thoracica</i> (Putnam-Cramer, 1886). Resident, Divisions 2, 4, September-early May
932522	(9876)	<i>Xylena cineritia</i> (Grote, 1875). Resident, Divisions 2, 3, 4, September-early May
932524	(9878)	<i>Lithomoia germana</i> (Morrison, 1874). Resident, Statewide, late August-mid September
932527	(9881)	<i>Homoglaea hircina</i> Morrison, 1876. Resident, Divisions 2, 3, 4, 5, October-early May
932530	(9884)	<i>Litholomia napaea</i> (Morrison, 1874). Resident, Division 2, mid September-early May
932531	(9885)	<i>Lithophane semiusta</i> Grote, 1874. Resident, Statewide, September-early May
932532	(9886)	<i>Lithophane patefacta</i> (Walker, 1858). Resident, Statewide, September-early May
932533	(9887)	<i>Lithophane bethunei</i> (Grote & Robinson, 1868). Resident, Divisions 3, 4, 5, 6, September-mid April
932534	(9888)	<i>Lithophane innominata</i> (J. B. Smith, 1893). Resident, Divisions 2, 3, 4, September-early May
932535	(9888.1)	<i>Lithophane franclemonti</i> Metzler, 1998. Resident, Divisions 4, 6, September-late April
932536	(9889)	<i>Lithophane petulca</i> Grote, 1874. Resident, Divisions 1, 2, 3, 4, 6, September-late April
932537	(9892)	<i>Lithophane disposita</i> Morrison, 1874. Resident, Statewide, September-late April
932537.1	(9892.1)	<i>Lithophane</i> sp. near <i>disposita</i> Morrison, 1874. Resident, Divisions 4, 5, 6, September-late April
932538	(9893)	<i>Lithophane hemina</i> Grote, 1874. Resident, Statewide, September-early May
932539	(9893.1)	<i>Lithophane lanei</i> Troubridge, 2006. Resident, Statewide, September-April
932541	(9894)	<i>Lithophane oriunda</i> Grote, 1874. Resident, Divisions 2, 3, 4, 6, late September-early April
932544	(9891)	<i>Lithophane amanda</i> (J. B. Smith, 1900). Resident, Divisions 2, 3, 4, 6, September-early May
932545	(9922)	<i>Lithophane pexata</i> Grote, 1874. Resident, Divisions 1, 2, 3, 4, September-mid May
932547	(9928)	<i>Lithophane thaxteri</i> Grote, 1874. Resident, Divisions 2, 4, September-early May
932548	(9917)	<i>Lithophane fagina</i> Morrison, 1874. Resident, Dividsions 1, 2, 3, 4, September-early May
932549	(9902)	<i>Lithophane baileyi</i> Grote, 1877. Resident, Divisions 2, 3, 4, September-early May
932550	(9904)	<i>Lithophane querquera</i> Grote, 1874. Resident, Columbia, Sauk Cos., late March-mid April

932551	(9904.1)	<i>Lithophane scottae</i> Troubridge, 2006. Resident, Divisions 4, 6, October-early May
932553	(9909)	<i>Lithophane tepida</i> Grote, 1874. Resident, Divisions 2, 3, 4, September-early May
932558	(9925.1)	<i>Lithophane adipel</i> (Benjamin, 1936). Resident, Marinette Co., 29 September 2000, 29 April 2001
932571	(9899.1)	<i>Lithophane thujae</i> Webster & Thomas, 1999. Resident, Florence, Forest, Oneida Cos., early October-April
932573	(9913)	<i>Lithophane georgii</i> Grote, 1875. Resident, Florence Co., 15 April 2015; Vilas Co., 15 May 2015
932577	(9910)	<i>Lithophane antennata</i> (Walker, 1858). Resident, Statewide, September-early May
932580	(9914)	<i>Lithophane laticinerea</i> Grote, 1874. Resident, Statewide, September-mid April
932581	(9915)	<i>Lithophane grotei</i> Riley, 1882. Resident, Statewide, September-early May
932582	(9916)	<i>Lithophane unimoda</i> (Lintner, 1878). Resident, Statewide, September-early May
932583	(9929)	<i>Pyreferra hesperidago</i> (Guenée, 1852). Resident, Divisions 2, 3, 4, 5, 6, late September-April
932584	(9930)	<i>Pyreferra citromba</i> Franclemont, 1941. Resident, Divisions 2, 3, 4, 6, late September-early May
932586	(9932)	<i>Pyreferra pettiti</i> (Grote, 1874). Resident, Statewide, late September-early May
932587	(9933)	<i>Eupsilia vinulenta</i> (Grote, 1864). Resident, Statewide, September-early May
932588	(9933.1)	<i>Eupsilia sidus</i> (Guenée, 1852). Resident, Divisions 2, 4, 5, 6, late September-early May
932588.1	(9933.2)	<i>Eupsilia schweitzeri</i> Lavitt & Wagner, 2016. Resident, Divisions 2, 3, 4, 5, 6, late Sept.-early May
932590	(9935)	<i>Eupsilia tristigmata</i> (Grote, 1877). Resident, Statewide, September-early May
932591	(9936)	<i>Eupsilia morrisoni</i> (Grote, 1874). Resident, Statewide, September-early May
932594	(9939)	<i>Eupsilia devia</i> (Grote, 1875). Resident, Statewide, late September-April
932595	(9941)	<i>Sericaglaea signata</i> (French, 1879). Resident, Kenosha, Rock Cos., late October-early April
932596	(9942)	<i>Xystopeplus rufago</i> (Hübner, 1818). Resident, Divisions 2, 4, 6, late September-early May
932597	(9943)	<i>Metaxaglaea inulta</i> (Grote, 1874). Resident, Divisions 3, 4, 5, 6, mid September-early October
932598	(9944)	<i>Metaxaglaea viatica</i> (Grote, 1874). Stray (single specimen), Manitowoc Co., 5 November 2000
932602	(9946)	<i>Epiglaea decliva</i> (Grote, 1874). Resident, Divisions 3, 4, 5, 6, October-early November
932603	(9947)	<i>Epiglaea apiata</i> (Grote, 1874). Resident, Divisions 1, 2, 3, 4, 5, early September-early October
932604	(9948)	<i>Chaetaglaea cerata</i> Franclemont, 1943. Resident, Divisions 2, 4, late September-early October
932607	(9950)	<i>Chaetaglaea sericea</i> (Morrison, 1874). Resident, Divisions 2, 3, 4, late September-early October
932608	(9951)	<i>Psectraglaea carnosa</i> (Grote, 1877). Resident, Division 2, late September-early October
932609	(9952)	<i>Eucirroedia pampina</i> (Guenée, 1852). Resident, Statewide, early September-early October
932616	(9957)	<i>Sunira bicolorago</i> (Guenée, 1852). Resident, Statewide, September-November
932619	(9961)	<i>Anathix ralla</i> (Grote & Robinson, 1868). Resident, Statewide, mid August-September
932620	(9962)	<i>Anathix puta</i> (Grote & Robinson, 1868). Resident, Statewide, mid August-mid September
932621	(9963)	<i>Anathix aggressa</i> (J. B. Smith, 1907). Unknown, Grant, Outagamie, Sheboygan Cos., early September
932622	(9965)	<i>Xanthia tatago</i> Lafontaine & Mikkola, 2003. Resident, Divisions 2, 3, 4, 5, mid September-early October
932624	(9967)	<i>Hillia iris</i> (Zetterstedt, 1839). Resident, Divisions 1, 2, 3, 5, mid September
932625	(9431)	<i>Parastichtis suspecta</i> (Hübner, [1817]). Resident, Divisions 1, 2, 3, 5, early July-early August
932654	(9998)	<i>Brachylomia algens</i> (Grote, 1878). Resident, Divisions 1, 2, 3, 4, late July-August
932656	(9999)	<i>Brachylomia discinigra</i> (Walker, 1856). Resident, Bayfield, Langlade Cos., late August
932664	(9578)	<i>Hyppa xylinoides</i> (Guenée, 1852). Resident, Statewide, late May-late August
932672	(9815)	<i>Cosmia calami</i> (Harvey, 1876). Resident, Statewide, late June-early August
932674	(9549)	<i>Enargia decolor</i> (Walker, 1858). Resident, Divisions 1, 2, 3, 4, August-mid September
932675	(9550)	<i>Enargia infumata</i> (Grote, 1874). Resident, Statewide, July-early August
932679	(9555)	<i>Ipimorpha pleunectusa</i> Grote, 1873. Resident, Divisions 1, 2, 3, 4, 5, August-early September
932695	(9420)	<i>Fishia illocata</i> (Walker, 1857). Resident, Divisions 1, 2, 3, 4, late August-September
932696	(9976)	<i>Platypolia anceps</i> (Stephens, 1850). Resident, Divisions 2, 3, mid September-early October
932699	(9419)	<i>Platypolia mactata</i> (Guenée, 1852). Statewide, late August-early October
932701	(9980)	<i>Xylotype arcadia</i> Barnes & Benjamin, 1922. Resident, Divisions 1, 2, 4, late August-late September
932705	(9987)	<i>Mniotype ducta</i> (Grote, 1878). Resident, Douglas Co., 9 June 2010
932707	(9989)	<i>Sutyna privata</i> (Walker, 1857). Resident, Statewide, late August-late September
932708	(9992)	<i>Pachypolia atricornis</i> Grote, 1874. Resident, Divisions 2, 4, 6, late-September-early October
932709	(11051)	<i>Ufeus satyricus</i> Grote, 1873. Resident, Douglas Co., 4 October 2007
932710	(11052)	<i>Ufeus plicatus</i> Grote, 1873. Resident, Division 5, September-March
932720	(9589)	<i>Properigea costa</i> (Barnes & Benjamin, 1923). Unknown, Grant Co., 17 Jul. 1982; Sauk Co., 3 Aug 1988
932749	(9629)	<i>Fagitana littera</i> (Guenée, 1852). Resident, Divisions 3, 4, 5, mid June-mid July

NOCTUIDAE: Noctuinae: Orthosiini

- 932756 (10471) *Stretchia plusiiformis* H. Edwards, 1874. Stray (single specimen), Marathon Co., 17 April 1977
932770 (10487) *Orthosia rubescens* (Walker, 1865). Resident, Statewide, early April-early May
932771 (10488) *Orthosia garmani* (Grote, 1879). Resident, Divisions 3, 4, 5, 6, April-early May
932773 (10490) *Orthosia revicta* (Morrison, 1876). Resident, Statewide, mid April-early May
932774 (10491) *Orthosia alurina* (J. B. Smith, 1902). Resident, Statewide, April-early May
932776 (10493) *Orthosia segregata* (J. B. Smith, 1893). Resident, Brown, Door Cos., late April-early May
932778 (10495) *Orthosia hibisci* (Guenée, 1852). Resident, Statewide, early April-early May
932784 (10501) *Crocigrapha normani* (Grote, 1874). Resident, Statewide, early April-May
932785 (10502) *Himella fidelis* Grote, 1874. Resident, Grant Co., 7 May 2013, Rock Co., 18 April 2004
932795 (10513) *Egira dolosa* (Grote, 1880). Resident, Statewide, mid April-late May
932800 (10518) *Achatia distincta* Hübner, 1813. Resident, Statewide, late April-mid May
932802 (10520) *Morrisonia evicta* (Grote, 1873). Resident, Statewide, late April-mid May
932803 (10521) *Morrisonia confusa* (Hübner, [1831]). Resident, Divisions 4, 5, 6, late April-late May
932805 (10291) *Morrisonia latex* (Guenée, 1852). Resident, Statewide, mid May-late June

NOCTUIDAE: Noctuinae: Tholerini

- 932810 (10524) *Nephelodes minians* Guenée, 1852. Resident, mid August-September

NOCTUIDAE: Noctuinae: Hadenini

- 932826 (10223) *Anarta trifolii* (Hufnagel, 1766). Periodic migrant, Statewide, late May-mid September
932863 (10332) *Coranarta luteola* (Grote & Robinson, 1865). Resident, Divisions 2, 4, May
932867 (10275) *Polia nimbosa* (Guenée, 1852). Resident, Divisions 1, 2, 3, July
932868 (10276) *Polia imbrifera* (Guenée, 1852). Resident, Statewide, late June-mid July
932872 (10280) *Polia purpurissata* (Grote, 1864). Resident, Statewide, mid July-late August
932874 (10292) *Melanchra adjuncta* (Guenée, 1852). Resident, Statewide, mid May-mid August
932875 (10293) *Melanchra picta* (Harris, 1841). Resident, Statewide, late May-late August
932876 (10294) *Melanchra pulverulenta* (J. B. Smith, [1888]). Resident, Divisions 1, 2, early June-early July
932877 (10295) *Melanchra assimilis* (Morrison, 1874). Resident, Divisions 2, 3, 4, late May-early July
932878 (10296) *Lacanobia nevadae* (Grote, 1876). Resident, Divisions 1, 2, June-early July
932879 (10297) *Lacanobia atlantica* (Grote, 1874). Resident, Statewide, late May-early August
932880 (10298) *Lacanobia radix* (Walker, [1857]). Resident, Bayfield, Forest, Oneida Cos., late May-late June
932881 (10299) *Lacanobia subjuncta* (Grote & Robinson, 1868). Resident, Divisions 3, 4, 5, 6, June-August
932882 (10300) *Spirameter grandis* (Guenée, 1852). Resident, Statewide, mid May-June
932883 (10301) *Spirameter lutra* (Guenée, 1852). Resident, Divisions 1, 2, 3, 4, late May-early July
932884 (10302) *Trichordestra rugosa* (Morrison, 1875). Resident, Divisions 1, 2, 4, June
932885 (10303) *Trichordestra tacoma* (Strecker, 1900). Resident, Divisions 1, 2, 3, June
932886 (10304) *Trichordestra legitima* (Grote, 1864). Resident, Statewide, early July-mid August
932889 (10307) *Trichordestra lilacina* (Harvey, 1874). Resident, Statewide, early July-early August
932892 (10310) *Papestra quadrata* (J. B. Smith, 1891). Resident, Division 2, May
932893 (10311) *Papestra biren* (Goeze, 1781). Introduced, Burnett, Forest, Marathon, Vilas Cos., June
932905 (10263) *Sideridis artesta* (J. B. Smith, 1903). Resident, Divisions 3, 6, early June-early August
932906 (10265) *Sideridis rosea* (Harvey, 1874). Resident, Statewide, late May-mid June
932907 (10266) *Sideridis congermana* (Morrison, 1874). Resident, Burnett, Douglas, Jackson Cos., late May-early June
932908 (10268) *Sideridis maryx* (Guenée, 1852). Resident, Divisions 1, 2, 4, late May-mid June
932911 (10317) *Hadena capsularis* (Guenée, 1852). Resident, Divisions 4, 6, late May-early July
932913 (10316) *Hadena ectypa* (Morrison, 1875). Unknown, Crawford Co., 22 June 2002
932928 (10431) *Dargida diffusa* (Walker, 1856). Resident, Statewide, early May-late August
932931 (10434) *Dargida rubripennis* (Grote & Robinson, 1870). Periodic migrant, Divisions 5, 6, August

NOCTUIDAE: Noctuinae: Leucaniini

- 932933 (10436) *Mythimna oxygala* (Grote, 1881). Resident, Statewide, early June-early September
932935 (10438) *Mythimna unipuncta* (Haworth, 1809). Annual migrant, Statewide, April-October
932938 (10440) *Leucania linita* Guenée, 1852. Resident, Statewide, early June-early September
932943 (10444) *Leucania phragmitidicola* Guenée, 1852. Resident, Statewide, late May-early September
932944 (10445) *Leucania linda* Franclemont, 1952. Resident, Statewide, early June-mid September
932945 (10446) *Leucania multilinea* Walker, 1856. Resident, Statewide, late June-mid September

932946	(10446.1)	<i>Leucania lapidaria</i> (Grote, 1876). Resident, Statewide, early June-early September
932947	(10447)	<i>Leucania commoides</i> Guenée, 1852. Resident, Statewide, July-mid August
932948	(10449)	<i>Leucania insueta</i> Guenée, 1852. Resident, Statewide, mid June-early July
932960	(10456)	<i>Leucania adjuta</i> (Grote, 1874). Stray, Crawford, Jefferson, Rock Cos., April, October
932963	(10459)	<i>Leucania inermis</i> (Forbes, 1936). Resident, Divisions 4, 5, 6, late May-June
932965	(10461)	<i>Leucania ursula</i> (Forbes, 1936). Resident, Divisions 5, 6, late May-early September
932966	(10462)	<i>Leucania pseudargyria</i> Guenée, 1852. Resident, Statewide, late June-late July

NOCTUIDAE: Noctuinae: Eriopygini

933016	(10368)	<i>Lacinipolia meditata</i> (Grote, 1873). Resident, Statewide, early August-mid September
933017	(10370)	<i>Lacinipolia lustralis</i> (Grote, 1875). Resident, Divisions 1, 2, 3, 4, mid June-mid July
933019	(10372)	<i>Lacinipolia anguina</i> (Grote, 1881). Resident, Divisions 1, 2, 3, 4, late May-mid June
933042.2	(10395.2)	<i>Lacinipolia sareta</i> (Smith, 1906). Resident, Divisions 1, 2, 3, 4, 6, mid July-mid August
933044	(10397)	<i>Lacinipolia renigera</i> (Stephens, 1829). Resident, Statewide, mid June-early October
933052	(10405)	<i>Lacinipolia lorea</i> (Guenée, 1852). Resident, Resident, Statewide, mid June-early July
933053	(10406)	<i>Lacinipolia olivacea</i> (Morrison, 1874). Resident, Statewide, early August-early September
933068	(10414)	<i>Lacinipolia implicata</i> McDunnough, 1937. Resident, Division 6, late August-early September
933086	(10530)	<i>Anhimella contrahens</i> (Walker, 1860). Unknown, Divisions 2, 3, 5, 6, mid June-mid July
933088	(10532)	<i>Homorthodes furfurata</i> (Grote, 1875). Resident, Divisions 1, 2, 3, 4, 6, July
933105	(10552)	<i>Protorthodes incincta</i> (Morrison, 1874). Resident, Statewide, late August-mid September
933113	(10563)	<i>Protorthodes oviduca</i> (Guenée, 1852). Resident, Statewide, late May-mid June
933118	(10567)	<i>Ulolonche culea</i> (Guenée, 1852). Resident, Divisions 1, 4, 6, mid May-mid June
933120	(10569)	<i>Ulolonche modesta</i> (Morrison, 1874). Resident, Divisions 1, 3, 4, 6, mid May-mid June
933128	(10578)	<i>Pseudorthodes vecors</i> (Guenée, 1852). Resident, Statewide, late May-mid August
933136	(10585)	<i>Orthodes majuscula</i> Herrich-Schäffer, 1868). Resident, Statewide, June-mid August
933138	(10587)	<i>Orthodes cynica</i> Guenée, 1852. Resident, Statewide, late May-late July
933141	(10289)	<i>Orthodes goodelli</i> (Grote, 1875). Resident, Statewide, late May-late August
933142	(10290)	<i>Orthodes obscura</i> (J. B. Smith, [1888]). Resident, Statewide, mid May-mid June
933146	(10288)	<i>Orthodes detracta</i> (Walker, 1857). Resident, Statewide, mid June-mid July
933193	(10627)	<i>Tricholita signata</i> (Walker, 1860). Resident, Statewide, late July-mid September
933194	(10628)	<i>Tricholita notata</i> Strecker, 1898. Resident, Divisions 4, 5, 6, late August-early September

NOCTUIDAE: Noctuinae: Agrotini

933211	(10915)	<i>Peridroma saucia</i> (Hübner, [1808]). Annual migrant, Statewide, April-November
933212	(10911)	<i>Anicla infecta</i> (Ochsenheimer, 1816). Stray, Manitowoc, Outagamie, Rock Cos., mid September-October
933216	(10903)	<i>Anicla illapsa</i> (Walker, 1857). Resident, Divisions 4, 5, 6, late May-August
933218	(10909)	<i>Anicla tenuescens</i> (J. B. Smith, 1890). Resident, Adams Co., 29 July 2016; Green Co., 30 July-2 August 1982
933222	(10902)	<i>Anicla forbesi</i> (Franclemont, 1952). Resident, Statewide, early June-late July
933228	(10878)	<i>Striacosta albicosta</i> (J. B. Smith, [1888]). Resident, Statewide, late July-October
933229	(10924)	<i>Actebia fennica</i> (Tauscher, 1806). Unknown, Divisions 1, 2, 3, 4, late August
933231	(10869)	<i>Dichagyris grotei</i> (Franclemont & Todd, 1983). Resident, Division 6, late August-early September
933232	(10870)	<i>Dichagyris acclivis</i> (Morrison, 1875). Resident, Grant, Lafayette, Rock Cos., late July-early August
933254	(10701.2)	<i>Dichagyris reliqua</i> Lafontaine & Schweitzer, 2004. Resident, Divisions 5, 6, late August
933257	(10694)	<i>Eucoptocnemis fimbriaris</i> (Guenée, 1852). Resident, Divisions 3, 4, 6, mid September
933269	(10689.1)	<i>Copablepharon michiganensis</i> Crabo & Lafontaine, 2004. Resident, Manitowoc, Sheboygan Cos., August
933308	(10730)	<i>Euxoa adumbrata</i> (Eversmann, 1842). Resident, Divisions 1, 2, 3, 4, mid June-mid August
933309	(10731)	<i>Euxoa auxiliaris</i> (Grote, 1873). Stray, Burnett Co., 12 June 1999; Forest Co., 31 May 1991
933315	(10738)	<i>Euxoa mimallonis</i> (Grote, 1873). Resident, Divisions 1, 2, 4, early August-early September
933319	(10705)	<i>Euxoa messoria</i> (Harris, 1841). Resident, Statewide, late August-mid September
933320	(10702)	<i>Euxoa divergens</i> (Walker, [1857]). Resident, Divisions 1, 2, mid June-early July
933321	(10703)	<i>Euxoa sinelinea</i> Hardwick, 1965. Resident, Bayfield Co., 27 Jul 1992; Florence Co., 8 July 1983
933328	(10714)	<i>Euxoa quebecensis</i> (J. B. Smith, 1900). Resident, Ashland, Bayfield Cos., late June
933329	(10715)	<i>Euxoa scandens</i> (Riley, 1869). Resident, Statewide, late June-early August
933330	(10716)	<i>Euxoa aurulenta</i> (J. B. Smith, [1888]). Resident, Manitowoc Co., mid June-early July
933346	(10727)	<i>Euxoa pleuritica</i> (Grote, 1876). Resident, Divisions 1, 2, 3, mid July-mid August
933353	(10812)	<i>Euxoa bostoniensis</i> (Grote, 1874). Historic, Milwaukee Co., 2 Oct. 1968; Racine Co., 22 Sept. 1964

933354	(10813)	<i>Euxoa medialis</i> (J. B. Smith, [1888]). Resident, Green, Sauk Cos., late September
933360	(10749)	<i>Euxoa intrita</i> (Morrison, 1874). Resident, Ashland, Douglas Cos., late August-early September
933364	(10793)	<i>Euxoa scholastica</i> McDunnough, 1920. Resident, Divisions 5, 6, late June-early August
933378	(10755)	<i>Euxoa declarata</i> (Walker, 1865). Resident, Divisions 1, 2, 4, 6, mid August-early September
933384	(10753)	<i>Euxoa immixta</i> (Grote, 1881). Resident, Crawford, Grant, Richland, Vernon Cos., July
933395	(10805)	<i>Euxoa tessellata</i> (Harris, 1841). Resident, Statewide, late June-mid August
933397	(10807)	<i>Euxoa albipennis</i> (Grote, 1876). Resident, Divisions 3, 4, 5, 6, late August-mid September
933411	(10803)	<i>Euxoa velleripennis</i> (Grote, 1874). Resident, Statewide, mid August-mid September
933424	(10801)	<i>Euxoa ochrogaster</i> (Guenée, 1852). Resident, Divisions 1, 2, late July-mid August
933428	(10817)	<i>Euxoa obeliscoides</i> (Guenée, 1852). Resident, Divisions 5, 6, early August-early September
933439	(10854)	<i>Euxoa servitus</i> (J. B. Smith, 1895). Resident, Statewide, late June-early August
933440	(10851)	<i>Euxoa redimicula</i> (Morrison, 1874). Resident, Divisions 3, 4, 5, 6, late July-early September
933458	(10831)	<i>Euxoa niveolinea</i> (Grote, 1882). Resident, Divisions 4, 5, 6, late August-mid September
933461	(10838)	<i>Euxoa detersa</i> (Walker, 1856). Resident, Statewide, late August-mid September
933478	(10863)	<i>Euxoa manitobana</i> McDunnough, 1925. Resident, Divisions 1, 3, 4, July
933481	(10865)	<i>Euxoa perpolita</i> (Morrison, 1876). Resident, Divisions 1, 2, 4, late August-early September
933488	(10644)	<i>Feltia mollis</i> (Walker, [1857]). Resident, Divisions 1, 2, 3, 4, late July-early August
933494	(10666)	<i>Feltia manifesta</i> (Morrison, 1875). Resident, La Crosse Co., 8 May 2007
933495	(10680)	<i>Feltia geniculata</i> (Grote & Robinson, 1868). Resident, Statewide, early August-early September
933498	(10670)	<i>Feltia jaculifera</i> (Guenée, 1852). Resident, Statewide, mid August-mid September
933501	(10674)	<i>Feltia subgothica</i> (Haworth, 1809). Resident, Statewide, early August-early September
933502	(10675)	<i>Feltia tricosa</i> (Lintner, 1874). Resident, Divisions 3, 4, 5, 6, late July-early September
933503	(10676)	<i>Feltia herilis</i> (Grote, 1873). Resident, Statewide, late July-early September
933504	(10664)	<i>Feltia subterranea</i> (Fabricius, 1794). Stray, Grant, Green, Manitowoc Cos., mid September-October
933506	(10641)	<i>Agrotis vetusta</i> (Walker, 1856). Resident, Statewide, mid August-mid September
933515	(10648)	<i>Agrotis gladiaria</i> Morrison, 1874. Resident, Divisions 3, 5, 6, September
933516	(10651)	<i>Agrotis venerabilis</i> Walker, [1857]. Resident, Statewide, late August-September
933519	(10658)	<i>Agrotis stigmosa</i> Morrison, 1874. Resident, Divisions 4, 5, mid May-early June
933521	(10659)	<i>Agrotis volubilis</i> Harvey, 1874. Resident, Divisions 1, 2, 3, 4, late May-mid June
933528	(10663)	<i>Agrotis ipsilon</i> (Hufnagel, 1766). Annual migrant, Statewide, April-October
NOCTUIDAE: Noctuinae: Noctuini		
933529	(10891)	<i>Ochropleura implecta</i> Lafontaine, 1998. Resident, Statewide, late May-August
933533	(10919)	<i>Diarsia jucunda</i> (Walker, [1857]). Resident, Divisions 1, 2, 3, July
933534	(10917)	<i>Diarsia rubifera</i> (Grote, 1875). Resident, Divisions 1, 2, 3, 4, late June-early August
933535	(10921)	<i>Diarsia rosaria</i> (Grote, 1878). Resident, Divisions 1, 2, mid June-early July
933536	(10994)	<i>Cerastis tenebrifera</i> (Walker, 1865). Resident, Statewide, early April-early May
933537	(10997)	<i>Cerastis fishii</i> (Grote, 1878). Resident, Divisions 1, 2, 3, early May-early June
933542	(10996)	<i>Cerastis salicarum</i> (Walker, 1857). Resident, Statewide, mid April-early May
933544	(10992)	<i>Paradiarsia littoralis</i> (Packard, 1867). Resident, Divisions 2, 3, mid June-early July
933546	(10993.1)	<i>Hemipachnobia monochromatea</i> (Morrison, 1874). Resident, Divisions 1, 2, 3, 4, late May-late June
933547	(11010)	<i>Lycophotia phyllophora</i> (Grote, 1874). Resident, Divisions 1, 2, 3, 4, 5, July
933550	(11003)	<i>Chersotis juncta</i> (Grote, 1978). Unknown (single specimen), Vilas Co., 16 July 1992
933551	(11003.1)	<i>Noctua pronuba</i> (Linnaeus, 1758). Introduced, Statewide, mid June-August
933553	(11012)	<i>Cryptocala acadiensis</i> (Bethune, 1870). Resident, Statewide, mid July-mid August
933554	(10926)	<i>Spaelotis clandestina</i> (Harris, 1841). Resident, Statewide, mid June-mid September
933560	(10929)	<i>Eurois occulta</i> (Linnaeus, 1758). Resident, Divisions 1, 2, 3, mid July-late August
933561	(10930)	<i>Eurois astricta</i> Morrison, 1874. Resident, Divisions 1, 2, 3, 4, late July-late August
933563	(10928)	<i>Graphiphora augur</i> (Fabricius, 1775). Resident, Divisions 1, 2, 3, 4, 5, early July-early August
933564	(11000)	<i>Anaplectoides prasina</i> ([Denis & Schiffermüller], 1775). Resident, Statewide, early July-early August
933565	(11001)	<i>Anaplectoides pressus</i> (Grote, 1874). Resident, Divisions 1, 2, 3, late June-mid July
933567	(10999)	<i>Aplectoides condita</i> (Guenée, 1852). Resident, Divisions 1, 2, 3, late May-late June
933568	(11007)	<i>Eueretagrotis sigmoides</i> (Guenée, 1852). Resident, Statewide, July
933569	(11008)	<i>Eueretagrotis perattentus</i> (Grote, 1876). Resident, Statewide, late June-July
933570	(11009)	<i>Eueretagrotis attentus</i> (Grote, 1874). Resident, Statewide, July

933572	(10944)	<i>Xestia smithii</i> (Snellen, 1896). Resident, Statewide, mid August-mid September
933573	(10943)	<i>Xestia normanianus</i> (Grote, 1874). Resident, Statewide, early August-early September
933575	(10947)	<i>Xestia obliqua</i> (Morrison, 1875). Resident, Divisions 1, 2, late June-early July
933584	(10968)	<i>Xestia badicollis</i> (Grote, 1873). Resident, Statewide, late August-early September
933585	(10968.1)	<i>Xestia praevia</i> Lafontaine, 1998. Resident, Divisions 1, 2, 4, late July-late August
933586	(10969)	<i>Xestia dilucida</i> (Morrison, 1875). Resident, Divisions 1, 2, 3, 4, 5, late August-September
933588	(10942)	<i>Xestia c-nigrum</i> (Linnaeus, 1758). Resident, Statewide, early June-early October
933589	(10942.1)	<i>Xestia dolosa</i> Franclemont, 1980. Resident, Statewide, late May-mid September
933624	(10988)	<i>Coenophila opacifrons</i> (Grote, 1878). Resident, Statewide, mid August-early September
933626	(10955)	<i>Agnorisma badinodis</i> (Grote, 1874). Resident, Divisions 5, 6, September
933627	(10954)	<i>Agnorisma bugrai</i> (Kocak, 1983). Resident, Statewide, late August-early September
933629	(10950)	<i>Pseudohermonassa bicarnea</i> (Guenée, 1852). Resident, Statewide, August
933630	(10951)	<i>Pseudohermonassa tenuicula</i> (Morrison, 1874). Resident, Statewide, August-early September
933648	(11004)	<i>Protolampra rufipectus</i> (Morrison, 1875). Resident, Divisions 2, 4, mid August-early September
933649	(11006)	<i>Protolampra brunneicollis</i> (Grote, 1865). Resident, Statewide, mid July-early September
933680	(11029)	<i>Abagrotis alternata</i> (Grote, 1864). Resident, Statewide, mid July-September
933683	(11044)	<i>Abagrotis brunneipennis</i> (Grote, 1875). Resident, Divisions 1, 2, 3, 4, early July-late August
933685	(11043)	<i>Abagrotis cupida</i> (Grote, 1865). Resident, Statewide, late July-mid September
933688	(11045)	<i>Abagrotis anchocelioides</i> (Guenée, 1852). Resident, Statewide, early July-early September

Questionable and unconfirmed records: The following species are attributed to Wisconsin by the literature sources indicated, but specimens confirming these records were not able to be located.

- 910221 (7378) *Xanthorhoe algidata* (Möschler, 1874). Attributed to Wisconsin by Covell (1970). Specimens in the Natural History Museum of Los Angeles County determined as this are 910227 (7384) *Xanthorhoe decoloraria*. *X. algidata* may possibly occur in northern Wisconsin.
- 910372 (7531) *Eupithecia indistincta* Taylor, 1910. Vilas Co., 10 June (Covell, 1970). An eastern species recorded from Quebec and the northern Atlantic states (Bolte 1990).
- 911132 (6711) *Ilexia intractata* (Walker, 1863). The type of synonym *gausaparia* is from Wisconsin (Covell, 1970). The species is a holly feeder, likely a stray or error (D. F. Schweitzer, pers. comm.).
- 911264 (6831) *Metarranthis apiciaria* (Packard, 1876). Oneida Co., 29 May (Covell, 1970).
- 911265 (6832) *Metarranthis obfirma* (Hübner, [1823]). Milwaukee Co., 30 June (Covell, 1970).
- 932464 (9463) *Parapamea buffaloensis* (Grote, 1877). Forbes (1954) cites the specific locality of Racine, Wisconsin. The Wisconsin State Herbarium website (<http://www.botany.wisc.edu/wisflora/>) states that the occurrence of lizard's tail (*Saururus cernuus* L.), its sole larval host, has not been verified in Wisconsin. A form of the similar appearing *Papaipema unimoda* (932465) could be mistaken for this.

Taxonomic issues:

- 890040 (7730) *Hemileuca maia* (Drury, 1773) Great Lakes complex. The Wisconsin populations are part of the Great Lakes complex of Tuskes, Tuttle, and Collins (1996), and remain lumped here by Pohl, Patterson & Pelham (2016) pending species-level taxonomic clarification. Populations occur in shrubby fens and sedge meadows. Adults are hardly distinguishable from *H. nevadensis*, but their forewings tend to have somewhat narrower white bands. Clinal variation of white band width from wider to narrower occurs from higher to lower latitudes, as demonstrated in Michigan by Scholtens and Wagner (1997), who also found no logical way to separate these populations into subspecies or species based on morphological characters. Larvae from Marquette and Ozaukee Counties have narrower yellow lateral bands and reddish dorsal spine tufts.
- 890042 (7731) *Hemileuca nevadensis* Stretch, 1872. Populations referable to this are found in far northwestern Wisconsin. Ferge (1981) found considerable variation in the forewing white band width in progeny reared from known parents. The larvae have wide yellow lateral bands and black dorsal spine tufts.

- 890179.1 (7855.1) *Hemaris aethra* (Strecker, 1875). Schmidt (2018) found that nominal 890179 (7855) *Hemaris diffinis* (Boisduval, 1836) includes this cryptic species.
- 910720 (6279) *Macaria occiduaria* (Packard, 1874). Pohl, Anweiler, Schmidt and Kondla (2010) synonymized the questionably distinct (6280) *Macaria andersoni* (Swett, 1916), but these remain separated in this checklist pending further study and taxonomic clarification.
- 910766 (6344) *Macaria signaria* (Hübner, 1809). Pohl, Anweiler, Schmidt and Kondla (2010) synonymized (6349) *Macaria marmorata* (Ferguson, 1972) and (6350) *Macaria submarmorata* (Walker, 1861) with *Macaria signaria*, but they remain separated in this checklist pending further study and taxonomic clarification. The three entities in Wisconsin have different habitat niches and biogeographies.
- 91115 (6726) *Euchlaena obtusaria* (Hubner, 1813). Wagner (2005) states that 911150 (6726) *Euchlaena muzaria* (Walker, 1860) is very closely related (if even distinct). Identifying these is uncertain and difficult due to the lack of distinctive characters and their great variability. At the present time, all the Wisconsin records are referred to *E. obtusaria*.
- 930217 (8043) *Manulea bicolor* (Grote, 1864). Dubatolov (2015) synonymized the genus *Eilema* with *Manulea*.
- 930240 - 930253 (8175 - 8199) *Apantesis* species. The genus *Grammia* was synonymized with *Apantesis* by Rönkä, Mappes, Kaila, and Wahlberg (2016).
- (8187) *Apantesis celia* (Saunders, 1863). Although long considered a separate species, Schmidt (2009) synonymized it with 930253 (8188) *Apantesis figurata* (Drury, 1773). Because of the differences between the smaller and darker *Apantesis celia* phenotype in eastern and central Wisconsin and the larger phenotype occurring in the westernmost border counties, they remain separated in this checklist.
- 930402 (8229) *Cycnia collaris* (Fitch, 1856). Lafontaine and Schmidt (2015) synonymized 930401 (8228) *Cycnia inopinatus* (Hy. Edwards, 1882) with *Cycnia collaris*.
- 930727 (9035) *Hyperstrotia nana* (Hübner, 1818). Lafontaine and Schmidt (2015) synonymized 930730 (9038) *Hyperstrotia villificans* (Barnes & McDunnough, 1918) with *Hyperstrotia nana*.
- 931442.1 (9281) *Acronicta fallax* (Herrich-Schäffer, 1854). *Agriopodes fallax* was found to belong in the genus *Acronicta* by Schmidt et al. (2014).
- 931906 (10067) *Sympistis chionanthi* (J. E. Smith, 1797). Specimens previously identified as this may likely include a recently described species, 931906.1 (10067.1) *Sympistis forbesi* Zacharczenko & Wagner, 2014. Zacharczenko et al. (2014) state that *S. chionanthi* adults are not reliably distinguishable from *S. forbesi*, but the species differ significantly in larval appearance and host plant association. The larval host of *S. chionanthi* in Wisconsin is ash (*Fraxinus* sp.).
- 931906.1 (10067.1) *Sympistis forbesi* Zacharczenko & Wagner, 2014. Zacharczenko et al. (2014) state that *S. forbesi* is locally common on Midwest prairies, especially in Iowa, Illinois, and Minnesota, associated with *Triosteum* species, its exclusive larval host. It is likely widespread in southwest Wisconsin, but currently verified only from Buffalo County by rearing larvae from *T. perfoliatum*.
- 932054 (11071) *Chloridea virescens* (Fabricius, 1777). *Heliothis virescens* was placed in the genus *Chloridea* by Pogue (2013).
- 932055 (11070) *Chloridea subflexa* (Guenée, 1852). *Heliothis subflexa* was placed in the genus *Chloridea* by Pogue (2013).
- 932150.1 (11105.1) *Schinia* sp. near *bina* (Guenée, 1852). Wisconsin specimens identified as *Schinia bina* are an undescribed species (Michael Pogue, pers. comm.).
- 932480 (9488) *Papaipema insulidens* (Bird, 1902). Lafontaine and Schmidt (2015) synonomized (9486) *Papaipema birdi* (Dyar, 1908) with *Papaipema insulidens*.
- 932514 (9523.1) *Bellura vulnifica* (Grote, 1873). Lafontaine and Schmidt (2010) state that ongoing research by Eric L. Quinter shows that *Bellura vulnifica*, stat. rev., (= *Arzama diffusa*, syn. rev.) is not a synonym of *Bellura gortynoides* but should be treated as a valid species. *B. gortynoides* is a brighter yellow color throughout its range, with little or no tendency to become darker northward. Wisconsin populations previously identified as *B. gortynoides* are *B. vulnifica*.

932588.1 (9933.2) *Eupsilia schweitzeri* Lavitt & Wagner, 2016. The species previously referred to as *Eupsilia* sp. near *sidus* was described by Lavitt, Tate and Wagner (2016).

933042.2 (10395.2) *Lacinipolia sareta* (Smith, 1906). Wisconsin records previously attributed to 933019 (10394) *Lacinipolia vicina* (Grote, 1874) are referable to this species according to Schmidt (2015).

DISCUSSION

A considerable amount of field work in a variety of habitat types remains to be done, in order to more accurately determine the habitat association, range and status of many moth species. While sufficient data exists to support classifying species as common or abundant, there is considerable uncertainty whether or not poorly documented species are truly rare. Past experience has shown that for many such species, apparent rarity was an artifact of insufficient searching, lack of knowledge of habitat association and seasonal occurrence, or species not readily obtainable by customary collecting methods. The preponderance of specimens providing documentation for this list were collected at light. Other methods, such as the use of sugar bait, netting from flowers or searching by day, often obtain species not readily attracted to light, indicating that reliance on a single collecting method can strongly bias sampling results.

The great diversity of moths found in Wisconsin is a reflection of the state's geographic position and wide variety of habitats. Curtis (1959) indicates that floristic elements of the eastern deciduous forest region, the boreal region and the prairie region meet and intermingle in the state, which is a significant factor responsible for the corresponding richness of the moth fauna. A number of Wisconsin's most distinctive, and in some cases most limited, native habitat types have been systematically and intensively surveyed for moths. Particular effort has been made to thoroughly inventory large and typical examples of each. Records of species consistently associated with replicated study sites, along with available information on larval host plant specificity, form the basis for associating the moth species with habitat type. These correlations were aided by the list and tables appearing in Curtis (1959) indicating the habitat or community in which plant species occur and achieve their maximum presence. A number of moth species occur more broadly in related habitat types. For example, sand prairie, barrens and dune habitats have a significant commonality of moth fauna. Peatlands and barrens also have considerable faunal overlap (an abundance of ericaceous shrubs is one of many features linking these seemingly disparate habitats). The classification and plant species composition information for the habitats discussed below is from Curtis (1959) with modifications from the Wisconsin Department of Natural Resources Natural Communities classification (2016) and Aaseng et al. (2011).

Species marked with (*) have only been documented in that habitat type.

Peatlands: Occurring most extensively in the Northern Highlands and Central Plains, peatlands (bogs, poor fens, and rich fens) occur on wet, partially decomposed organic soils (peat). These wetlands range from completely open to forests of black spruce, tamarack, and white cedar; they also range from thin, quaking mats to well-grounded. Sphagnum and other mosses, ericaceous shrubs (e.g. leatherleaf, cranberry, Labrador tea), and sedges dominate the ground layer. Some types support shrub thickets of bog birch, willows, alder, sweet gale, and poison sumac. Other characteristic plants include pitcher plant, sundews, buckbean, and many orchids. Bogs and poor fens (acid peatlands) are floristically depauperate and lack strong mineral indicators (e.g. white cedar, alpine bulrush). Associated moth species (our sampling biased to acid peatlands) include:

890083	<i>Hyalophora columbia</i>	930248	<i>Apantesis speciosa</i> *	932467	<i>Papaipema appassionata</i> *
910705	<i>Macaria sulfurea</i> *	930302	<i>Virbia lamae</i> *	932507	<i>Papaipema aweme</i> *
910726	<i>Macaria argillacea</i> *	930310	<i>Spilosoma dubia</i>	932603	<i>Epiglaea apiata</i>
910725	<i>Macaria occiduaria</i> *	930767b	<i>Catocala badia coelebs</i>	932876	<i>Melanchra pulverulenta</i>
910693	<i>Epelis truncataria</i>	930832	<i>Catocala sordida</i>	932884	<i>Trichordestra rugosa</i> *
910765	<i>Macaria sexmaculata</i>	931188	<i>Exyra fax</i> *	932863	<i>Coronarta luteola</i> *
910766	<i>Macaria submarmorata</i>	931230	<i>Syngrapha microgamma</i> *	933537	<i>Cerastis fishii</i>
910769	<i>Macaria oweni</i>	931231	<i>Syngrapha montana</i> *	933546	<i>Hemipachnobia monochromata</i> *
910850	<i>Ematurga amitaria</i>	932053	<i>Heliothis borealis</i>	933575	<i>Xestia oblata</i>
911041	<i>Eufidonia discospilata</i>	932372	<i>Eremobina claudens</i>	933586	<i>Xestia dilucida</i>
910667	<i>Hethemia pistasciaria</i>	932382	<i>Oligia bridghami</i> *	933624	<i>Coenophila opacifrons</i>
910668	<i>Mesothea incertata</i>	932384	<i>Oligia minuscula</i> *		
910366	<i>Eupithecia nimbicolor</i>	932428	<i>Hypocoena basistriga</i>		

Wetlands: This broad category encompasses a variety of habitat classes; peatlands are discussed separately above. Examples include cattail and bulrush emergent marshes; sedge and bluejoint wet meadows; willow, alder, and red osier shrub thickets; hardwood and mixed conifer swamps; and forested seeps. Other characteristic plants include joe pye weed, meadow rue, swamp milkweed, meadowsweet, skunk cabbage, marsh marigold, marsh fern, and cinnamon fern. Associated moth species (excluding those with strong affinities to peatlands only) include:

890040	<i>Hemileuca maia</i> complex	931493	<i>Simyra insularis</i>	932465	<i>Papaipema unimoda</i>
910053	<i>Plemyria georgii</i>	931909	<i>Sympistis piffardi</i>	932473	<i>Papaipema nepheleptena</i>
910259	<i>Orthonama evansi</i>	932287	<i>Iodopepla u-album</i>	932475	<i>Papaipema speciosissima</i>
930505	<i>Macrochilo louisiana</i>	932293	<i>Conservula anodonta</i>	932476	<i>Papaipema inquaesita</i>
930506	<i>Macrochilo bivittata</i>	932369	<i>Resapamea stipata</i>	932487	<i>Papaipema lysimachiae</i>
930508	<i>Macrochilo absorptalis</i>	932374	<i>Eremobina leucoscelis</i>	932497	<i>Papaipema cataphracta</i>
930511	<i>Macrochilo orciferalis</i>	932413	<i>Meropleon diversicolor</i>	932500	<i>Papaipema impecuniosa</i>
930590	<i>Colobochyla interpuncta</i>	932415	<i>Lemmeria digitalis</i>	932502	<i>Papaipema eupatorii</i>
930661	<i>Hypenodes caducus</i>	932419	<i>Photedes inops</i>	932513	<i>Bellura vulnifica</i>
930662	<i>Hypenodes fractilinea</i>	932421	<i>Photedes includens</i>	932515	<i>Bellura brehmei</i>
930663	<i>Hypenodes palustris</i>	932422	<i>Photedes panatela</i>	932517	<i>Bellura obliqua</i>
930664	<i>Hypenodes sombrus</i>	932424	<i>Photedes enervata</i>	932518	<i>Bellura densa</i>
931184	<i>Pseudeva purpurigera</i>	932425	<i>Photedes defecta</i>	932622	<i>Xanthia tatago</i>
931235	<i>Plusia venusta</i>	932426	<i>Hypocoena inquinata</i>	932624	<i>Hillia iris</i>
931236	<i>Plusia putnami</i>	932438	<i>Archana oblonga</i>	932749	<i>Fagitana littera</i>
931238	<i>Plusia magnimacula</i>	932439	<i>Archana subflava</i>	932938	<i>Leucania linita</i>
931239	<i>Plusia contexta</i>	932441	<i>Archana laeta</i>	933553	<i>Cryptocala acadiensis</i>
931297	<i>Capis curvata</i>	932442	<i>Macronoctua onusta</i>		
931436	<i>Acronicta connecta</i>	932443	<i>Helotropha reniformis</i>		

Dry Bluff Prairie: Isolated remnants occur on steep, rocky limestone and sandstone bluffs, with most sites located in the Southwestern Upland division. Dominant grasses include little bluestem, side-oats grama, Indian grass and prairie dropseed. Other characteristic plants include leadplant, milkweeds, asters, goldenrods, flowering spurge, and blazing star. Associated moth species include:

910803	<i>Digrammia ordinata</i>	930830	<i>Catocala amestris</i>	933194	<i>Tricholita notata</i>
930253	<i>Apantesis figurata</i>	931313	<i>Ponometia binocula</i>	933218	<i>Anicla tenuescens*</i>
930281	<i>Apantesis carlotta</i>	932077	<i>Schinia lucens</i>	933254	<i>Dichagyris reliqua*</i>
930402	<i>Cycnia collaris</i>	932095	<i>Schinia grandimedia</i>	933384	<i>Euxoa immixta*</i>
930827	<i>Catocala abbreviatella</i>	932339	<i>Apamea burgessi</i>		
930829	<i>Catocala whitneyi</i>	932340	<i>Apamea relicina</i>		

Sand Prairie: The most extensive remaining sites occur on dry, level sand terraces along the lower Wisconsin River in the Southwestern Upland division, parts of which are referred to as the "Wisconsin Desert." Dominant grasses include little bluestem, June grass, panic grasses, and poverty-oat grass. Other characteristic plants include prickly-pear cactus, leadplant, flowering spurge, stiff goldenrod, and wind-carved sand blowouts with false heather. Species characteristic of sand prairie openings in the Central Plains division are included below under "Pine and Oak Barrens." Associated moth species include:

910805	<i>Digrammia eremiata</i>	930827	<i>Catocala abbreviatella</i>	932257	<i>Caradrina meralis</i>
930225	<i>Crambidia casta</i>	930829	<i>Catocala whitneyi</i>	932339	<i>Apamea burgessi</i>
930226	<i>Crambidia pura</i>	930830	<i>Catocala amestris</i>	932340	<i>Apamea relicina</i>
930240	<i>Apantesis arge</i>	931312	<i>Ponometia virginalis*</i>	932911	<i>Hadena capsularis</i>
930242	<i>Apantesis phyllira</i>	931313	<i>Ponometia binocula</i>	933257	<i>Eucoptocnemis fimbriaris</i>
930281	<i>Apantesis carlotta</i>	931875	<i>Sympistis riparia</i>	933329	<i>Euxoa scandens</i>
930402	<i>Cycnia collaris</i>	932077	<i>Schinia lucens</i>	933397	<i>Euxoa albipennis</i>
930716	<i>Phytometra ernestinana*</i>	932120	<i>Schinia lynx</i>	933458	<i>Euxoa niveilinea</i>
930891	<i>Drasteria graphica</i>	932145	<i>Schinia sanguinea*</i>	933494	<i>Feltia manifesta*</i>

Mesic and Wet Prairie: Characterized by a flora including big bluestem, blue joint grass, cordgrass, wild rye, prairie dock, compass plant, blazing star, mountain mint, coneflowers, sunflowers, goldenrods and asters, the very limited remaining examples of mesic to wet prairie mostly occur in southeastern Wisconsin. Associated moth species include:

932369	<i>Resapamea stipata</i>	932506	<i>Papaipema nelita</i>	932510	<i>Papaipema necopina</i>
932424	<i>Photedes enervata</i>	932508	<i>Papaipema beeriana</i>	932511	<i>Papaipema silphii*</i>
932457	<i>Hydraecia immanis</i>	932509	<i>Papaipema maritima</i>	933194	<i>Tricholita notata</i>

Pine and Oak Barrens: Occurring mostly in the Central Plains and Northern Highland divisions, these habitats consist of dry, sandy open areas with scattered scrubby jack pine and Hill's oak. Ground layer species include blueberries, bearberry, sweetfern, sand cherry, Pennsylvania sedge, poverty grass, and Cladina lichens. In some examples tall shrubs such as hazels or prairie willow are important components. Sites in the Central Plains (including northwestern counties) have a significant proportion of prairie plants including little bluestem, June grass, wild lupine, downy phlox, puccoon and New Jersey tea; these prairie elements decrease to the north and east. Associated moth species include:

890178	<i>Hemaris gracilis</i>	930910	<i>Drasteria adumbrata</i>	932521	<i>Xylena thoracica</i>
910693	<i>Epelis truncataria</i>	931241	<i>Bagisara rectifascia*</i>	932522	<i>Xylena cineritia</i>
910850	<i>Ematurga amitaria</i>	931441	<i>Acronicta quadrata</i>	932588	<i>Eupsilia sidus</i>
911115	<i>Apodrepanulatrix liberaria</i>	931475	<i>Acronicta sperata</i>	932596	<i>Xystopeplus rufago</i>
911125	<i>Erastria coloraria</i>	931492	<i>Acronicta dollii*</i>	932603	<i>Epiglaea apiata</i>
910668	<i>Mesothea incertata</i>	931488	<i>Acronicta lanceolaria*</i>	932604	<i>Chaetaglaea cerata*</i>
910503	<i>Lobocleta plemyraria</i>	931500	<i>Cerma cora</i>	932608	<i>Psectraglaea carnosa*</i>
930102	<i>Schizura apicalis*</i>	931558	<i>Brachionycha borealis</i>	932907	<i>Sideridis congermana*</i>
930115	<i>Hyparpax aurora*</i>	931797	<i>Sympistis perscripta*</i>	932908	<i>Sideridis maryx</i>
930225	<i>Crambidia casta</i>	931800	<i>Sympistis saundersiana*</i>	932911	<i>Hadena capsularis</i>
930226	<i>Crambidia pura</i>	931810	<i>Sympistis viriditincta*</i>	933458	<i>Euxoa niveilinea</i>
8187	<i>Apantesis celia</i>	932053	<i>Heliothis borealis</i>	933481	<i>Euxoa perpolita</i>
930310	<i>Spilosoma dubia</i>	932069	<i>Schinia indiana*</i>	933488	<i>Feltia mollis</i>
930429	<i>Pygarctia spraguei *</i>	932150	<i>Schinia sp. nr. bina*</i>	933537	<i>Cerastis fishii</i>
930766	<i>Catocala antinympha</i>	932249.5	<i>Chytonix sensilis</i>	933544	<i>Paradiarsia littoralis</i>
930832	<i>Catocala sordida</i>	932257	<i>Caradrina meralis</i>	933586	<i>Xestia dilucida</i>
930863	<i>Phoberia ingenua*</i>	932512	<i>Selicanis cinereola*</i>		

Great Lakes Beach and Dunes: These sparsely vegetated habitats occur on the shores of Lakes Michigan and Superior. Indicator plants include beachgrass, beach pea, wormwood, and creeping juniper; Canada wild-rye, common juniper, sand cherry, and willows are often common as well. Bearberry and false heather are prominent on Lake Superior dunes. Associated moth species include:

910055	<i>Thera contractata</i>	932261	<i>Caradrina multifera</i>	933328	<i>Euxoa quebecensis*</i>
930225	<i>Crambidia casta</i>	932316	<i>Apamea inordinata*</i>	933330	<i>Euxoa aurulenta*</i>
930242	<i>Apantesis phyllira</i>	932905	<i>Sideridis artesta*</i>	933360	<i>Euxoa intrita*</i>
930891	<i>Drasteria graphica</i>	933257	<i>Eucoptocnemis fimbriaris</i>		
931875	<i>Sympistis riparia</i>	933269	<i>Copablepharon michiganensis*</i>		

Strays and migrants: A significant number of species regarded as strays or migrants have been recorded in Wisconsin. Ferguson et al. (1991) provides considerable insight regarding migratory Lepidoptera species in eastern North America, listing frequent or obvious migrants, many classified as such for the first time. Many of the migrants recorded in Wisconsin are of tropical or subtropical origin, others originate from breeding ranges in the southern states, and a few have western affinities. Strays are highly sporadic in occurrence, many being records of single individuals. Migrants recur more often but irregularly, with some occasionally establishing temporary breeding populations. In addition, Ferguson et al. (1991) discuss a number of migrant species that are consistently present northward every season, some with such regularity they are often considered resident species. However, they have no diapause and must annually repopulate northern regions.

Annually occurring migrants:

910540	<i>Pleuroprucha insulsaria</i>	932045	<i>Helicoverpa zea</i>	932249	<i>Galgula partita</i>
910258	<i>Orthonama obstipata</i>	932935	<i>Mythimna unipuncta</i>	933211	<i>Peridromia saucia</i>
910260	<i>Costaconvexa centrostrigaria</i>	933216	<i>Spodoptera frugiperda</i>	933528	<i>Agrotis ipsilon</i>
931023	<i>Zale lunata</i>	933219	<i>Spodoptera ornithogalli</i>		

Irregularly occurring migrants:

890086	<i>Agrius cingulata</i>	930518	<i>Tetanolita floridana</i>	931176	<i>Rachiplusia ou</i>
890090	<i>Manduca sexta</i>	930759	<i>Ascalapha odorata</i>	931209	<i>Megalographa biloba</i>
890091	<i>Manduca quinquemaculata</i>	930942	<i>Mocis latipes</i>	931253	<i>Amyna stricta</i>
890184	<i>Eumorpha achemon</i>	930944	<i>Mocis texana</i>	932215	<i>Spodoptera exigua</i>
890211	<i>Xylophanes tersa</i>	931077	<i>Anticarsia gemmatalis</i>	932230	<i>Elaphria chalcedonia</i>
890217	<i>Hyles lineata</i>	931169	<i>Ctenoplusia oxygramma</i>	932281	<i>Magusa divaricata</i>
930516	<i>Tetanolita mynesalis</i>	931170	<i>Chrysodeixis includens</i>	932931	<i>Dargida rubripennis</i>

Strays:

890106	<i>Ceratomia hageni</i>	930348	<i>Utetheisa ornatrix</i>	931284	<i>Marimatha nigrofimbria</i>
890112	<i>Sphinx vashti</i>	930580	<i>Hypena minualis</i>	932031	<i>Micrathetus triplex</i>
890156	<i>Erinnyis obscura</i>	930602	<i>Anomis erosa</i>	932054	<i>Chloridea virescens</i>
890152	<i>Erinnyis alope</i>	930608	<i>Anomis illita</i>	932056	<i>Heliocheilus lupatus</i>
890154	<i>Erinnyis ello</i>	930611	<i>Alabama argillacea</i>	932073	<i>Schinia jaguarina</i>
890170	<i>Aellopos titan</i>	930624	<i>Eudocima apta</i>	932092	<i>Schinia gracilenta</i>
890187	<i>Eumorpha fasciatus</i>	930754	<i>Tathorhynchus exsiccatus</i>	932158	<i>Schinia tertia</i>
890188	<i>Eumorpha labruscae</i>	930758	<i>Thysania zenobia</i>	932171	<i>Schinia chrysellus</i>
910697	<i>Psamatodes abydata</i>	930770	<i>Catocala angusi</i>	932221	<i>Spodoptera dolichos</i>
910824	<i>Ridgea nigricomma</i>	930780	<i>Catocala dejecta</i>	932223	<i>Spodoptera eridania</i>
910858	<i>Glenoides texanaria</i>	930783	<i>Catocala lacrymosa</i>	932756	<i>Stretchia plusiiformis</i>
910898	<i>Tornos scolopacinaria</i>	930789	<i>Catocala maestosa</i>	932960	<i>Leucania adjuta</i>
911018	<i>Epimecis hortaria</i>	930869	<i>Melipotis perpendicularis</i>	933212	<i>Anicla infecta</i>
910508	<i>Idaea bonifata</i>	930878	<i>Melipotis jucunda</i>	933309	<i>Euxoa auxiliaris</i>
910128	<i>Coryphista meadii</i>	930934	<i>Ptichodis bistrigata</i>	933504	<i>Feltia subterranea</i>
910261	<i>Disclisioprocta stellata</i>	931166	<i>Argyrogramma verruca</i>		
911034	<i>Melanchoria chephise</i>	931193	<i>Autographa californica</i>		

Introduced Species: The following species, mostly of European origin, have become established in North America, and were first documented in Wisconsin on the dates indicated.

890215	<i>Hyles euphorbiae</i> : Eau Claire Co., 3 June 2009	932363	<i>Lateroligia ophiogramma</i> : Forest Co., 1 July 1999
910466	<i>Pasiphila rectangulata</i> : Milwaukee Co., 27 June 2009	932437	<i>Rhizedra lutosa</i> : Kenosha Co., 10 Sept. 2010
910535	<i>Idaea dimidiata</i> : Door Co., 1 August 2013	932458	<i>Hydraecia micacea</i> : Manitowoc Co., 1982
930141	<i>Lymantria dispar</i> : Monroe Co., 1971	932893	<i>Papestra biren</i> : Vilas Co., 10 June 1983
931771	<i>Calophasia lunula</i> : Door Co., 8 August 2002	933551	<i>Noctua pronuba</i> : Outagamie Co., 17 August 1995
932308	<i>Apamea unanimis</i> : Oneida Co., 15 June 2004		

ACKNOWLEDGEMENTS

We wish to acknowledge and thank the many individuals, agencies and institutions that provided assistance during the many years preceding this work. Many individuals made their collections available for examination, or provided specimens or photos, provided informative discussion, and/or assisted with field sampling. Steven C. Bransky, Robert J. Borth, Hugo Kons, Jr., James C. Parkinson and Tom Rocheleau made extensive contributions to this work. We also wish to thank Tom Barina, Armund Bartz, Gerald W. Goth, Walter P. Gould, George F. Holbach, Waldemar E. Kmentt, Tom Kral, Jim Kruse, Ron

Leuschner, Ilona Loser, Marcie O'Connor, Janice Stiefel, Richard Teper and William E. Sieker. For facilitating access to the collections in their care we are grateful to Allen M. Young, Susan S. Borkin, Jennifer Zaspel and Julia Colby, Milwaukee Public Museum; Daniel K. Young, Steven Krauth and Craig Brabant, University of Wisconsin-Madison; Gene Drecktrah, University of Wisconsin-Oshkosh; Julian P. Donahue, Natural History Museum of Los Angeles County; Klaus B. Bolte, Canadian National Collection; Douglas C. Ferguson, United States National Museum of Natural History; Jamee L. Hubbard, University of Wisconsin-Stevens Point; Alfred F. Newton Jr. and Philip Parillo, Field Museum of Natural History; and Frederick H. Rindge, American Museum of Natural History. For assistance with specimen identification, we are indebted to James K. Adams, Klaus B. Bolte, Robert J. Borth, Charles V. Covell Jr., Julian P. Donahue, Douglas C. Ferguson, J. Richard Heitzman, Roger L. Heitzman, Hugo Kons Jr., J. Donald Lafontaine, Tony McBride, Timothy L. McCabe, Eric H. Metzler, Mogens C. Nielsen, Michael Pogue, Robert W. Poole, Eric Quinter, Dale F. Schweitzer, James R. Wiker and John H. Wilterding. Valuable advice on taxonomic and nomenclatural problems was provided by Douglas C. Ferguson, J. Donald Lafontaine and Dale F. Schweitzer. We are grateful to staff members of the Bureau of Endangered Resources, Wisconsin Department of Natural Resources, and of The Nature Conservancy, Wisconsin Chapter for access and permission to collect in State Natural Areas and preserves under their supervision, and private landowners (Judy Douglas, Gerald Goth, Shelley and David Hamel, Brett Mandernack, Lee Swanson) and many others. KEJ thanks Daniel K. Young and the University of Wisconsin-Madison Insect Research Collection for essential resources and lab space; a small portion of his surveys were funded by the Kohler Trust for Preservation, Swamp Lover's Foundation, and the Wisconsin Department of Natural Resources. We wish to thank James K. Adams for his thorough review of this publication.

LITERATURE CITED

- Aaseng, N.E., Almendinger, J.C., Dana, R.P., Hanson, D.S., Lee, M.D., Rowe, E.R., Rusterholz, K.A. and D.S. Wovcha. 2011. Minnesota's native plant community classification: A statewide classification of terrestrial and wetland vegetation based on numerical analysis of plot data. Biological Report No. 108. Minnesota County Biological Survey, Ecological Land Classification Program, and Natural Heritage and Nongame Research Program. Minnesota Department of Natural Resources, St. Paul, Minnesota.
- Bolte, Klaus B. 1990. Guide to the Geometridae of Canada (Lepidoptera) VI. Subfamily Larentiinae 1. Revision of the Genus *Eupithecia*. Mem. Entomol. Soc. Canada 151. 253 pp.
- Covell Jr., Charles V. 1970. An Annotated Check List of the Geometridae (Lepidoptera) of Wisconsin. Transactions of the Wisconsin Academy of Sciences, Arts and Letters 58: 167-183.
- Curtis, John T. 1959. Vegetation of Wisconsin. University of Wisconsin Press, Madison, Wisconsin. 657 pp.
- Dubatolov, V.V. 2015. Taxonomic review of *Manulea* subgenus *Setema* (Lepidoptera: Erebidae: Arctiinae: Lithosiini). Canadian Entomologist 147(5): 541-552
- Ferge, L. A. 1981. Observations on the buck moth in Wisconsin. Wisconsin Entomological Society Newsletter 9(1): 2-5.
- Ferge, L. A. and G. J. Balogh. 2000. Checklist of Wisconsin Moths (Superfamilies Drepanoidea, Geometroidea, Mimallonoidea, Bombycoidea, Sphingoidea and Noctuoidea). Milwaukee Public Museum Contributions in Biology and Zoology No. 93.
- Ferguson, Douglas C., D. J. Hilburn and B. Wright. 1991. The Lepidoptera of Bermuda: Their Foodplants, Biogeography and Means of Dispersal. Mem. Entomol. Soc. Canada 158. 105 pp.
- Fernekes, V. 1906. List of Lepidoptera Occurring in Milwaukee County. Bull. Wisconsin Nat. Hist. Soc. 4: 39-58.
- Forbes, W. T. M. 1954. Lepidoptera of New York and Neighboring States. Part III. Cornell University Agricultural Experiment Station Memoir 329.
- Hodges, Ronald W. et al. 1983. Check List of the Lepidoptera of America North of Mexico. E. W. Classey, Ltd., London. 284 pp.
- Hole, Francis D. and Clifford E. Germain. 1994. Natural Divisions of Wisconsin. Wisconsin Department of Natural Resources.
- Hoy, P. R. 1883. A Catalog of Wisconsin Lepidoptera. Geology of Wisconsin - Survey of 1873-1879. 1: 406-421.

- Lafontaine J. D. and B. C. Schmidt. 2010. Annotated check list of the Noctuoidea (Insecta, Lepidoptera) of North America north of Mexico. ZooKeys 40: 1–239. doi: 10.3897/zookeys.40.414
- Lafontaine J. D. and B. C. Schmidt. 2011. Additions and corrections to the check list of the Noctuoidea (Insecta, Lepidoptera) of North America north of Mexico. ZooKeys 149: 145–161. doi: 10.3897/zookeys.149.1805
- Lafontaine J. D. and B. C. Schmidt. 2013. Additions and corrections to the check list of the Noctuoidea (Insecta, Lepidoptera) of North America north of Mexico. ZooKeys 264: 227–236. doi: 10.3897/zookeys.264.4443
- Lafontaine J. D. and B. C. Schmidt. 2015. Additions and corrections to the check list of the Noctuoidea (Insecta, Lepidoptera) of North America north of Mexico. ZooKeys 527: 127–147. doi: 10.3897/zookeys.527.6151
- Lavitt, Tate H. and David L. Wagner. 2016. A New Cryptic *Eupsilia* from Northeastern North America (Noctuidae). Journal of the Lepidopterists' Society 70(3): 238–248
- Muttkowski, R. A. 1907. Additions to the Lepidopterous Fauna of Milwaukee County. Bulletin of the Wisconsin Natural History Society 5: 128–133.
- Pogue, M. G. (2013). Revised status of *Chloridea* Duncan and (Westwood), 1841, for the *Heliothis virescens* species group (Lepidoptera: Noctuidae: Heliothinae) based on morphology and three genes. Systematic Entomology 38: 23–542. doi: 10.1111/syen.12010
- Pohl, Gregory R., Gary G. Anweiler, B. Christian Schmidt and Norbert G. Kondla. 2010. An annotated list of the Lepidoptera of Alberta, Canada. ZooKeys 38: 1–549. doi: 10.3897/zookeys.38.383
- Pohl, G.R., Patterson, B., & Pelham, J.P. 2016. Annotated taxonomic checklist of the Lepidoptera of North America North of Mexico. Working paper published online by the authors at ResearchGate.net. 766 pp.
- Rauterberg, F. 1900. List of Lepidoptera of the County of Milwaukee. Bull. Wisconsin Nat. Hist. Soc. 1: 111–126.
- Rönkä, K., Mappes, J., Kaila, L. and Wahlberg, N. (2016), Putting *Parasemia* in its phylogenetic place: a molecular analysis of the subtribe Arctiina (Lepidoptera). Systematic Entomology 41: 844–853. doi:10.1111/syen.12194
- Schmidt, B. C. 2009. Taxonomic revision of the genus *Grammia* Rambur (Lepidoptera: Noctuidae: Arctiinae). Zoological Journal of the Linnean Society 156: 507–597
- Schmidt, B.C., D. L Wagner, B. V. Zacharczenko, R. Zahiri and G. G. Anweiler. 2014. Polyphyly of Lichen-cryptic Dagger Moths: synonymy of *Agriopodes* Hampson and description of a new basal acronictine genus, *Chloronycta*, gen. n. (Lepidoptera, Noctuidae). In: Schmidt, B. C. and J. D. Lafontaine (Eds). Contributions to the systematics of New World macro-moths V. ZooKeys 421: 115–137. doi: 10.3897/zookeys.421.
- Schmidt, B. C. 2015. Revision of the *Lacinipolia vicina* (Grote) complex (Noctuidae, Noctuinae, Eriopygini). In: Schmidt BC, Lafontaine JD (Eds) Contributions to the systematics of New World macro-moths VI. ZooKeys 527: 03–126. doi: 10.3897/zookeys.527.9686
- Schmidt, B. C. 2018. Cryptic species among bumblebee mimics: an unrecognized *Hemaris* hawkmoth (Lepidoptera: Sphingidae) in eastern North America. Zootaxa 4399 (1): 32–48
- Scholtens, Brian C. and W. H. Wagner. 1997. An example of clinal variation in eastern North American buckmoths (Saturniidae: Hemileuca). Journal of the Lepidopterists' Society 51(1): 47–56
- Tuskes, P. M., Tuttle, J. P., & Collins, M. M. 1996. The wild silk moths of North America: a natural history of the Saturniidae of the United States and Canada. Cornell University Press, Ithaca, NY & London, UK. 250 pp.
- Wagner, David L. 2005. Caterpillars of Eastern North America: A Guide to Identification and Natural History. Princeton University Press, Princeton, NJ.
- Wisconsin Dept. of Natural Resources. 2016. Natural Communities of Wisconsin. Available at <http://dnr.wi.gov/topic/endangeredresources/communities.asp>.
- Zacharczenko B., D. L. Wagner and M. J. Hatfield. 2014. A new cryptic *Sympistis* from eastern North America revealed by novel larval phenotype and host plant association (Lepidoptera, Noctuidae, Oncocnemidinae). ZooKeys 379: 93–107. doi: 10.3897/zookeys.379.5765.

Plate 1

1. 870001 *Heteropacha rileyana* Harvey ♂, Grant Co., 25 June 1988
2. 870018 *Malacosoma californica* (Packard) ♂, Douglas Co., 18 June 1988
3. 910022 *Dysstroma walkerata* (Pearsall) ♂, Oneida Co., 13 June 1992
4. 910041 *Eulithis flavibrunneata* (McDunnough) ♂, Douglas Co., 24 August 2017
5. 910053 *Plemyria georgii* Hulst ♂, Bayfield Co., 30 August 1992
6. 910055 *Thera contractata* (Packard) ♂, Manitowoc Co., 15 July 1993
7. 910067 *Hydriomena perfracta* Swett ♂, Oneida Co., 2 June 2003
8. 910092 *Hydriomena ruberata* (Freyer) ♂, Sheboygan Co., 7 June 1992
9. 910123 *Triphosia haesitata* (Guenée) ♂, Oneida Co., 17 April 1987
10. 910213 *Xanthorhoe abrasaria* (Herrich-Schäffer) ♂, Bayfield Co., 12 July 1994
11. 910227 *Xanthorhoe decoloraria* (Esper) ♂, Bayfield Co., 27 July 1992
12. 910259 *Orthonama evansi* (McDunnough) ♂, Marquette Co., 15 August 1997
13. 910263 *Hydrelia lucata* (Guenée) ♂, Marathon Co., 24 June 2015
14. 910264 *Hydrelia condensata* (Walker) ♂, Bayfield Co., 5 June 1996
15. 910278 *Epirrita autumnata* (Borkhausen) ♂, Marinette Co., 28 September 2014
16. 910466 *Pasiphila rectangulata* (Linnaeus) ♂, Marathon Co., 24 June 2015
17. 910503 *Lobocleta plemyraria* (Guenée) ♂, La Crosse Co., 8 May 2007
18. 910548 *Cyclophora nanaria* (Walker) ♂, Manitowoc Co., 11 October 1997
19. 910555 *Timandra amaturaria* Walker ♂, Rock Co., 6 June 2014
20. 910670 *Leucobrephos brephoides* (Walker) ♂, Lincoln Co., 28 March 2016
21. 910706 *Macaria amboflava* (Ferguson) ♂, Vernon Co., 3 July 1995
22. 910766 *Macaria signaria* (Hübner) ♂, Bayfield Co., 12 July 1994
23. *Macaria marmorata* (Ferguson) ♂, Bayfield Co., 30 July 1992
24. *Macaria submarmorata* (Walker) ♂, Price Co., 29 May 1998
25. 913781 *Digrammia denticulata* (Grote) ♂, La Crosse Co., 21 May 2007
26. 910787 *Digrammia pallidata* (Packard) ♂, Sauk Co., 14 May 1993
27. 910789 *Digrammia continuata* (Walker) ♂, Oneida Co., 4 June 1999
28. 910802 *Digrammia ocellinata* (Guenée) ♂, Waushara Co., 24 July 1999
29. 910803 *Digrammia ordinata* (Walker) ♂, Crawford Co., 3 July 1995
30. 910805 *Digrammia eremiata* (Guenée) ♂, La Crosse Co., 5 July 2007
31. 910806 *Digrammia equivocata* Ferguson ♂, Adams Co., 31 May 2002
32. 910817 *Digrammia neptaria* (Guenée) ♂, Manitowoc Co., 15 July 1993
33. 910864 *Glena cibrataria* (Guenée) ♂, Jackson Co., 3 June 2000
34. 910898 *Tornos scolopacinaria* (Guenée) ♂, Rock Co., 11 May 1983
35. 911014 *Cleora projecta* (Walker) ♂, Price Co., 1 May 1998
36. 911084 *Paleacrita merricata* Dyar ♂, Trempealeau Co., 26 March 1998
37. 911101 *Cabera quadrijasciaria* (Packard) ♂, Trempealeau Co., 29 June 1997
38. 911115 *Apodrepanulatrix liberaria* (Walker) ♂, La Crosse Co., 5 September 2007
39. 911125 *Erastria coloraria* (Fabricius) ♂, Jackson Co., 5 July 1994
40. 911163 *Euchlaena milnei* McDunnough ♂, Grant Co., 26 June 1998
41. 911230 *Spodolepis substriataria* Hulst ♂, Oneida Co., 26 April 1999
42. 911238 *Tacparia atropunctata* (Packard) ♂, Bayfield Co., 12 June 1997
43. 911256 *Metarranthis amyrisaria* (Walker) ♂, Bayfield Co., 30 May 1992
44. 911349 *Nepytia pellucidaria* (Packard) ♂, Florence Co., 5 September 2015
45. 911423 *Patelene olyzonaria* (Walker) ♂, Rock Co., 15 October 1999

Plate 1
Natural Size 1:1



Plate 2

1. 930008 *Closteria brucei* (Hy. Edwards) ♂, Oneida Co., 4 June 1994
2. 930017 *Notodontia torva* (Hübner) ♂, Oneida Co., 25 May 1996
3. 930022 *Glaphisia lintneri* (Grote) ♂, Ashland Co., 15 April 2005
4. 930035 *Datana drexelii* Hy. Edwards ♂, Marathon Co., 26 June 1970
5. 930077 *Heterocampa subrotata* Harvey ♂, Crawford Co., 3 July 1995
6. 930102 *Schizura apicalis* (Grote & Robinson) ♂, Burnett Co., 18 July 1999
7. 930115 *Hyparpax aurora* (J. E. Smith) ♂, Jackson Co., 11 July 1992
8. 930134 *Dasylophia thyatiroides* (Walker) ♂, Door Co., 21 July 1967
9. 930248 *Apantesis speciosa* (Moschler) ♂, Oneida Co., 4 August 1979
10. 930253 *Apantesis figurata* (Drury) ♂, Grant Co., 21 May 1983
11. *Apantesis celia* (Saunders) ♂, Door Co., 15 June 1991
12. 930281 *Apantesis carlotta* Ferguson ♂, Grant Co., 15 August 1981
13. 930302 *Virbia lamae* (Freeman) ♂, Marathon Co., 4 July 1976
14. 930310 *Spilosoma dubia* (Walker) ♂, Vilas Co., 3 June 2012
15. 930333 *Phragmatobia lineata* Newman & Donahue ♂, Lafayette Co., 28 August 2008
16. 930402 *Cycnia collaris* (Fitch) ♂, Grant Co., 24 May 1997
17. 930429 *Pygarctia spraguei* (Grote) ♂, Eau Claire Co., 7 June 1985
18. 930472 *Idia concisa* of authors, not (Walker) ♂, Bayfield Co., 28 July 1992
19. 930481 *Idia denticulalis* (Harvey) ♂, Sauk Co., 8 July 1986
20. 930496.1 *Zanclognatha dentata* Wagner & McCabe ♂, Sauk Co., 19 July 1986
21. 930506 *Macrochilo bivittata* (Grote) ♂, Door Co., 11 July 2002
22. 930552 *Palthis asopialis* (Guenée) ♂, Walworth Co., 23 September 2007
23. 930560 *Ledaea perditalis* (Walker) ♂, Crawford Co., 19 June 1996
24. 930590 *Colobochyla interpuncta* (Grote) ♂, Kenosha Co., 14 June 2007
25. 930591 *Melanomma auricinctaria* Grote ♂, Crawford Co., 10 August 2002
26. 930667 *Parahyphenodes quadralis* Barnes & McDunnough ♂, Trempealeau Co., 29 June 1997
27. 930674 *Mycterothora inexplicata* (Walker) ♂, Ashland Co., 19 July 1999
28. 930682 *Metalectra tantillus* (Grote) ♂, Sauk Co., 7 August 1993
29. 930716 *Phytometra ernestinana* (Blanchard) ♂, La Crosse Co., 5 July 2007
30. 930847a *Catocala praeclarar manitoba* Beutenmüller ♂, Pierce Co., 16 July 1994
31. 930863 *Phoberia ingenua* (Walker) ♂, Jackson Co., 6 April 1991
32. 930934 *Ptichodis bistrigata* Hübner ♂, Grant Co., 15 May 1982
33. 931033 *Zale phaeocapna* Franclemont ♂, Grant Co., 29 April 1992
34. 931238 *Plusia magnimacula* D. & L. Handfield ♂, Jackson Co., 13 September 2002
35. 931241 *Bagisara rectifascia* (Grote) ♂, Burnett Co., 6 July 2000
36. 931247 *Bagisara gulnare* (Strecker) ♂, Rock Co., 15 July 1989
37. 931296 *Maliattha concinnimacula* (Guenée) ♂, Marinette Co., 6 June 2004
38. 931292 *Lithacodia musta* (Grote & Robinson) ♂, Green Co., 19 June 1983
39. 931312 *Ponometia virginalis* (Grote) ♂, Sauk Co., 3 August 1987
40. 931313 *Ponometia binocula* (Grote) ♂, Pierce Co., 20 May 1994
41. 931326 *Ponometia tortricina* (Zeller) ♂, Waukesha Co., 21 July 1989
42. 931343 *Tarache aprica* (Hübner) ♂, Kenosha Co., 1 September 1989
43. 931351 *Tarache terminimaculata* Grote ♂, Sauk Co., 21 July 1984
44. 931387 *Spraguea leo* (Guenée) ♂, Rock Co., 1 August 2005

Plate 2
Natural Size 1:1



Plate 3

1. 931434 *Acronicta falcula* (Grote) ♂, Jackson Co., 22 May 1993
2. 931441 *Acronicta quadrata* Grote ♂, Douglas Co., 13 June 1980
3. 931488 *Acronicta lanceolaria* (Grote) ♂, Douglas Co., 1 June 2005
4. 931492 *Acronicta dolli* (Barnes & McDunnough) ♂, Burnett Co., 13 May 1989
5. 931558 *Brachionycha borealis* (J. B. Smith) ♂, Jackson Co., 14 April 1994
6. 931771 *Calophasia lunula* (Hufnagel) ♂, Door Co., 8 August 2002
7. 931797 *Sympistis perscripta* (Guenée) ♂, Jackson Co., 22 May 1993
8. 931800 *Sympistis saundersiana* (Grote) ♂, Monroe Co., 23 August 1996
9. 931810 *Sympistis viriditincta* (J. B. Smith) ♂, Adams Co., 26 August 2000
10. 931875 *Sympistis riparia* (Morrison) ♂, Manitowoc Co., 15 July 1993
11. 931909 *Sympistis piffardi* (Walker) ♂, Douglas Co., 13 August 1993
12. 931986 *Perigea xanthioides* Guenée ♂, Iowa Co., 14 September 1991
13. 932024 *Homophoberia cristata* Morrison Rock Co., 29 June 1986
14. 932053 *Heliothis borealis* (Hampson) ♂, Oneida Co., 18 May 1980
15. 932069 *Schinia indiana* (J. B. Smith) ♀, Eau Claire Co., 23 May 1987
16. 932073 *Schinia jaguarina* (Guenée) ♀, Crawford Co., 4 June 1989
17. 932077 *Schinia lucens* (Morrison) ♂, Sauk Co., 27 June 1987
18. 932095 *Schinia grandimedia* Hardwick ♂, Pierce Co., 6 August 1994
19. 932114 *Schinia septentrionalis* (Walker) ♂, Green Co., 7 September 1985
20. 932126 *Schinia mortua* (Grote) ♀, Crawford Co., 18 August 1996
21. 932145 *Schinia sanguinea* (Geyer) ♂, La Crosse Co., 6 August 2007
22. 932150 *Schinia* sp. near *bina* (Guenée) ♀, Bayfield Co., 25 June 1996
23. 932158 *Schinia tertia* (Grote) ♂, Jackson Co., 13 September 2002
24. 932208 *Phosphila turbulenta* Hübner ♂, Rock Co., 26 May 2015
25. 932249.51 *Chytonix sensilis* Grote ♂, Waushara Co., 24 July 1999
26. 932260 *Caradrina montana* (Bremer) ♂, La Crosse Co., 5 June 2007
27. 932308 *Apamea unanimis* (Hübner) ♂, Bayfield Co., 25 June 2017
28. 932316 *Apamea inordinata* (Morrison) ♂, Manitowoc Co., 12 June 1993
29. 932347 *Apamea inficita* (Walker) ♂, Ashland Co., 24 August 2000
30. 932363 *Lateroligia ophiogramma* (Esper) ♂, Waupaca Co., 26 June 2004
31. 932385 *Oligia obtusa* (J. B. Smith) ♂, Douglas Co., 5 September 1997
32. 932421 *Photedes includens* (Walker) ♂, Grant Co., 23 June 2000
33. 932424 *Photedes enervata* (Guenée) ♂, Kenosha Co., 10 August 1989
34. 932428 *Hypocoena basistriga* (McDunnough) ♂, Ashland Co., 3 September 2005
35. 932437 *Rhizedra lutosa* (Hübner) ♂, Kenosha Co., 10 September 2010
36. 932507 *Papaipema aweme* (Lyman) ♂, Bayfield Co., 28 August 2016
37. 932508 *Papaipema beeriana* Bird ♂, Waukesha Co., 2 September 1989
38. 932511 *Papaipema silphii* Bird ♂, Waukesha Co., 2 September 1989
39. 932512 *Selicanis cinereola* J. B. Smith ♂, Monroe Co., 1 October 1996
40. 932514 *Bellura vulnifica* (Grote) ♀, Marathon Co., 24 June 2008
41. 932515 *Bellura brehmei* (Barnes & McDunnough) ♂, Ozaukee Co., 2 July 2003

Plate 3
Natural Size 1:1



Plate 4

1. 932535 *Lithophane franclemonti* Metzler ♂, Richland Co., 10 April 2002
2. 932539 *Lithophane lanei* Troubridge ♂, Ozaukee Co., 24 March 2004
3. 932550 *Lithophane querquera* Grote ♂, Sauk Co., 19 April 2014
4. 932551 *Lithophane scottae* Troubridge ♂, Lafayette Co., 13 March 2012
5. 932558 *Lithophane adipel* (Benjamin) ♀, Marinette Co., 29 April 2001
6. 932571 *Lithophane thujae* Webster & Thomas ♀, Florence Co., 11 October 1980
7. 932573 *Lithophane georgii* Grote ♂, Vilas Co., 15 May 2015
8. 932588.1 *Eupsilia schweitzeri* Lavitt & Wagner ♂, Monroe Co., 29 October 1981
9. 932595 *Sericaglaea signata* (French) ♂, Rock Co., 12 March 2012
10. 932598 *Metaxaglaea viatica* (Grote) ♂, Manitowoc Co., 5 November 2000
11. 932608 *Psectraglaea carnosa* (Grote) ♂, Bayfield Co., 20 September 1996
12. 932621 *Anathix aggressa* (J. B. Smith) ♂, Sheboygan Co., 13 September 1991
13. 932656 *Brachylomia discinigra* (Walker) ♂, Bayfield Co., 31 August 1992
14. 932675 *Enargia infumata* (Grote) ♂, Marathon Co., 24 June 2015
15. 932709 *Ufeus satyricus* Grote ♂, Douglas Co., 4 October 2007
16. 932720 *Properigea costa* (Barnes & Benjamin) ♂, Grant Co., 17 July 1982
17. 932756 *Stretchia plusiiformis* H. Edwards ♂, Marathon Co., 17 April 1977
18. 932776 *Orthosia segregata* (J. B. Smith) ♂, Door Co., 9 May 1992
19. 932863 *Coranarta luteola* (Grote & Robinson) ♀, Wood Co., 22 May 2008
20. 932878 *Lacanobia nevadae* (Grote) ♂, Price Co., 13 June 1997
21. 932884 *Trichordestra rugosa* (Morrison) ♂, Marathon Co., 12 June 2001
22. 932892 *Papestra quadrata* (J. B. Smith) ♂, Vilas Co., 15 May 2015
23. 932893 *Papestra biren* (Goeze) ♂, Vilas Co., 10 June 1983
24. 932905 *Sideridis artesta* (J. B. Smith) ♂, Sheboygan Co., 13 July 1991
25. 932907 *Sideridis congermana* (Morrison) ♂, Jackson Co., 4 June 1994
26. 932913 *Hadena ectypa* (Morrison) ♂, Crawford Co., 22 June 2002
27. 932960 *Leucania adjuta* (Grote) ♂, Jefferson Co., 13 October 1996
28. 933194 *Tricholita notata* Strecker ♂, Waukesha Co., 2 September 1989
29. 933218 *Anicla tenuescens* (J. B. Smith) ♂, Green Co., 2 August 1982
30. 933254 *Dichagyris reliqua* Lafontaine & Schweitzer ♂, Crawford Co., 18 August 1996
31. 933269 *Copablepharon michiganensis* Crabo & Lafontaine ♀, Manitowoc Co., 23 August 1992
32. 933320 *Euxoa divergens* (Walker) ♂, Bayfield Co., 24 June 1996
33. 933321 *Euxoa sinelinea* Hardwick ♀, Bayfield Co., 27 July 1992
34. 933328 *Euxoa quebecensis* (J. B. Smith) ♂, Bayfield Co., 19 June 1988
35. 933330 *Euxoa aurulenta* (J. B. Smith) ♂, Manitowoc Co., 11 June 1993
36. 933354 *Euxoa medialis* (J. B. Smith) ♂, Green Co., 23 September 2007
37. 933428 *Euxoa obeliscoides* (Guenée) ♂, Sauk Co., 3 August 1988
38. 933494 *Feltia manifesta* (Morrison) ♂, La Crosse Co., 8 May 2007

Plate 4
Natural Size 1:1

